

16 December 1980





AD

ACN 52719

ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE IN POST-DEPLOYMENT SOFTWARE SUPPORT (PDSS) 30 JUNE 1980 - 28 FEBRUARY 1981

> SECOND INTERIM TECHNICAL REPORT Volume III

UNITED STATES ARMY COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY FORT LEAVENWORTH, KANSAS 66027



E

BDM SERVICES COMPANY LEAVENWORTH, KANSAS 66048

DISCLAIMER.

The views, opinions, and findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation.

c1.275%

- Priblic releases Distribution Unlimited

REPORT DOCUMENTATION P.		READ INSTRUCTIONS BEFORE COMPLETING FORM
-	DA-700605 $A\lambda$	3. RECIPIENT'S CATALOG NUMBER
Assessment of the Combat Developer's Post-Deployment Software Support (PD: Volume III, 30 June 1980 - 28 February	Role in	5. TYPE OF REPORT & PERIOD COVERED Second Interim Technical Report 1 OCT 80 - 16 DEC 80 6. PERFORMING ORG. REPORT NUMBER CDRL Item Number 0002AC
7. AUTHOR(*) BDMSC Staff		6. CONTRACT OF GRANT NUMBER(a) MDA903-80-C-0479
9. Performing organization name and address BDM Services Company P. O. Box 456 213 Delaware, Suite 7C Leavenworth, Kansas 66048		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 16 December 1980 13. Number of Pages 402
14. MONITORING AGENCY NAME & ADDRESS(II ditterent in Combined Arms Combat Development Act ATTN: ATZL-CAC-IA, Mr. R. K. Schwabe	ivity	15. SECURITY CLASS. (of this report) UNCLASSIFIED
Fort Leavenworth, Kansas 66027	,	15. DECLASSIFICATION/DOWNGRADING
17. DISTRIBUTION STATEMENT (of the ebetract entered in E	llock 20, If different from	n Report)
8. SUPPLEMENTARY NOTES		
Post-Deployment Software Support (PDS Battlefield Automated System (BAS) Battlefield Functional Area (BFA) Combat Developer Materiel Developer Functional Proponent	Combat De (CDSF) Combat De	er velopment Support Facility velopment System Manager
0. ABSTRACT (Continue on reverse side if necessary and ide	(CDSM) Proponent	Agency

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

# 20. Abstract (Continued)

The Phase I effort was conducted to identify and describe the current macromanagement level and battlefield functional area (BFA) level PDSS structure and processes, relate these processes to other Combat Developer functions, and identify the Combat Developer's PDSS responsibilities and requirements. Phase I included review of organizational responsibilities, regulatory and directive authority, and the BAS that must be supported. Phase I results were documented in the First Interim Technical Report, 30 September 1980.

This Second Interim Technical Report documents the results of Phase II. This Phase II effort was directed toward defining three TRADOC functional and management PDSS systems. The first of these systems, the Baseline System, was developed from information gathered and analyzed during Phase I. The description of this system identifies currently-authorized resources, and also projects resource requirements needed to accomplish future PDSS using the present macro- and BFA-level structure. Next, a Theoretical System, unconstrained by resources, is described which would accommodate all identified Combat Developer PDSS-related functions. Finally, a Hybrid System is developed recognizing the realities of current organizational structures and their functional responsibilities,

Following TRADOC's selection of one of these three alternatives, or a variation thereof, Phase III of this study will proceed with the objective of developing an implementation plan which would provide for transitioning from the present capability to that of the selected alternative.



# UNCLASSIFIED

14 BDMSZ/L-21-001-TR

10 L.H./Zharity J.M. Mzzurdy P.L./Dung

D.L. / Jones R.L. / Page

UNITED STATES ARMY
COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY

15) NZ+113-20-2-0479

ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE
IN POST-DEPLOYMENT SOFTWARE SUPPORT (PDSS)
30 JUNE 1980 28 FEBRUARY 1981

Second Interim Technical Report

Volume III.

DISTRIBUTION STATEMENT.

Each transmittal of this document duts de of the Department of Defense must have prior approval of the United States Army Compined that a combat Development activity

12,389

ACN 52719

16 DECEMBER 1980

392329

# NOTICES

# CONTRACT REQUIREMENT

This document contains the Second Interim Technical Report of the Assessment of the Combat Developer's Role in Post-Deployment Software Support (PDSS) under Contract Number MDA903-80-C-0479 and satisfies the second requirement of Contract Data Requirements List (CDRL) Item Number 0002AC.

# DISTRIBUTION STATEMENT

Nach transmictal of this document outsid of the Department of Belense must have prior approval of the United States from Combined from Comba Sevelop ment Activity.

# DISCLAIMER

The views, opinions, and findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation.

This study was initiated and sponsored by the United States Army Combined Arms Combat Development Activity (CACDA), Fort Leavenworth, Kansas 66027, and performed by the BDM Services Company, Leavenworth, Kansas 66048.

The Contracting Officer's Technical Representative (COTR) is Mr. R. K. Schwabe, JINTACCS Office, Army C2/JINTACCS Division, Command, Control, Communications and Intelligence Directorate.

The BDM Services Company Team includes L. H. Charity, Program Manager; J. M. McCurdy, Deputy Program Manager; and the Program Staff, P. L. Dunn, D. L. Jones, R. L. Page and C. J. Thornton.

# CONTENTS

TITLE PAGE		Page 1
NOTICES	••••	iii
ACKNOWLEDG	EMEN	T v
CONTENTS .		vii
FIGURES		xi
ABSTRACT .		xiii
SUMMARY		xv
MAIN REPOR	т	1-1
CHAPTER 1.	In	troduction
1-1.	Sta	tement of the Problem1-1
	a. b. c.	Need for PDSS
1-2.	Вас	kground1-1
	a. b. c.	Requirement for an Army-Wide PDSS System
1-3.	Obj	ective 1-5
	a. b.	Overall Study       1-5         Phase II       1-5
1-4.	Sco	pe 1-5
	a. b. c. d.	General
1-5.	Ass	umptions 1-8
	a. b. c.	Missions and PDSS Roles       1-8         PDSS Centers       1-8         BAS       1-8

# CONTENTS (CONTINUED)

1-6.	Methodology	Page 1-8
	a. Study Structure b. Phase I c. Phase II d. Phase III e. Final Report	1-8 1-10 1-10
1-7.	Organization of this Report	1-10
	a. General b. Chapter 2 c. Chapter 3 d. Chapter 4 e. Chapter 5 f. Chapter 6	1-12 1-12 1-12
CHAPTER 2.	. Baseline System	2-1
2-1.	General	2-1
2-2.	System Overview	2-1
	a. Mission and Major Functions	2-1
2-3.	Concept of Operations	2-5
	a. HQ TRADOC	2-5 2-5
2-4.	Resources	2-9
CHAPTER 3	. Theoretical TRADOC PDSS System	3-1
3-1.	General	3-1
	a. Assumptionsb. Design Guidelines	3-1
3-2.	System Overview	3-9

# CONTENTS (CONTINUED)

3-3.	Concept of Operations 3-	<u>e</u> 11
	a. HQ TRADOC       3-         b. CACDA       3-         c. BFA-Level Operations       3-         d. Principal Interfaces       3-	13 13
3-4.	Resources 3-	13
	a. Personnel	
CHAPTER 4	. Comparison of Baseline and Theoretical System 4-	1
4-1.	General 4-	1
4-2.	Task Accomplishment 4-	1
	a. Areas of Comparison 4- b. System Levels Compared 4-	1
4-3.	Results of the Comparison 4-	2
CHAPTER 5	. TRADOC Hybrid PDSS System 5-	1
5-1.	General 5-	1
5-2.	System Overview 5-	1
5-3.	Concept of Operations 5-	3
5-4.	Resources 5-	3
APPENDIX	A. Reference Appendix A-	1
APPENDIX	B. Glossary B-	1
APPENDIX	C. Battlefield Automated Systems	1
APPENDIX	D. Description of the Baseline System D-	1
APPENDIX	E. Description of the Theoretical System E-	1
APPENDIX	F. Description of the Hybrid SystemF-	1

# FIGURES

	<u> </u>	<u>age</u>
1-1	Elements of the battlefield functional area concept	
1-2	Recommended PDSS Centers	
1-3	Relationship of PDSS to the system life cycle	
1-4	PDSS study overview	1-9
1-5	Phase IITRADOC PDSS alternative concept development	1-1
2-1	Principal elements and groups of elements in the TRADOC	
	organizational structure	2-2
2-2	Principal TRADOC organizational elements currently involved	
	with the PDSS Baseline System	
2-3	BFA proponency	2-6
2-4	HQ TRADOC staff elements with major responsibilities in the	
	PDSS Baseline System	2-7
2-5	Combined Arms Center elements with primary responsibilities	
	in the PDSS Baseline System	2-8
2-6	Principal Combat Developer-Materiel Developer interfaces in	
0 7	the PDSS Baseline System	
2-7	Summary of estimated personnel requirementsBaseline System	
3-1	TRADOC organizations by BFA which require a PDSS capability	
3-2	Summary of analysis of stimulators of change	
3-3	Response to field problem	
3-4	CDSM responsibilities	
3-5	Overview of the Theoretical System	
3-6	Approaches to CDSF structures	
3-7	Principal CD PDSS interfaces	
3-8 4-1	Summary of estimated personnel requirementsTheoretical System	3-10
4-1	Summary of comparison of the Baseline and Theoretical PDSS Systems	1 2
4-2	Comparison of personnel requirementsenhanced Baseline and	4-3
7-2	Theoretical PDSS Systems	1 O
5-1	Overview of the Hybrid System	4-9
5-2	Summary of estimated personnel requirements	D-C
J-L	January or eaching ted her souther reduit effects	5-5

#### ABSTRACT

This study addresses the role of the US Army Training and Doctrine Command, as the Army's principal Combat Developer, in planning for and providing post-deployment software support (PDSS) to battlefield automated systems (BAS). The Study is a three-phase effort directed toward defining a viable, feasible, and cost effective functional and management structure for the Combat Developer to provide PDSS for BAS, within the framework of Army doctrine and policy, the Post-Deployment Software Support Concept Plan for Battlefield Automated Systems, and the related functional requirements of the Combat Developer.

The Phase I effort was conducted to identify and describe the current macromanagement level and battlefield functional area (BFA) level PDSS structure and processes, relate these processes to other Combat Developer functions, and identify the Combat Developer's PDSS responsibilities and requirements. Phase I included review of organizational responsibilities, regulatory and directive authority, and the BAS that must be supported. Phase I results were documented in the First Interim Technical Report, 30 September 1980.

This Second Interim Technical Report documents the results of Phase II. This Phase II effort was directed toward defining three TRADOC functional and management PDSS systems. The first of these systems, the Baseline System, was developed from information gathered and analyzed during Phase I. The description of this system identifies currently-authorized resources, and also projects resource requirements needed to accomplish future PDSS using the present macro- and BFA-level structure. Next, a Theoretical System, unconstrained by resources, is described which would accommodate all identified Combat Developer PDSS-related functions. Finally, a Hybrid System is developed recognizing the realities of current organizational structures and their functional responsibilities.

Following TRADOC's selection of one of these three alternatives, or a variation thereof, Phase III of this study will proceed with the objective of developing an implementation plan which would provide for transitioning from the present capability to that of the selected alternative.

#### SUMMARY

- 1. INTRODUCTION. The requirement to provide post-deployment software support (PDSS) to the growing number of battlefield automated systems (BAS) projected to enter the Army inventory during the next several years is one of increasing concern within the Army. The Users, Materiel Developer (MD), and Combat Developer (CD) all have essential roles in the total effort to provide effective PDSS for BAS. The US Army Training and Doctrine command (TRADOC), as the Army's principal CD and the "battlefield architect", is responsible for determining what capability is required and when it is required. This CD responsibility applies to initial system development and to any subsequent post-deployment changes to a system. carrying out this role, the CD must be a driver, innovator, and active representative of all Field Users. Within this general concept, the specific role of the CD in the evolving Army system for providing PDSS to BAS must be defined. The functional and management structure and the resource requirements necessary to enable the CD to carry out this role must be identified and addressed in an implementation plan that will provide for transitioning from the current situation to achievement of the required capability to provide PDSS. This study is the first step in moving toward the acquisition of this required capability.
- 2. PURPOSE. The purpose of this three-phase study is to define, in detail, a viable, feasible, and cost effective functional and management structure through which the CD can fulfill his role in providing PDSS for BAS within the framework of Army doctrine and policy, the DARCOM/Army PDSS Concept Plan for BAS and the related functional requirements of the CD.

#### DISCUSSION.

#### a. Background.

- (1) Requirement for an Army-Wide PDSS System. Recognizing the increasing importance of PDSS, the US Army Materiel Development and Readiness Command (DARCOM) initiated a study in May 1978, directed toward developing a concept for a systematic approach to planning for and providing PDSS for BAS on an Army-wide basis. A task force of representatives form the Army staff and several Army commands was formed to assist DARCOM in this effort. Results of the effort are documented in a report entitled PDSS Concept Plan for BAS, May 1980. Both DARCOM and TRADOC have concurred in this report which was forwarded to Headquarters, Department of the Army (HQDA) on 10 November 1980 for information.
- (2) Approach Selected to Satisfy the Requirement. The approach selected for providing PDSS to the Army's BAS, and documented in the PDSS Concept Plan cited above, focuses on the battlefield functional area (BFA) concept since it is within each BFA that the doctrinal, functional, and technical dependencies and interoperability needs are the greatest. This approach calls for MD-managed PDSS centers to be located at five TRADOC

doctrinal centers/schools and at six materiel developing commands, as discussed in Chapter 1. This approach recognizes both the doctrinal sensitivity of certain BAS and the inherently technical complexity of others. This approach requires a case-by-case review of systems and a separate decision as to the optional location(s) for fielded software support for each. It is designed to achieve the software support benefits resulting from BFA orientation while recognizing the realities of current organizational structures of DARCOM and TRADOC, and the functional responsibilities of the US Army Intelligence and Security Command (INSCOM), the US Army Communications Command (USACC), and the US Army Computer Systems Command (USACSC).

(3) <u>Implementation</u>. Both DARCOM and TRADOC are proceeding with actions directed toward the further development and implementation of the concept plan cited above. This study represents the initial part of the implementation effort within TRADOC.

# b. Assumptions.

# (1) Missions and PDSS Roles.

- (a) The mission and basic role of the MD with respect to PDSS will remain essentially as described in the PDSS Concept Plan for BAS, May 1980.
- (b) The mission and basic role of the CD with respect to PDSS will remain essentially as described in the PDSS Concept Plan for BAS, May 1980, and the First Interim Technical Report of the Assessment of the Combat Developer's Role in Post-Deployment Software Support, 30 September 1980.
- (c) The major functional responsibilities of TRADOC centers and schools will remain essentially as specified in TRADOC Reg. 10-41 and the respective center and school organization and functions regulations.
- (2) <u>PDSS Centers</u>. Materiel/System Developer-managed PDSS Centers will be established as recommended in the PDSS Concept Plan for BAS, May 1980. The 11 recommended centers are identified in Chapter 1.
- (3)  $\underline{\text{BAS}}$ . BAS addressed in this report will continue to be developed and enter the Army inventory through 1987, generally as currently projected. These BAS are identified in Appendix C.

# c. Methodology.

- (1) <u>Study Structure</u>. This study is to be completed through the accomplishment of eight tasks over an eight month period divided into three phases. The study began 30 June 1980 and is scheduled to be completed 28 February 1981.
- (2) Phase I. Phase I began upon contract award. It consisted of Tasks 1 through 4. It addressed the current structure and processes within the Army at the macro- and BFA-levels for performing PDSS, and identified the Combat Developer's PDSS requirements at the BFA level. Results of Phase I were documented in the First Interim Technical Report on the Assessment of the Combat Developer's Role in PDSS, 30 September 1980.

- (3) Phase II. Phase II of the study, documented in this Second Interim Technical Report and consisting of Tasks 5, 6, and 7, was directed toward the definition of the TRADOC Baseline PDSS System and two alternative TRADOC PDSS models or systems that, if implemented, would provide TRADOC a better capability to accomplish its PDSS role. These systems were developed from the PDSS information gained during Phase I, from SAG member feedback, and from further analysis and research during this Phase II effort. These alternatives are to be reviewed by TRADOC so that a final alternative can be derived and, in Phase III, this alternative can be refined and an implementation plan can be formulated for transitioning from the present to the desired capability.
- (4) Phase III. Following TRADOC selection or derivation of a final alternative system in Phase II, the Phase III study effort will proceed. During Phase III a plan is to be developed which would provide for transition from the present to implementation of the selected alternative model. This implementation plan is to be documented in the Third Interim Technical Report due on 1 February 1981.
- (5) <u>Final Report</u>. A Final Report is to be completed during the last month of the project and submitted on 28 February 1981.
- d. <u>Analysis</u>. During this phase of the study, descriptions were developed of the Baseline and two alternative PDSS systems, designed to provide TRADOC an improved capability to fulfill its responsibilities for providing PDSS for BAS. Summaries of these systems and a comparison of associated personnel resource requirements are presented below:
- (1) Baseline System. The Baseline System description was developed based primarily on information obtained during Phase I, supplemented by additional research and input from SAG members during Phase II. This system was described within the context of the BFA concept. It identified organizational elements involved with PDSS to the branch or separate office level within each TRADOC functional center and school. Analysis of this Baseline reveals that it is not adequate to permit TRADOC organizations to accomplish those CD PDSS functions for which they are responsible. Based on this analysis, the Study Team developed estimates of additional personnel resources that need to be added to the Baseline to provide a minimally acceptable capability to perform essential PDSS functions. These additional resources are needed to provide a capability to accomplish important CD PDSS functions not presently being performed for BAS already fielded, and to provide PDSS for additional BAS projected for deployment through 1987. Chapter 2 contains this Baseline System description.
- (2) Theoretical System. The Study Team's effort then focused on design of a TRADOC Theoretical PDSS System which would, if implemented, provide a capability to accomplish all currently identified CD PDSS functions for all BAS projected for deployment through 1987. This system was also designed within the context of the BFA concept and described to the branch or separate office level of detail. In structuring this system and developing estimated staffing

#### CHAPTER 1

#### INTRODUCTION

# 1-1. STATEMENT OF THE PROBLEM.

- a. Need for PDSS. The requirement to provide post-deployment software support (PDSS) to the growing number of battlefield automated systems (BAS) projected to enter the Army inventory during the next several years is one of increasing concern within the Army. If the full effectiveness of modern battlefield systems is to be realized, a means must be developed and implemented for providing timely and effective PDSS to the BAS that support or are integral parts of these systems.
- b. General Roles in Providing PDSS. The User, Materiel Developer (MD), and Combat Developer (CD) all have essential roles in the total effort to provide effective PDSS for BAS. The US Army Training and Doctrine Command (TRADOC), as the Army's principal CD and the "battlefield architect", is responsible for the overall Army Battlefield System (ABS). This responsibility includes determining what capability is required and when it is required. The magnitude and complexity of fulfilling this responsibility, especially with respect to automated systems, necessitates that the CD maintain close coordination and interface with the User and MD to ensure that capabilities are fully employed and User requirements are realized to the maximum extent possible. This CD responsibility applies to both the initial system development and to any subsequent post-deployment changes to a system. In carrying out this role, the CD must be a driver, innovator, initiator, and active representative of all Field Users.
- c. Need for this Study. Within this general concept, the specific role of the CD in the evolving Army system for providing PDSS to BAS must be defined. The functional and management structure and the resource requirements necessary to enable the CD to carry out this role must be identified and addressed in an implementation plan that will provide for transitioning from the current situation to achievement of the required capability to provide PDSS. This study is the first step in moving toward the acquisition of this required capability.

# 1-2. BACKGROUND.

a. Requirement for an Army-Wide PDSS System. As stated, the requirement for a capability to provide timely, effective PDSS to BAS is increasing in both importance and magnitude throughout the Army. Recognizing this requirement, the US Army Materiel Development and Readiness Command (DARCOM) initiated a study in May 1978, directed toward developing a concept for a systematic approach to planning for and providing PDSS for BAS on an Army-wide basis. Within DARCOM, the Communications Research and Development Command (CORADCOM) was tasked with primary responsibility for this study. A task force of representatives from the Army staff and several Army commands was formed to assist CORADCOM in this effort. Results of the effort are documented

in a report entitled PDSS Concept Plan for BAS, May 1980. Both DARCOM and TRADOC have concurred in this report which was forwarded to Headquarters, Department of the Army (HQDA) on 10 November 1980 for information.

- Approach Selected to Satisfy the Requirement. The task force that conducted the DARCOM-initiated study, cited above, considered several alternative approaches for providing PDSS to the large number of BAS projected for deployment over the next few years. The approach selected, and documented in the PDSS Concept Plan for BAS, focuses on the battlefield functional area (BFA) since it is within each BFA that the doctrinal, functional, and technical dependencies and interoperability needs are the greatest. Figure 1-1 illustrates the elements included in the BFA concept. In consonance with this concept, an approach, called the "hybrid approach", was selected. It calls for MD-managed PDSS centers to be located at five TRADOC doctrinal centers/ schools and at six developing commands. This hybrid approach recognizes both the doctrinal sensitivity of certain BAS and the inherently technical complexity of others. In addition, it provides for the modular separation of systems which are both highly technical and tactically sensitive and which should, ideally, be supported at more than one location. This approach requires a case-by-case review of systems and a separate decision as to the optional location(s) for fielded software support for each. It is designed to achieve the software support benefits resulting from BFA orientation while recognizing the realities of current organizational structures of DARCOM and TRADOC, and the functional responsibilities of the US Army Intelligence and Security Command (INSCOM), the US Army Communications Command (USACC), and the US Army Computer Systems Command (USACSC).
- c. <u>Concept for Materiel and Combat Developer Facilities</u>. The hybrid approach, discussed above, recognizes the need for both MD and CD facilities for PDSS. The number and location of MD facilities are addressed specifically in the PDSS Concept Plan for BAS; however, CD facilities are only addressed conceptually.
- (1) Materiel Developer facilities. With respect to MD facilities, the plan recommends the establishment/maintenance of 11 PDSS software support centers as shown in Figure 1-2. As indicated in the figure, four of these centers are currently operational, although some expansion may be desirable. The establishment of PDSS centers at Fort Bliss, Fort Sill, Fort Leavenworth, and Fort Huachuca, as provided for in the PDSS Concept Plan for BAS, satisfies TRADOC's requirement that the PDSS centers for executive/control systems be located with the CD to provide synergism between the User and the PDSS center.
- (2) <u>Combat Developer facilities</u>. The PDSS Concept Plan for BAS outlines a concept for establishing CD facilities to provide for the close and continuous relationship which must exist between the CD and MD throughout a system's life cycle. This concept calls for the designation of Combat Development System Managers (CDSM) and the establishment of Combat Development Support Facilities (CDSF) as determined to be needed by TRADOC.




Figure 1-1. Elements of the battlefield functional area concept

PDSS CENTERS					
CENTER	LOCATION	MANAGED BY			
1	PICATINNY ARSENAL	ARRADCOM			
2	FORT MONMOUTH	CORADCOM			
3	FORT LEAVENWORTH	CORADCOM			
4	FORT BELVOIR*	csc			
5	FORT LEE*	CSC			
6	FORT BLISS*	MICOM			
7	FORT SILL*	CORADCOM			
8	FORT HUACHUCA	ERADCOM			
9	FORT MONMOUTH	ERADCOM			
10	REDSTONE ARSENAL	MICOM			
11	FORT MONMOUTH AVRADCOM				
*Curren	*Currently operational				

Figure 1-2. Recommended PDSS centers

- (a) <u>Combat Development System Manager (CDSM)</u>. The CDSM would be the system/software CD and the principal Field User's representative for a designated system or group of systems within a BFA. He would be responsible for managing and coordinating all software-related actions inherent in the CD mission.
- (b) <u>Combat Development Support Facility (CDSF)</u>. A CDSF would be a TRADOC facility wherein the CD analytical functions associated with PDSS would be accomplished for BAS in one or more BFA. The concept plan states that these CDSF needs will be met in one or more of the following ways:
- 1. TRADOC participation in the associated DARCOM PDSS facilities (either physically or electrically).

2. Use of other TRADOC resources.

- 3. Development of separate CDSF facilities collocated with DARCOM PDSS facilities.
- $\underline{4}$ . Development of separate facilities not associated with DARCOM PDSS facilities.

#### 1-3. OBJECTIVE.

- a. Overall Study. The objective of this study is to define, in detail, a viable, feasible, and cost effective functional and management structure through which the CD can fulfill his role in providing PDSS for BAS within the framework of Army doctrine and policy, the DARCOM/Army PDSS Concept Plan for BAS and the related functional requirements of the CD. While the PDSS Concept Plan for BAS provides a basic conceptual framework for CD participation in PDSS, the concept must be defined in greater detail to provide a basis for implementation planning. This current study, An Assessment of the Combat Developer's Role in Post-Deployment Software Support, has been initiated by TRADOC as the first step in implementation planning.
- b. Phase II. The objective of Phase II, documented in this report, was to develop alternative TRADOC functional and management PDSS systems for fulfilling the Combat Developer's responsibilities for providing PDSS for BAS. These alternatives were to be developed within the framework of the PDSS Concept Plan for BAS, dated May 1980. In pursuit of this objective, the Baseline System and two alternatives were defined in this phase. These alternatives were called the Theoretical System, representing an achievable ideal, and the Hybrid System, based on a comparison of the Theoretical and Baseline Systems. These alternatives are to be reviewed by TRADOC so that a final alternative can be derived and, in Phase III, this alternative can be refined and an implementation plan can be formulated for transitioning from the present to the desired capability.

#### 1-4. SCOPE.

a. <u>General</u>. This study focuses upon TRADOC's role as the Army's principal CD, in planning for and providing PDSS for BAS. The BAS to be addressed are listed in Appendix C, organized by BFA. While all BAS listed

are being considered, the study effort is being focused primarily on Category I and II BAS in accordance with Study Advisory Group (SAG) guidance documented in the minutes of the first SAG meeting held on 14 August 1980.

- b. <u>Definitions</u>. Several definitions are listed below to further clarify this scope.
- (1) Post-Deployment Software Support (PDSS) is that part of overall system support necessary to sustain, modify, and improve a deployed system's computer software, as defined by the User or his representative. It includes evaluation, development, and timely implementation of system and software modifications to accommodate trouble reports; User proposed changes; and changes to satisfy new or revised doctrinal, tactical, procedural or interoperability requirements.
- (2) Battlefield Automated System (BAS) is a system which contains a computer(s), is intended for use by the Army in the field, and which will not function without computer(s); e.g., AN/TSQ-73, TACFIRE. (Ref 76, Appendix A)
- (3) Battlefield Functional Area (BFA) is a conceptual grouping of Army personnel, equipment, and procedures which together perform a major battlefield function. The BFAs used in this study are identified in Figure 1-1.
- Relationship of PDSS and the System Life Cycle. Planning for and provision of PDSS must be accomplished as an integral part of system development and life cycle management. The CD's PDSS planning effort begins with participation in preparation of the Computer Resources Management Plan (CRMP) during the Conceptual Phase. This effort continues throughout the remaining system development phases. This planning effort is illustrated in Figure 1-3. It should be noted that the system life cycle illustrated in this figure has been adopted from that contained in DA Pamphlet 11-25 and also that used in the PDSS Concept Plan for BAS, May 1980. Consequently, there are differences between this figure and the system life cycle described in AR 18-1, August 1980, but the two can be generally related through the milestones identified. Also shown in Figure 1-3 is the period when CD PDSS actions may occur. The time when the actions begin will vary among systems but it is generally accepted that CD PDSS-type actions may be required any time after the system software configuration is frozen for engineering development. This initiation of PDSS-type actions normally occurs near Milestone II (from a point slightly before start of engineering development to a point slightly before DT/OT II) in the development cycle as shown in Figure 1-3. Thereafter, the CD may be involved with PDSS actions throughout the remainder of the system life cycle. Any changes before the system software configuration is frozen are considered to be part of system development, not PDSS. For those systems being developed under the evolutionary concept authorized by DOD Instruction 5000.2, PDSS planning must begin early in the conceptual stage. PDSS actions for these evolutionary systems will be required beginning with the deployment of the initial developmental version.

		SYSTEM LIFE CYCLE			PRODUCTION	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
CON	CONCEPTUAL	VALIDATION	FULL-SCALE DEVELOPMENT	4 F	AND DEPLOYMENT	ĘŅ.	4 8
EXPER PROTO BREAL	EXPERIMENTAL PROTOTYPE/ BREADBOARD	ADVANCED DEVEL OPMENT PROTOTYPE/ BRASSBOARD	ENGINEERING DEVELOPMENT PROTOTYPE		INITIAL PRODUCTION ITEMS	FULL PRODUCTION < ITEMS	1-7
REQUIF BASE	REQUIREMENTS BASEL INE	PROTOTYPE BASELINE	CI/CPCI GR BASELINE TES	INTE- 'GRATION, TEST, AND TRANSITION	OPERATION	OPERATIONAL BASELINE	$\wedge$

۲۷۷
COMBAT DEVELOPER PDSS ACTIONS
COMBAT
W

Figure 1-3. Relationship of PDSS to the system life cycle

d. <u>Classification</u>. Contract No. MDA903-80-C-0479 under which this study is being conducted states that, "The highest classification involved in the performance of this contract is SECRET." No systems whose existence is classified within this level were identified to the study team during the Phase I or Phase II research efforts. If there are systems whose existence is classified above the SECRET level, TRADOC PDSS requirements associated with such systems must be identified and addressed separately.

# 1-5. ASSUMPTIONS.

# a. Missions and PDSS Roles.

- (1) The mission and basic role of the MD with respect to PDSS will remain essentially as described in the PDSS Concept Plan for BAS, May 1980.
- (2) The mission and basic role of the CD with respect to PDSS will remain essentially as described in the PDSS Concept Plan for BAS, May 1980, and the First Interim Technical Report of the Assessment of the Combat Developer's Role in Post-Deployment Software Support, September 30, 1980.
- (3) The major functional responsibilities of TRADOC centers and schools will remain essentially as specified in TRADOC Reg. 10-41 and the respective center and school organization and functions regulations.
- b. <u>PDSS Centers</u>. Materiel/System Developer-managed PDSS Centers will be established as recommended in the PDSS Concept Plan for BAS, May 1980. The 11 recommended centers are identified in Figure 1-2.
- c.  $\underline{\text{BAS}}$ . BAS addressed in this report will continue to be developed and enter the Army inventory through 1987, generally as currently projected. These BAS are identified in Appendix C.

#### 1-6. METHODOLOGY

- a. Study Structure. Within the parameters of the scope described in Paragraph 1-4, this study is to be completed through the accomplishment of eight tasks over an eight month period divided into three phases as shown in Figure 1-4. This figure also illustrates the relationship between the tasks and phases of the study. The study began 30 June 1980 and is scheduled to be completed 28 February 1981.
- b. Phase I began upon contract award. It consisted of Tasks 1 through 4.

# AN ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE IN PDSS




Figure 1-4. PDSS study overview

- (1) <u>Task 1</u>. The Work Plan prepared during Task 1 was delivered to the Contracting Officer's Technical Representative (COTR) on 17 July 1980. This plan was then presented to and approved by the SAG at its initial meeting on 14 August 1980.
- (2) <u>Tasks 2, 3 and 4</u>. The First Interim Technical Report documents the results of the Phase I effort, devoted to Tasks 2, 3, and 4, which began in early July and ended on 30 September 1980. After presentation and review, the SAG approved this report at its second meeting, 8 October 1980.
- Phase II. Phase II of the study, documented in this Second Interim Technical Report and consisting of Tasks 5, 6, and 7, was directed toward the definition of the TRADOC Baseline PDSS System and two alternative TRADOC PDSS models or systems that, if implemented, would provide TRADOC a better capability to accomplish its PDSS role. These systems were developed from the PDSS information gained during Phase I, from SAG member feedback, and from further analysis and research during this Phase II effort. The methodology followed in this Phase is illustrated in Figure 1-5. As indicated, a written description of the Baseline System was prepared first, as a basic point of reference. One of the two alternative systems, called the Theoretical System, was then designed to satisfy all CD PDSS responsibilities, without reference to any resource constraints except that it be a potentially achievable alternative. This Theoretical System was structured and a written description was prepared, working primarily from the BFA center level upwards. Then the Baseline and Theoretical Systems were compared and analyzed for insights on which to base the second of the two alternative systems, called the Hybrid System. Meanwhile, respective sections of the preliminary draft of the Second Interim Report were sent to the SAG members on 28 November preparatory to a SAG meeting on 17, 18, 19 December. The Hybrid System description was finished and the complete Second Interim Report was then distributed to SAG members on their arrival. The principal purpose of the SAG meeting was to review these system descriptions and either select or derive a final alternative system for use in Phase III.
- d. <u>Phase III</u>. Following TRADOC selection or derivation of a final alternative system in Phase II, the Phase III study effort will proceed. During Phase III an implementation plan is to be developed which would provide for transition from the present to implementation of the selected alternative model. This implementation plan is to be documented in the Third Interim Technical Report due on 1 February 1981.
- e. <u>Final Report</u>. A Final Report is to be completed during the last month of the project and submitted on 28 February 1981.

#### 1-7. ORGANIZATION OF THIS REPORT.

a. <u>General</u>. The remaining chapters, Chapters 2 through 6, of this report are organized first, to present descriptions of the baseline and theoretical systems, secondly, to compare these systems and provide a hybrid




Figure 1-5. Phase II--TRADOC PDSS alternative concept development

system, and lastly, to present analyses and recommendations for JRADOC's use in selecting one of the alternatives for implementation. Detailed description of these three systems may be found in Appendices D, E, and F. Appendices A, B, and C contain, respectively, the References, Glossary, and the Battlefield Automated Systems addressed in this study.

- b. <u>Chapter 2</u>. A description of the Baseline System derived during the Phase I effort is presented, to include resources needed to accomplish PDSS under this current functional/management structure.
- c. <u>Chapter 3</u>. A theoretical TRADOC PDSS System is defined which accommodates all CD PDSS-related functions which have been identified and which would enable TRADOC and subordinate commands to fulfill their PDSS roles and responsibilities.
- d. <u>Chapter 4</u>. A comparison of the Baseline System and the Theoretical TRADOC PDSS System, which were described in Chapters 2 and 3, respectively, is provided.
- e. <u>Chapter 5</u>. A Hybrid System is developed recognizing the current organizational constraints, organizational structures, and functional responsibilities in relationship to PDSS.
- f. Chapter 6. This chapter includes the Phase II findings, conclusions and recommendations of the Study Team for TRADOC's consideration.

#### CHAPTER 2

#### BASELINE SYSTEM

- 2-1. GENERAL. This chapter describes the Baseline System that exists at present within TRADOC for performing that command's functions in planning and providing post-deployment software support (PDSS) for battlefield automated systems (BAS). This description has been developed to provide a common understanding of the baseline and a basis for conducting a comparative analysis between the Baseline and Theoretical PDSS Systems as required by the Statement of Work (SOW), Task 6, of the contract under which this study is being conducted. This chapter includes an overview of the Baseline System, a description of the concept of operations, and a discussion of resources associated with the current system. A detailed description of each principal component of this system is contained in Appendix D.
- 2-2. SYSTEM OVERVIEW. TRADOC's mission and major functions, the Battlefield Functional Area (BFA) Concept, and the current TRADOC organizational structure provide the framework for this description of the TRADOC PDSS Baseline System. Each of these aspects of the system are discussed below.
- a. <u>Mission and Major Functions</u>. TRADOC is the Army's principal Combat Developer (CD). The command's major functions, established by AR 10-41, and TRADOC Reg. 10-41, are:
  - Combat Development
  - Training
  - Mobilization Planning
  - Support Operations.

TRADOC PDSS responsibilities are addressed as an integral part of the total system development and life cycle management process. This process is carried out as part of the combat development mission. Therefore, functionally, PDSS is conducted throughout TRADOC as part of the combat development effort.

- b. <u>Organizational Structure</u>. The principal elements or groups of elements in TRADOC's organizational structure are shown in Figure 2-1 and are discussed briefly below. They include:
  - TRADOC Headquarters
  - Three integrating centers responsible for the systematic integration of combat and training development functions within three broad operational areas--combined arms, logistics, and administration
  - Major functional centers and schools e.g., Artillery, Air Defense, Intelligence, Signal, etc., each of which is associated with one or more of the three integrating centers

HEADQUARTERS
US ARMY TRAINING AND
DOCTRINE COMMAND

#### INTEGRATING CENTERS

US ARMY COMBINED ARMS CENTER US ARMY LOGISTICS CENTER

US ARMY SOLDIER SUPPORT CENTER

#### FUNCTIONAL CENTERS AND SCHOOLS

- US ARMY AIR DEFENSE CENTER & SCHOOL
- US ARMY ARMOR CENTER & SCHOOL
- US ARMY AVIATION CENTER & SCHOOL
- US ARMY CHEMICAL SCHOOL
- US ARMY ENGINEER CENTER
- US ARMY FIELD ARTILLERY CENTER & SCHOOL
- US ARMY INFANTRY CENTER & SCHOOL
- US ARMY INTELLIGENCE CENTER & SCHOOL
- US ARMY MILIRATY POLICE SCHOOL
- US ARMY SIGNAL CENTER & SCHOOL
- US ARMY ORDANCE CENTER & SCHOOL
- US ARMY MISSILE & MUNITIONS CENTER & SCHOOL
- US ARMY QUARTERMASTER SCHOOL
- US ARMY TRANSPORTATION SCHOOL
- CHAPLAIN CENTER & SCHOOL

# TEST, EVALUATION, AND ANALYTICAL ACTIVITIES

- US ARMY COMBAT DEVELOPMENTS EXPERIMENTATION COMMAND
- US ARMY TRADOC COMBINED ARMS TEST ACTIVITY
- US ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
- US ARMY TEST BOARDS

#### TRAINING ACTIVITIES

BASE SUPPORT OPERATIONS

STAFF SUPPORT ACTIVITIES

Figure 2-1. Principal elements and groups of elements in the TRADOC organizational structure

- Other training activities to include US Army Training Centers, the US Army Training Support Center, and Reserve Officer Training Corps Regions
- Test, evaluation, and analytical activities to include the US Army TRADOC Combined Arms Test Activity, the US Army TRADOC Systems Analysis Activity, and eight US Army test boards
- Base support operations which provide post, camp, and station support
- Staff support activities.

The elements of this structure can be divided functionally into three major areas--combat development, training, and support operations and mobilization planning--corresponding with the major functions identified in Paragraph 2-2.a. The PDSS Baseline System is comprised primarily of elements in the first of these three major functional areas--combat developments--and to a much lesser extent, elements included in the second major area--training. The organizational elements primarily involved at present with the PDSS Baseline System are shown in Figure 2-2. They include:

- HQ, TRADOC
  - Commanding General
  - •• Deputy Chief of Staff for Combat Development
- The three integrating centers and their associated activities and functional centers and schools
- US Army Test Boards
- TRADOC System Managers
- TRADOC Combined Arms Test Activity
- US Army Training Support Center.
- c. The Battlefield Functional Area (BFA) Concept. A characteristic of the TRADOC organizational structure, of particular significance in this description of the PDSS Baseline System, is the way in which it can be related to the BFA concept. As discussed in Chapter 1, this concept, which provides for the logical grouping of related battlefield systems into homogeneous battlefield functional areas, currently recognizes five BFA and two additional functional areas--Force Level Control and Communications--which are essential to effective operations on the battlefield. The principal elements of this concept were illustrated in Figure 1-1. Major integrating and functional

**HEADQUARTERS** US ARMY TRAINING AND DOCTRINE COMMAND US ARMY US ARMY US ARMY LOGISTICS SOLDIER SUPPORT COMBINED ARMS CENTER CENTER CENTER US ARMY US ARMY US ARMY COMBINED MISSILE AND MUNITIONS ACADEMY OF ARMS COMBAT HEALTH SCIENCES 3 CENTER AND SCHOOL 1 DEVELOPMENT ACTIVITY US ARMY US ARMY US ARMY MILITARY 3 PERSONNEL CENTER 3 ARMOR ORDNANCE CENTER SCH001 AND SCHOOL US ARMY US ARMY QUARTERMASTER AVIATION SCHOOL 1 US ARMY TEST CENTER BOARDS US ARMY US ARMY TRANSPORTATION SCHOOL CHEMICAL ARMOR AND ENGINEER SCHOOL 1 INFANTRY US ARMY AIR DEFENSE ENGINEER FIELD ARTILLERY CENTER 1 TRADOC AVIATION SYSTEM INTELLIGENCE & US ARMY MANAGERS 2 SECURITY FIELD FRTILLERY COMMUNICATIONS SCH00L ELECTRONIÇS US ARMY TRADOC US ARMY AIRBORNE COMBINED ARMS INFANTRY TEST ACTIVITY SCHOOL I US ARMY US ARMY TRAINING INTELLIGENCE CENTER SUPPORT CENTER AND SCHOOL US ARMY 1 - NOT INVOLVED WITH A BAS MILITAR" POLICE BEING ADDRESSED IN THIS SCH00L STUDY 2 - REPORT TO CG TRADOC THROUGH US ARMY PROPONENT CENTER/SCHOOL SIGNAL CENTER COMMANDER **US ARMY** 3 - NON-TRADOC ORGANIZATION AIR DEFENSE 4 - ORGANIC TO HOST INSTALLATION CENTER EXCEPT FOR AIRBORNE BOARD

Figure 2-2. Principal TRADOC organizational elements currently involved with the PDSS Baseline System

centers of TRADOC are assigned combat development proponency for one or more of the principal areas of the BFA concept as shown in Figure 2-3. Proponency for the Combat Service Support BFA is divided between the Logistics Center (LOGCEN) and Soldier Support Center (SSC). The detailed discussion of the TRADOC PDSS Baseline System presented in Appendix D is organized in consonance with this BFA proponency responsibility.

- 2-3. CONCEPT OF OPERATIONS. As noted above, PDSS responsibilities in the Baseline System are addressed as part of the combat development mission within TRADOC. This mission is accomplished through TRADOC functional centers, service schools, and other TRADOC combat development activities, in coordination with other Army commands and agencies. Thus, the concept of operations of the PDSS Baseline System is characterized by the same features as other combat development activities within TRADOC--by centralized management and decentralized operations. To the maximum extent possible, combat development programs are decentralized with programs, priorities, and resources and operational authority passed to the appropriate functional center and school. Key features of this operational concept are discussed below.
- a. HQ TRADOC. The Commanding General, TRADOC, through the Deputy Chief of Staff for Combat Developments (DCSCD), establishes operating policy, determines priorities, allocates and manages resources, and directs all elements of the PDSS Baseline System in the accomplishment of the overall mission and principal functional responsibilities. Within DCSCD, responsibility for PDSS is assigned to the Director, Telecommunications, Command and Control, and Computer Systems (TC4S). Within this directorate, the Battlefield Systems Integration Branch provides the focal point for coordinating TRADOC PDSS activity and requirements. This branch is responsible for acting on directions or requirements of Headquarters, Department of the Army (HQDA) or requests from other major commands, analyzing and translating these into requirements or instructions for subordinate commands, reviewing the subsequent activity, and acting upon the products of subordinate elements of the system. This branch also provides a principal interface on PDSS matters with HQDA and other major commands. These TRADOC elements are shown in Figure 2-4.
- b. <u>Combined Arms Center</u>. The Combined Arms Combat Development Activity (CACDA) of the Combined Arms Center (CAC) exercises a special role in the PDSS Baseline System as the overall PDSS proponent for TRADOC. Within CACDA, the focal point for PDSS is the JINTACCS Office, Army C2/JINTACCS Division, C3I Directorate as shown in Figure 2-5. This role is consistent with CACDA's overall responsibility for coordinating and integrating the products of all three integrating centers in other functional areas.
- c. <u>BFA-Level Concept of Operations</u>. At the BFA level, both the integrating centers and the associated functional centers have major roles in the PDSS Baseline System. As noted above, responsibility and authority for PDSS programs are normally passed to the appropriate integrating or

TRADOC CENTER	FORCE LEW	COMMUNICA	MANEUVES	FIRE SIIPPO	AIR DEFE	INTELLIGENCE BEA	COMBAT SERVICE AND SUPPOSE SERVICE	BFA 10E
COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY US ARMY SIGNAL			•					
CENTER AND SCHOOL  US ARMY FIELD  ARTILLERY CENTER AND SCHOOL				•				
US ARMY AIR DEFENSE CENTER AND SCHOOL US ARMY INTELLIGENCE					•			
CENTER AND SCHOOL US ARMY LOGISTICS CENTER							<b>a</b>	
US ARMY SOLDIER SUPPORT CENTER							<b>6</b>	
a LOGISTICS PORTION OF THE b PERSONNEL SUPPORT PORTIC			BFA					

Figure 2-3. BFA proponency

# HEADQUARTERS, US ARMY TRAINING AND DOCTRINE COMMAND




Figure 2-4. HQ TRADOC staff elements with major responsibilities in the PDSS Baseline System




Figure 2-5. Combined Arms Center element with primary responsibilities in the PDSS Baseline System

functional center. Within each of these centers, primary responsibility for PDSS is assigned to a directorate-level staff element, either the Combat Development Directorate or the Management Information Systems Directorate. In all cases PDSS actions for which each center is responsible are conducted as a part of the system development and life cycle management process. PDSS responsibility for individual BAS corresponds with the assignment of TRADOC proponency for each system except for some personnel support systems. MILPERCEN has PDSS responsibility for most of these latter systems. Appendix C lists all BAS addressed in each BFA and identifies the TRADOC proponent for each BAS.

- d. <u>Principal Interfaces</u>. In carrying out these PDSS responsibilities, each functional center, except the Soldier Support Center, interfaces and interacts directly with the system Users and Materiel/System Developers as necessary. Figure 2-6 illustrates the principal CD-MD organizational interfaces required in the PDSS Baseline System. MILPERCEN fulfills the CD role for most personnel support systems. Coordination and interaction among TRADOC elements is accomplished in accordance with policy established in TRADOC Reg. 10-41. Further details on the operating procedures and interfaces of the organizational elements involved in this Baseline System and their responsibilities and capabilities are presented in Appendix D.
- 2-4. RESOURCES. Resources currently dedicated to PDSS in the TRADOC Baseline System are very limited. Consequently, many PDSS-related functions that are properly the responsibility of the Combat Developer are not being performed or are accomplished through interaction directly between system Users and Materiel/System Developers or their representatives. This situation is clearly reflected in the detailed discussion of the Baseline System presented in Appendix D. Because of this situation and in an effort to provide a better basis for comparing the Baseline with the Theoretical System, the Study Team developed estimates of personnel requirements needed to enhance the Baseline System to:
  - Provide a minimally adequate capability to accomplish essential CD PDSS functions for currently deployed BAS, and
  - Provide a capability to perform CD PDSS functions for additional BAS projected for deployment through 1987.

A summary of the estimated personnel requirements resulting from this effort are provided in Figure 2-7. A breakout of these personnel estimates to each component of the Baseline System is presented in Appendix D. With respect to these personnel estimates, as well as those made in connection with the Theoretical and Hybrid Systems presented in Chapters 3 and 5, respectively, it is emphasized that there are many uncertainties regarding the level of effort needed to accomplish Combat Developer PDSS functions. These uncertainties stem from a number of sources but primarily result from the difficulty in projecting:

 How frequently and how extensively BAS that are not yet fielded will have to be changed after deployment in order to remain operationally acceptable to Users, and

MATERIE DEVELOP COMBAT DEVELOPERS	ERS	CORADCO	ERANCA	ARRANG	AVRAGE	MICON	252	USAC	
HQ TRADOC	0								[
CACDA		9		0					
USAFAS		ð	0			0			
USAADS		5	•			Ó			
USAICS		5	•						
USASC		9	•					O	
LOGCEN							0		
USAOCCS				0					
SSC							G		
USAAC			•						

a SSC interfaces primarily with MILPERCEN and MILPERCEN with CSC

Figure 2-6. Principal Combat Developer-Materiel
Developer interfaces in the PDSS Baseline System

	Р	ERSONN	IEL BY	FISCAL	YEAR		
PERSONNEL TYPE	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED: MILITARY CIVILIAN TOTAL	139 163 302	151 183 334	155 193 348	165 206 371	168 207 375	167 209 376	168 195 363
AUTHORIZED: MILITARY CIVILIAN TOTAL	70 91 161	72 91 163	73 91 164	74 92 166	76 93 169	78 93 171	86 94 180
ADDITIONAL NEEDED: MILITARY CIVILIAN TOTAL	69 72 141	79 92 171	82 102 184	91 114 205	92 114 206	89 116 205	82 101 183

NOTE: THE "AUTHORIZED" PERSONNEL NUMBERS SHOWN
ABOVE INCLUDE PERSONNEL PERFORMING PDSS
FUNCTIONS ON A PART TIME BASIS; THE "ADDITIONAL
NEEDED" NUMBERS REFLECT PERSONNEL WHO WOULD BE
DEDICATED TO PDSS FUNCTIONS.

Figure 2-7. Summary of estimated personnel requirements--Baseline System

 The workload that will be imposed on the Combat Developer in connection with required changes to BAS, which may vary widely in urgency and scope.

Another factor which contributes to the difficulty in developing these personnel requirements estimates is the limited experience in performing CD PDSS functions that exists in most BFAs. Thus, while the requirements presented represent the Study Team's best estimate based on currently available information and are considered valid for planning purposes, future experience may require that they be modified to balance CD PDSS capability with workload.

## CTAPTER 3

# THEORETICAL TRADOC PDSS SYSTEM

- 3-1. GENERAL. This chapter defines and describes a theoretical TRADOC postdeployment software support (PDSS) functional and management system as required by the Statement of Work (SOW), Task 5, of the contract under which this study is being conducted. All features and provisions of this Theoretical PDSS System are in consonance with relevant Army regulatory policy and the PDSS Concept Plan for BAS, May 1980. The full implementation and effective management of this Theoretical System would accommodate all currently-identified Combat Developer (CD) PDSS-related responsibilities. This includes responsibilities associated with CD involvement in establishing overall PDSS policy and participating in macro-management level matters as well as performing PDSS functions for all battlefield automated systems (BAS) addressed in this study. It would provide HQ TRADOC and subordinate commands the capability needed to fulfill their roles and responsibilities in this critical functional area. This chapter discusses assumptions on which this Theoretical System is based, the principal system design guidelines, and key considerations in the design effort. Provided then is an overview of the structure, organization, and responsibilities of major components of the Theoretical System, a general description of the concept of operations and an estimate of resources required for full implementation. A detailed description of each component of the system is provided in Appendix E.
- a. <u>Assumptions</u>. The assumptions on which this Theoretical System is based are those described in Chapter 1, Paragraph 1-5. A change in any of these assumptions could cause a need for a corresponding change in the design of this Theoretical PDSS System.

# b. Design Guidelines.

- (1) Focus on the future. The focus of the study team in designing this Theoretical System was on the future. This approach was adopted to ensure that appropriate consideration would be devoted to known future PDSS requirements and to allow adequate time for TRADOC to integrate its implementation effort with the Army's Planning, Programming, and Budgeting System (PPBS). Fiscal Year 1987 (FY 87), the last year in the current Five Year Defense Program (FYDP), was chosen as the objective year—the year when implementation of the system should be completed. Resources needed to arrive at full implementation are addressed on a year-by-year basis from FY 81 through FY 87.
- (2) Relationship to current Army policy, organization, and concepts. The SOW under which this study is being conducted states that the Theoretical System is to be bounded by Army regulations and the PDSS Concept Plan for BAS. Other related guidelines adopted by the Study Team provide that the system should be in consonance with:
  - The TRADOC functional organizational structure described in TRADOC Reg. 10-41
  - The TRADOC operational and management concept of centralized management and decentralized control and operations described in AR 10-41 and TRADOC Reg. 10-41

- The missions and principal functions of TRADOC and subordinate commands as set forth in AR 10-41 and TRADOC Regs. 10-5 and 10-41
- The BFA concept described briefly in Chapters 1 and 2
- The Command, Control, and Subordinate System (CCS<sup>2</sup>) concept. In support of this concept, it was considered that PDSS organizations of the key TRADOC centers must be interconnected by appropriate means to facilitate the coordination and interaction that must occur among these centers in managing the major command and control BAS.
- (3) Resource constraints. The SOW under which this study is being conducted states that resource constraints may be excluded as parameters of the system design but that resource requirements must be identified. Accordingly, no specific resource limitations were imposed on the system design but a degree of "reason" was applied subjectively by the Study Team in scoping the system. Estimates of required resources are provided for each FY from 81 through 87.
- c. Other Design Considerations. A number of other key factors were considered by the Study Team in arriving at the overall design of the system as well as in structuring each of the components. Those factors which had a significant influence on the system design are discussed below.
- (1) Functional requirements. Under the previously stated assumptions and design guidelines, the Study Team identified where, within TRADOC. requirements for some type of PDSS capability exist. The results of this effort are shown in Figure 3-1, by functional area and TRADOC center. The Study Team then analyzed the nature of the functional requirements in each functional area and at each center in terms of BAS to be supported and functions to be performed as a first step in further determining what capability is needed at each location. The BAS considered, the TRADOC proponent, and other relevant data pertaining to each system are shown in Appendix C. The numbers of BAS, by category, to be supported by each CD organization identified in Figure 3-1 are also shown in the figure. With respect to functions, the CD's PDSS functional responsibilities, defined during Phase I of the study and refined during this Phase, were used as the basis for current functional requirements. However, it was accepted that new or modified functions may be identified in looking ahead toward the objective year. These functions are addressed in detail in Appendix E. Other factors considered with respect to these functional requirements included the stimulators of change in BAS and the CD's response requirements in peacetime and crisis/wartime environments. These areas are discussed in the following paragraphs.




Figure 3-1. TRADOC organizations by BFA which require a PDSS capability


- (a) <u>Stimulators of change</u>. As an aid to formulating and analyzing the Theoretical PDSS System, the basic purpose or objective of the system was delineated. The system objective of any PDSS system was taken to be: To respond adequately to the needs for change in the software of BAS. The needs for such changes were seen to emanate from five areas:
  - Detection of errors, conflicts, or severe inadequacies in the BAS software
  - Addition or deletion of BAS requiring or providing interfaces with existing BAS
  - Detection of changes in the threat which require a change in one or more BAS
  - Changes made or programmed in friendly doctrine, tactics, or operating procedures, and
  - Developments in technology which result in deliberate changes to one or more BAS.

These five basic areas from which the needs for change in BAS software emanate were then analyzed and ranked in terms of several parameters or dimensions. A summary of this analysis is shown in Figure 3-2.

- (b) Combat Developer response requirements. The CD's response requirements vary by BFA, by BAS, by System User, and by operating environment. These factors make this a difficult area to address in total. Therefore, the approach taken in this study was to address the CD's PDSS response requirements by system within each BFA, taking into consideration the nature of the BAS and Users in each functional area. With respect to the operating environment, the ultimate test of any PDSS system is whether it can provide required support to BAS in wartime. This subject area was addressed by the Task Force involved in preparing the PDSS Concept Plan for BAS, May 1980. That effort resulted in the development of a generalized software support model for PDSS and a concept for the way in which problems and solutions would flow through the model to include emergency (crisis/wartime) response. Figure 3-3, which shows this flow of problems and solutions, has been reproduced from that study report. In commenting on the process depicted in the figure, that report states:
  - Generally it is envisioned that procedural workarounds will be used to solve immediate crisis/wartime problems. In such cases, it is imperative that the PDSS Center (Materiel Developer) and the CDSF (Combat Developer), both individually and in conjunction with each other, have the analytical resources (including simulation models with hardware/simulation model drivers) to analyze and resolve solutions to the Field User problems

	STIMULATOR OF CHANGE PARAMETER OR DIMENSION ANALYZED	DETECTION OF ERRORS, INADEQUACIES	ADDITION OR DELETION OF BAS	DETECTION OF CHANGES IN THREAT	CHANGES IN DOCTRINE, TACTICS, OPERATING PROCEDURES	ADVANCES IN TECHNOLOGY
1	ANTICIPATED FREQUENCY	1	3	4	2	4
2	DEGREE TO WHICH CHANGE CAN BE ANTICIPATED	3	1	3	1	2
3	DEGREE TO WHICH THE CD CAN CONTROL THE CHANGE	3	2	3	1	2
4	TIME URGENCY OF REQUIRED CHANGE	1	2	1	1/2	2
5	RELATIONSHIP TO "TYPE" CHANGES IDENTIFIED IN THE PDSS CONCEPT PLAN FOR BAS	(1)	(2) (3)	(1) (2) (3)	(1) (2) (3)	(2) (3)
	NUMBERS IN ROWS 1 THROUGH 4	ARE F	RANKIN	IGS; 1	IS HIO	SHEST
	NUMBERS IN ROW 5 INDICATE THE RESULT FROM EACH STIMULATOR A (1) SYSTEM REFINEMENT (2) NEW REQUIREMENT (3) INTEROPERABILITY INTER	NS FOL	OF (	CHANGE :	WHICH	COULD

Figure 3-2. Summary of analysis of stimulators of change



MM = MATERIEL MANAGER

NMP = NATIONAL MAINTENANCE POINT

CT = CONTACT TEAM

GS/DS = GENERAL SUPPORT/DIRECT SUPPORT

FSSC = FIELDED SOFTWARE SUPPORT CENTER (AN ELEMENT OF THE PDSS CENTER)

Figure 3-3. Response to field problem

- Major system changes, whether anticipated or unanticipated, will require essentially the same technical expertise and the same period of time as the original software development
- There is a need for the joint development (by the Materiel Developer and the Combat Developer) of a process by which BAS can be supported under crisis/wartime conditions.

The Theoretical PDSS System described in this chapter provides for a CD capability in consonance with the concept depicted in Figure 3-3. Results of our research at both CD and Materiel Developer (MD) organizations during Phase I and II of this study reemphasizes the need for joint MD-CD addressal of the crisis/wartime response problem with the objective of developing a long-term solution.

- (2) <u>Capability required</u>. Having identified what PDSS requirements must be satisfied, the Study Team then proceeded to determine what capability is needed to meet the requirements. Capability was addressed in terms of organizational elements and their resources. Resources were matched to workload according to the TRADOC ll-series of regulations and pamphlets. This effort focused on tailoring each system component or element to the needs of the local parent center or school organization. Personnel, major equipment, and physical facility requirements were addressed. Six basic terms were adopted to identify PDSS Theoretical System components. These terms, which are used through the remainder of this report, are explained below to facilitate reader understanding:
- (a) Combat Developments System Manager (CDSM). A member of a combat development organization who is responsible for managing and coordinating and/or performing all PDSS-related actions inherent in the CD mission, for one or more BAS within a BFA. The CDSM is the system/software CD and the principal Field User's Representative for a designated system or systems. He is responsible for planning, programming, and coordinating those PDSS functions to be performed by the CDSF in support of the systems with which he is involved. CDSM functions identified by the Task Force preparing the PDSS Concept Plan for BAS are listed in Figure 3-4. A more detailed discussion of CDSM responsibilities and functions is included in Appendix E.
- (b) Combat Developer Support Facility (CDSF). A facility in the CD organization within which CD PDSS functions for one or more BAS within a single BFA are performed. A CDSF is located at the TRADOC center or school having proponency for the respective BFA(s). The size and composition of each CDSF is tailored to the requirements of the BFA(s) and the proponent CD organization. A CDSF is the counterpart of and has the benefit of a MD PDSS Center (for providing PDSS to one or more BAS within the BFA supported) located at the same TRADOC installation.

- Determining and providing to the MD system/software change requirements
- 2. Representing the CD and field users on the applicable system configuration control boards
- Establishing systems and change priorities and target IOC dates. Conflicts will be resolved first between CDSMs and then within the normal CD command structure
- 4. Providing user approval for final software release to the field
- Conducting user acceptance testing (if a CD independent tester is designated, the independent tester will be responsible for conducting user acceptance tests)
- 6. Preparing user doctrinal/tactical documentation
- 7. Analyzing doctrinal/tactical documentation
- 8. Conducting periodic reevaluations of the system or software to assess its tactical suitability, as changes occur, for example, to system mission, threat, doctrine, technology, and areas of employment or deployment
- 9. Participating in the development and fielding of all system and software changes, as required
- 10. Conducting and coordinating the analysis of new concepts and proposed software implementations to assess their feasibility and suitability.

- (c) Combat Developer Support Element (CDSE). An element, in the CD organization, within which the PDSS functions for which the parent CD organization is responsible are performed. These PDSS functions may range from those associated with a single BAS to those required for all BAS within a BFA. A CDSE is based at the TRADOC center or school having proponency for the BAS and/or BFA supported by the CDSE. The size and composition of each CDSE is tailored to the needs of the parent CD organization. A CDSE does not have the benefit of a collocated MD PDSS center whereas a CDSF does have such an MD PDSS center which supports one or more of the BAS supported by CD elements operating in the CDSF.
- (d) <u>Combat Developer PDSS Staff Element</u>. A staff element within a CD organization responsible for PDSS-related actions of a management or administrative nature as opposed to actions pertaining directly to substantive changes in BAS which are generally handled within a CDSF or CDSE.
- (e) <u>Combat Developer PDSS Liaison Office (CD PDSS LNO)</u>. An office consisting of one or more CD personnel who represent the CD and User on PDSS matters pertaining to specified BAS at a MD organization. The CD PDSS LNO coordinates and facilitates CD-MD interaction.
- (f) Combat Developer PDSS Forward Support Team (CDFST). An element established on a permanent or temporary basis within the CD organization. The purpose of a CDFST is to maintain liaison with and provide PDSS guidance and support to users of BAS in the respective BFA. As appropriate, a CDFST may be assigned or attached to a specific User Organization for a specified period of continuous duty; or may visit or make contact with the User Organizations on an ad hoc or periodic basis as required. In any case, the CDSFT will possess or have access to communication capabilities allowing rapid and complete interchange of necessary information with its home CDSF under essentially all forseeable circumstances.
- 3-2. SYSTEM OVERVIEW. Following the assumptions, design guidelines, and other considerations discussed in Paragraph 3-1, the Stady Team designed the TRADOC Theoretical PDSS System presented in this report. This system is illustrated in Figure 3-5, structured within the context of the BFA concept. This structure is in consonance with the Hybrid Approach for establishing MD-managed PDSS Centers, discussed in Chapter 1 and documented in the PDSS Concept Plan for BAS, May 1980. As shown, this Theoretical System consists of:
  - A PDSS Staff Element at Headquarters, TRADOC, to provide a PDSS focal point at the major command level and, in conjunction with the HQ TRADOC "hardware directorates," to exercise staff supervision over PDSS matters within TRADOC
  - A PDSS Staff Element at CACDA to provide a capability to fulfill assigned responsibilities as the TRADOC PDSS proponent
  - Four CDSF at major TRADOC doctrinal centers where the PDSS Concept Plan for BAS provides for the establishment and operation of a MD-managed PDSS Center (One CDSF at CACDA is to support both the Force Level Control Functional Area and the Maneuver BFA.)




Figure 3-5. Overview of the Theoretical System

- Five CDSE at other TRADOC doctrinal and functional centers where a requirement for a PDSS capability has been identified
- Thirty-two CDSM (These CDSM are proposed based on requirements established as a result of analysis of each system in each functional area. They are subject to change periodically as systems are initiated, modified, or phased out.)
- Twelve CD PDSS Liaison Offices located at those geographically separated MD PDSS Centers with which the CD must interact regularly in planning and providing PDSS for BAS for which the MD and CD each have major responsibilities in their respective functional areas
- Seven CDFST to satisfy CD requirements for forward support to system Users.

It is emphasized that the composition of this total system as well as each element has been tailored to satisfy TRADOC's functional PDSS requirements. The Study Team considered three approaches in structuring each component of the system. These were by functional area, by BAS, or by some combination of these methods. Figure 3-6 illustrates these three approaches for a system supporting notional BAS A, B, and C by performing 15 theoretical functions. This process contributed to ensuring that the requirements of each Theoretical System component were carefully considered and led to development of the most suitable conizational structure for each of these components. Each component and subordinate element of the Theoretical System is discussed in detail in Appendix E.

- 3-3. CONCEPT OF OPERATIONS. The concept of operations associated with this Theoretical System is in full accordance with current Department of the Army and TRADOC operating policies and procedures. Principal elements of this concept are discussed below.
- a. <u>HQ TRADOC</u>. The Commanding General, TRADOC, through the Deputy Chief of Staff for Combat Developments (DCSCD), establishes operating policy, determines priorities, allocates and manages resources, and directs all elements of this Theoretical PDSS System in the accomplishment of the overall mission and principal functional responsibilities. Within DCSCD, the Director, Telecommunications, Command and Control, and Computer Systems (TC4S), in conjunction with the HQ TRADOC "hardware directorates," exercises staff supervision over the operation of the total system. Within this Directorate, the Battlefield Systems Integration Branch provides the focal point for coordinating all TRADOC PDSS activity and requirements. In this role, PDSS Action Officers of this branch form the Headquarters TRADOC PDSS Staff Element. Together with action officers in the hardware directorates, they are responsible for receiving and acting on directions or requirements from Headquarters, Department of the Army (HQDA), or the Commandicy General and other appropriate officials of Headquarters, TRADOC, and on requests from User commands. In conjunction with the CACDA PDSS Staff Element (discussed below), they analyze and translate these into




Figure 3-6. Approaches to CDSF structures

requirements or instructions for issuance by Headquarters TRADOC to subordinate commands. Subsequently, they exercise staff supervision and act upon the products of subordinate elements of the system. These Action Officers also serve as the coordination point for PDSS matters within TRADOC and provide a principal interface on PDSS matters with HQDA and organizations at the major command level external to TRADOC.

- b. <u>CACDA</u>. CACDA is responsible in this Theoretical System, as the TRADOC PDSS Proponent. Responsibilities associated with this role include working, in conjunction with the PDSS staff at Headquarters TRADOC, to address major PDSS functional and management matters and coordinating and integrating, as appropriate, PDSS requirements and activity of the TRADOC centers and schools. To fulfill these responsibilities, this Theoretical System provides for the augmentation of the JINTACCS Office, Army C2/JINTACCS Division, C3I Directorate with PDSS Staff Officers. This augmentation will constitute the CACDA PDSS Staff Element.
- BFA-Level Operations. As noted in the System Overview, this Theoretical TRADOC PDSS System provides for one or more CDSM, CDSF, and CDSE for each of the seven functional areas recognized in the BFA concept. These CDSM and CDSF will operate within the organizational structure and chain of command of the TRADOC center and school at which they are located. They will serve as the focal points for all substantive PDSS activity within each of the seven functional areas and provide the primary interface on PDSS matters at the BFA level with organizations external to TRADOC. Together, these CDSM, CDSF, and CDSE are responsible for planning, organizing, directing, coordinating, and performing all CD PDSS functions for the BAS for which their parent center and school has TRADOC proponency. This includes maintaining contact with Systems Users on functional/operational matters and with MD PDSS centers on all aspects of PDSS for the BAS with which they are concerned. The CD PDSS Liaison Offices included in the Theoretical System are extensions of their respective CDSF or CDSE. They facilitate CD-MD interaction on PDSS for the BAS with which they are concerned and provide the principal User-Representation at the MD PDSS center where they are located.
- d. <u>Principal Interfaces</u>. To properly fulfill its CD PDSS functions, HQ TRADOC and each center and school involved with the Theoretical PDSS system, must interact with both Users and Materiel/System Developers on a continuing basis. The CD PDSS LNO and CDFST shown in Figure 3-5 have been established to facilitate this interface. A summary of the principal interfaces that are seen to be required following implementation of the PDSS Concept Plan for BAS, are shown in Figure 3-7.

#### 3-4. RESOURCES.

a. Personnel. No specific personnel resource constraints were imposed on the design of the Theoretical System. Instead, functional requirements were identified and an effort was then made to develop valid estimates of resources needed to satisfy these requirements regardless of their magnitude.

MD, USER, OR OTHER ORGANIZATION	HQ DARCOM	CORADCOM (PDSS CTR, FT. LEAV.)	ARRADCOM (PDSS CTR, DOVER)	CORADCOM (PDSS CTRC FT. SILL)	AVRADCOM (PDSS CTR, FT. MON.)	MICOM (PDSS CTR, REDSTONE)	ERADCOM (PDSS CTR, FT. MON.)	ERADCOM (PDSS CTR, FT. HUA.)	CORADCOM (PDSS CTR, FT. MON.)	MICOM (PDSS CTR, FT. BLISS)	CSC (PDSS CTR, FT. LEE)	CSC (PDSS CTR, FT. BEL.)	MILPERCEN	SYSTEM USERS	CONTRACTOR REPRESENTATIVES
HQ TRADOC	0														•
CACDA	•	•												0	
USAFAS			•		•	•	•							Ŏ	
USAADS			•	•		•	•	•	•	•				•	•
USAAC							•							•	
USAICS							•	•						•	
USASC														•	
SSC													•	0	
LOGCEN											•			•	
ARMOR CEN															
USAOCS			•											0	

Figure 3-7. Principal CD PDSS interfaces

Notwithstanding this approach, the end result would appear to make the Theoretical System reasonably attainable when projected over the period covered by the FYDP. A summary of these estimated personnel resource requirements is provided in Figure 3-8. A breakout of these personnel requirements to each component of the Theoretical System is provided in Appendix E. The requirements shown in Figure 3-8 provide for a blend of military and civilian expertise throughout the Theoretical System. It is envisioned that the military spaces would be filled by dual trained personnel who hold primary specialties in the various combat arms and combat service and combat service support functional areas of interest, and secondary specialties in the operations research/systems analysis/automatic data processing fields. The civilian spaces would be filled primarily by personnel in the operations research/systems analysis, electronics engineering and automatic data processing career fields. Specific skills and qualifications will be addressed further on a BFA basis as part of implementation planning.

Other requirements. The Study Team also considered requirements for other resources to include major items of equipment and physical facilities to house the organizations of the Theoretical System. To the extent that these requirements could be addressed, they are discussed along with each system component in Appendix E. However, the complexity of this subject area, the lack of previous PDSS planning in most BFAs, and the many uncertainties regarding the future capabilities and availability of other existing and evolving TRADOC resources to support PDSS requirements makes this an extremely difficult area to address. Consequently, further detailed study is needed to identify and define specific CD PDSS equipment and facility requirements. This study should address the existing or proposed capability of all other TRADOC organizations that could contribute to fulfilling the role of the CD in PDSS. Specifically, any contribution which the Scenarios and Wargames Directorate of CACDA can appropriately make to solution of CDSF needs should not be overlooked. Similarly, the resources of the Combined Arms Studies and Analysis Activity (CASAA) at Fort Leavenworth, particularly in the area of corps- and division-level modeling, and future exercise of such models, should be considered. The same is true of TRASANA resources in battalion-level modeling and model exercise. Since CASAA has a coordinating responsibility for the Army Models Improvement Program, the resources of Concepts Analysis Agency, at Bethesda, in the theater modeling and model exercise area should also be considered for appropriate contributions to CDSF needs. The planned capability and roles of the new Test and Evaluation Directorate at CACDA, and the Army Automated Systems Test Bed at Fort Hood and the Modular Automated Integrated Systems Interoperability Test and Evaluation capability at Fort Huachuca need to be examined to identify thier potential contribution to the TRADOC PDSS effort. These organizations were discussed in the Army Vice Chief of Staff Memorandum, 18 March 1980, subject: Testing of High Technology Electronic Systems. A study by a Department of the Army (DA) Special Study Group documented in the Review of Army Analysis, April 1979, pointed out that interfaces between Army study agencies are illestablished. That study report proposes improved linkages among these agencies. While that DA study group was addressing the Army-wide analysis effort, the

		PERSON	NEL BY	FISCA	L YEAR		
PERSONNEL TYPE	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED: MILITARY CIVILIAN TOTAL	182 176 358	201 189 390	220 206 426	240 241 481	251 260 511	259 268 527	261. 272 533
AUTHORIZED: MILITARY CIVILIAN TOTAL	70 91 161	72 91 163	73 91 164	74 92 166	76 93 169	78 93 171	86 94 180
ADDITIONAL NEEDED: MILITARY CIVILIAN TOTAL	112 85 197	129 98 227	147 115 262	166 149 315	175 167 342	181 175 356	175 178 353

NOTE: THE "AUTHORIZED" PERSONNEL NUMBERS SHOWN ABOVE INCLUDE PERSONNEL PERFORMING PDSS FUNCTIONS ON A PART TIME BASIS; THE "ADDITIONAL NEEDED" NUMBERS REFLECT PERSONNEL WHO WOULD BE DEDICATED TO PDSS FUNCTIONS.

Figure 3-8. Summary of estimated personnel requirements--Theoretical System

findings noted above are applicable to the analytical resources of concern to TRADOC in establishing its PDSS capability. Finally, TRADOC's equipment and facility requirements to support PDSS are highly dependent on the capabilities of the MD PDSS Centers and the degree to which the equipment and facilities of these Centers could be shared or employed in support of the CD. Further joint MD-CD study and planning is needed to address this subject area specifically. The implementation planning that has been initiated in both DARCOM and TRADOC would provide a basis for this joint study and planning effort. In view of these uncertainties, the equipment and facility requirements discussed in Appendix E should be viewed as preliminary basic requirements, subject to refinement as planning for and implementation of the selected TRADOC PDSS system proceeds.

## CHAPTER 4

## COMPARISON OF BASELINE AND THEORETICAL SYSTEM

4-1. GENERAL. This chapter contains results of the comparative analysis of the Baseline and Theoretical PDSS Systems described in Chapters 2 and 3, respectively. The results of this analysis provide a basis for designing another alternative, designated the Hybrid PDSS System, which incorporates the desirable features and eliminates or reduces the undesirable aspects of each of the above systems. The Hybrid System, which was derived primarily from this analysis, is discussed in Chapter 5 and Appendix F.

## 4-2. TASK ACCOMPLISHMENT.

- a. Areas of comparison. As the initial step in accomplishing this task, the Study Team examined the Baseline and Theoretical Systems to identify features or characteristics of each system that represented a potential basis for comparison. This initial list was refined through an iterative process to develop the final set of areas on which the two systems were compared. These areas, which address the organizational structure, capabilities, limitations, and resource requirements associated with each system, are listed below:
  - Organizational responsibility for PDSS

At TRADOC HQ At BFA components

• System control, direction, and coordination

Overall system BFA components

- PDSS system contribution to support of the CCS<sup>2</sup> concept
- System capabilities

BFAs/Functional Centers supported BAS supported Performance of CD responsibilities

Interaction with Users
Interaction with Materiel/System Developers
Perform analysis of BAS software problem reports
Analyze User-stated requirements
Analyze functional impact of conceptual changes or
systems
Develop functional change requirements

Monitor, participate in, or conduct system testing as appropriate
Develop and manage training program required by system changes
Support to contingency planning
Support to crisis/wartime operations
Assessment of continued tactical suitability of BAS.

- Awareness of CD PDSS responsibilities and functions
- Utilization of other resources with potential for supporting PDSS effort
- Resources required.
- b. <u>System levels compared</u>. Except in the few cases where an area of comparison clearly pertains to a particular level of organization within the PDSS system, each area of comparison was considered at three levels—total PDSS system, BFA level, and BFA component or element level. This approach resulted in the development of insights into CD PDSS requirements and alternatives for satisfying these requirements that were not apparent during either the development of the description of the Baseline System or design of the Theoretical System. These insights were, however considered in the design of the Hybrid System. The result is that the Hybrid System includes some features that offer an increased capability over those of the Theoretical System. These features and capabilities are discussed in the presentation of the Hybrid System in Chapter 5.
- 4-3. RESULTS OF THE COMPARISON. Principal results of the comparison of the Baseline and Theoretical Systems are presented in Figure 4-1. In this figure, the first column identifies the area of comparison. These areas correspond with those discussed in Paragraph 4-2.a. The second and third columns contain comments pertaining to the capabilities or limitations of the Baseline and Theoretical Systems, respectively, with respect to the area of comparison being addressed. The fourth column contains comments regarding the significance of the area of comparison being addressed to the accomplishment of Combat Developer's PDSS responsibilities. Where appropriate it also includes comments on the relative effectiveness of each system. The last column contains alternatives or recommendation(s) for consideration in designing the Hybrid System. In examining the results presented, the reader should keep in mind that there are certain exceptions to some of the general statements made in the figure; these exceptions arise because of the major role played by the MILPERCEN as CD for systems in the personnel support area. Figure 4-2 provides further detail on the last area of comparison--resources required. This figure shows, for the Baseline System, personnel currently involved with PDSS on either a full- or part-time basis. Most of the personnel reflected in the Figure are involved with PDSS only on a very limited part-time basis. It also reflects additional personnel estimated to be required in the baseline structure to provide a minimally adequate capability to handle essential CD PDSS functions. The projected increased personnel resources are needed to provide a capability to:

MMEHDATION(S) FOR THE HYBRID SYSTEM	COMMENTS/EVALUATION ALTERNATIVE(S)/RECOMMEN- INTITUTE:) LINE THE INTITUTE SYSTEM	Retained as Part of Combat Development Combat Oevelopment is Most Retain as Part of Combat Hission; Resources Proposed for Hand- Appropriate Functional Area Development; Identify POSS Ing PDSS Requirements on Dedicated Sasignment of PDSS Re- Resources as a Visable Orbasis.  Basis.   Requirements on Dedicated Sapprosibility; Resources ganizational Element.   Reed to be identified for PDSS Functions.	Combat Development is Most Retain as Part of Combat Appropriate Functional Area Development; Identify PDSS for Assignment of PDSS Ke- Resources as a Visable Orsport Ited to be Identified for Identified	Theoretical System Provides Retain Staff Elements Visable Focal Points for Created in Theoretical POSS Management and Coor-System; Possibly Reduce between TRADC and Aesources. Commands.	Provide for this Capability. Essential in all BfAs.
BASELINE AND THEORETICAL SYSTEMS AND LIDENTIFICATION OF ALTERNATIVE(S)/RECOMMENDATION(S) FOR THE HYBRID SYSTEM	THEORETICAL SYSTEM CAPABILITY CON	Retained as Part of Combat Development Mission; Resources Proposed for Hand- ling PUSS Requirements on Dedicated Busis.	Functionally implied as Part of the Retained as Part of Combat Development Combat Combat Unit or Management Mission, Resources Proposed for Management Information System Mission, but Inny PUSS Requirements on Dedicated for As Sponsible Nativery Limited or no Resources Basis.  Basis.	Performed as Additional Function of Full Time Staff Elements Located At Theoretics a Staff Element at HQ TRADOC and at Both TRADOC and CACDA with Primary Re-Visable FC CACDA; Limited Overall Control or sponsibility for PDSS Management and diation. Coordination.	The Chief of the COSF or COSE, Supported by COSMs, Perform this function under Staff Supervision of the Director of Combat Developments or Director of Management Information Systems.
COMPARISON OF THE BASELINE AND THEORETICAL SYS	DASELINE SYSTEM CAPABILITY	Functionally included as Part of Combat Development Mission but with no Resources Dedicated to PDSS Functions.	Functionally implied as Part of the Combat Gevelopment or Management Information System Mission, but with very Limited or no Resources Dedicated to POSS functions.		Most BFAs have no Capability with Respect to the Total System, Within and BFA, Control and Coordination of PDSS Activities are Acknowledged to be a Staff Responsibility of either the Director of Combat Developments or the Director of Management Information Systems, but with Certain Limitations. Within most EAFA, Specific Resources do not EaFAs, Coffic Resources do not Exceptions are the TSM, FAIDS at Ft. Sill, the Combat Systems Software Division and Ft. Biss, and the Management Information Systems
COMPARISC	AREA OF COMPARISON	1. Organizational Responsibility for PDSS: a. At TRADOC HQ	b. BFA Components	2. Control, Direction and Coordination of: a. Overall System	b. BFA Components

Figure 4-1. Summary of comparison of the Baseline and Theoretical PDSS Systems

Figure 4-1. (continued)

AREA OF COMPARISON  AREA OF COMPARISON  AREA OF COMPARISON  AS SEEM Capabilities  C. Performance of C. Responsibil- Itles (Confinu- ad): Interaction Interaction is informal and Focuses with Hate- riel/System action Greatest where the CD and MD Developers are COllocated; Very Weak in Most Cases, where They are Geograph- riel/System action Greatest where the CD and MD Developers are Collocated; Very Weak in Most Cases, where They are Geograph- fically Separated.  (3) Perform  Analysis of in Some Jfs; in Most Bfs, Limited BAS Software Analytical Capability Kaists to Problem Reports  Address those Problem Reports that are Recrived.  (4) Analyze User-Stated Exists to Address User Requirements In most BfA.	BASELINE AND THEORETICAL SYSILINE SYSTEM CAPABILITY  Than is the formal and Focuses from is and focuses inter- breatest where the CD and MD rocated; Very Weak in Most there they are Geographeparated.  Paports not Received by CD Cd and MD rocated; Very Weak in Most there is a Capability Exists to those Problem Reports that they was problem Reports that they are degraphed and Capability for the control of the	### STEELINE SYSTEM CAPABILITY  ###################################	Sylecommendation (S) FOR THE HYBRID SYSTEM COMMENTS/EVALUATION ALTERNATIVE(S)/RECOMMEN Interaction is important and Mutually Beneficial to inceraction at Morking Of Interaction at Morking Of Interaction at Morking Cases where CD and WD are Geographically Separated, Geographically Separated, Increased CD Involvement in Retain Concept of Operadores in Unser Problems Increased CD Involvement in Retain Concept of Operadores in Unser Problems Increased CD Involvement in Retain Concept of Operadores in Univolved in Univolved Capability Provided in to Analyze these Problems Increased CD Involvement in Retain Concept of Operadores in Univolved Capability Provided in the Analytical Manalyze these Problems Increased CD Involvement in Retain Concept of Operadores in Univolved Capability Provided in Land Associated Resources Could Possibly be Reduced; Problems Addressing User Requirements is important. Increased CD Involvement in Retain Concept of Operadores and Associated Resources Could Possibly be Reduced; Problems Addressed as Reduced Resources Could Possibly be Reduced; Problems Addressed Wilen Concept of Operadority and Analyze these of Effort and Associated Resources Could Possibly be Reduced; Problems and Addressed Wilen Reduced Requirements is important.  Resources Could Possibly be Reduced; Problems and Addressed Wilen Reduced Resources Could Possibly be Reduced; Problems and Addressed Wilen Reduced Resources Could Possibly be accepted to the Possibly be Resources Could Possibly be Reduced i	HYBRID SYSTEM  ATERNATIVE(S)/RECOMEN- NATURNATIVE(S)/RECOMEN- NATURNATIVE(S)/RECOMEN- AND TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOWN

Figure 4-l. (continued)

HYBRID SYSTEM	ALTERNATIVE(S)/RECOMEN- INTION(S) FOR THE HYBRED SYSTEM	Retain Concept of Opera- tions and the Analytical Capability Provided in the Theoretical System; Level of Effort and Associated Resources could Possibly Le Reduced; Problems may Have to be Prioritized and Addressed When Reduced	Retain improved Capability Provided by the Theoretical System; Continue to High- light the Need for a Re- quirements Definition Language.	Provide Focal Point in the CD POSS Organization for Coordinating Requirements in this Area on a TRADOC-wide Basis.	Retain Focal Point in the CD POSS Organization for Coordinating Requirements in this Area.
(S)/RECOMMENDATION(S) FOR TH	COMMENTS/EYALUATION	Improved Capability to Analyze Conceptual Changes is Important.	This is very important CD Responsibility, Require- ments must be Stated Clearly and Correctly, In Terms that MD will Inter- pret Correctly, MD-CO Handbook should be Impro- ved,	This is Very important CD Provide Focal Point in the Responsibility. Further CD PDSS Organization for Effort should be bevolved to Coordinating Requirements Coordinating the utiliza- in this Area on a IRADOCTION of Testing Resources.	Training Impact of System Change Must be Identified and Addressed Concurrently with Processing of the System Change.
BASELINE AND THEORETICAL SYSTEMS AND IDENTIFICATION OF ALTERNATIVE(S)/RECOMMENDATION(S) FOR THE HYBRID SYSTEM	THEORETICAL SYSTEM CAPABILITY	Resources Included in the System to Conduct Analysis.	Resources Provided in Theoretical System for Improved Capability to Develop Functional System Requirements ments; The Need for a Requirements Definition Language is not Satisfied.	Abbility Exists at Present; Theoretical System Provides CD PDSS Responsibility not Clearly Focal Point for Coordinating Testing In all Cases; Existing Test Requirements, but does not Address Itles may not be fully proper Albacation of Testing Responsive Bits.	Capability Varies Among BFA; Hand- Resources Provided to Serve as Focal led by Combat Development, Training Point in Determining and Coordinating Development, and Training Staff Training Requirements; Current Training Organizations would Retain Present Responsibilities.
	BASELINE SYSTEM CAPABILITY	Limited Analytical Capability Exists in Most BFA.	the tee acability Exists; from the ests Definition language in the ests Mi-CD handson incise has fortain Sufficiently lessed because on Stating Software because ests.	Some Capability Exists at Present; Areas of Responsibility not Clearly Defined in all Cases; Existing Test Gapalities may not be Fully BUILLED IT SOTE 88A.	Capability Varies Among BFA; Hand- led by Combat Development, Training Development, and Training Staff Elements.
COMPARISON OF THE	AREA OF COMPARISON	4. System Capabilities C. Performance of CD Responsibilities (Continued): (5) Analyze (5) Analyze Ennctional Impact of Conceptual Changes on Systems	(6) Develop Functiona) Change Requirement	(7) Monitor, Participate in, or Conduct System Testing as Appropriate	(8) Develop and Manage Training Program Re- quired by System Change


Figure 4-1. (continued)

COMPARISON OF TH	144	BASELINE AND THEORETICAL SYSTEMS AND IDENTIFICATION OF ALTERNATIVE(S)/RECOMMENDATION(S) FOR THE HYBRID SYSTEM	;)/RECOMMENDATION(S) FOR THE	HYBRID SYSTEM
AREA OF COMPARISON	BASELINE SYSTEM CAPABILITY	THEORETICAL SYSTEM CAPABILITY	COMMENTS/EYALUATION	ALTERNATIVE(S)/RECOMEN- INTION(S) FOR YIL HYDKID SYSTEM
4. System Capabilities c. Performance of CD Responsibil- ities (9) Support to Contingency	Little Attention is Focused on this Area at Present.	Need for Attention to this Area is Emphasized and Responsibility for this Function is Assigned to Elements of the Theoretical System.		Continue to Emphasize and Specify Responsibility for this Area.
(10) Support to Crisis/War- time Oper- ations	Little Area at	Attention is Focused on this Need For Attention to this Area is Emphasized and Responsibility For this Function is Assigned to Elements of the Theoretical System.	This is the ditimate Objective of All POSS Activity.	Continue to Emphasize and Specify Responsibility for this Area.
(11) Assessment The Ex of Continued Varies Tactical Suffability of BAS	The Extent to Which this is Done Varies Widely by BAS.	Resources Provided in the Theoreti- cal System to Accomplish this Function on a Continuing Basis For All BAS.	This Function is Critical	Continue to Emphasize and Specify Responsibility for this Area.
5. Awareness of CD's PDSS Responsibilities and Function	Lack of Common Understanding and Agreement Regarding what CD PDSS Functions Need to be Performed and Who is Responsible for Doing Them.	CD POSS Functions and the Respon- call to certaining library for the control of steel for some call for the control of some call for the control of some call for the control of the contr		In Designing the Mybrid System, the Same Basic CD Responsibilities and func- tions Should be Addressed that were Developed During Design of the Theoretical System; These may be Re- allocated and New Functions identified as appropriate.
6. Utilization of Other Resources, e.g., CAGA, CASA, TASA, Test and Evaluation Organ- izations, MD POSS Centers, etc. With Potential for Supporting the CD POSS Effort.	Baseline System not Sufficiently Defined and Operating Procedures not Sufficiently Formalized to Provide for using Other Resources, upth Potential for Contributing to Resor- lution of POSS Problems, on a Regul- ar Basis. Each POSS Requirement is Handled on a Case by Case Basis.	in All	Use of the Capabilities of Consider Opportunities for Other Resources and Share. Sharing/Using Other Reling Equipment and Facilies sources to Improve CD PDSS ties. Potential for Capabilities and Requirements. Ity with Reduced Require. Provide Capability to Comment for CD Resources ordinate the Use/Sharing Dedicated to this Effort.	Consider Opportunities for Sharing/Using Other Resources to Improve CD PDSS Capabilities and Reduce Resource Requirements. Provide Capability to Coordinate the Use/Sharing of Resources.
<b>Learning</b>			<u></u>	

Figure 4-1. (continued)

BASELINE AND THEME ILCAL STSTEMS AND IDENTIFICATION OF ALTERNATION (S) PORT THE HYBRID SYSTEM CAPABILITY THEORETICAL SYSTEM CAPABILITY COMMENTS/EVALUATION SYSTEM SYSTEM	Design System without Specific Resource Con- straints, Provide Cap- autility to Weet found i Requirements. Consider Economy of Resources Where feasible.
COMMENTS/EVALUATION OF DA	Current Baseline System is Dec not Adequate to Permit Spon TRADOC to Fulfill its Hole sti in Planning and Providing about Poss For BAS. Enhanching Ret Poss For BAS. Enhanching Ecc Any Other System with an Fea Adequate Capability will be Costly in Terms of Re- sources.
THEORETICAL SYSTEM CAPABILITY	Implementation of this System would Current Baseline System is Design System with thout Sequence Significantly Greater Resources than are Currently Associated FARDOC to Pulfill its hole straints. Provide Capult in Planning and Providing ability to Heet functional and Facility Requirements to Implement pp55 For BAS. Enhancing ability to Heet functional forms as System are also Significant. The this System or implementing Economy of Resources Where System with an Feasible.  Resource Constraints Imposed. Sources.
	in virtuate bevoted to PDSS in virtue 11 inted. Accomplishment of E EDS Functions is fared only writtee in virtue in Salable Recourses and the Friends of PDSS and Salable Recourses feel with the Content PDSS to the Salable Recourses on the Edge of the Content PDSS to the Edge of th
AREA OF COMPARISON BASI	7. Resource Requirements.

Figure 4-1. (concluded)



The second secon

LEGEND: ESSONNEL AUTHORIZED

ESSONNEL NEEDED

AUTHORIZED NUMBERS SHOWN ABOVE INCLUDE PERSONNEL WHO PERFORM PDSS ONLY ON A PART-TIME BASIS. "ADDITIONAL NEEDED" NUMBERS SHOWN REFLECT PERSONNEL WHO WOULD BE DEDICATED TO CD PDSS FUNCTIONS. NOTE:

Figure 4-2. Comparison of personnel requirements-enhanced Baseline and Theoretical Systems

- Perform important CD PDSS functions not currently being performed, and
- Perform CD PDSS functions for additional BAS projected to be fielded by 1987.

With respect to the Theoretical System, Figure 4-2 shows the total personnel resources estimated to be needed to fully implement this system. The significantly higher personnel requirement associated with the Theoretical System provides a substantially greater capability than the Baseline, especially in the areas of:

- Control, direction, and coordination of the total system
- Support of the CCS<sup>2</sup> concept
- The capability to perform CD PDSS responsibilities at all TRADOC functional centers.

#### CHAPTER 5

# TRADOC HYBRID PDSS SYSTEM

- 5-1. GENERAL. Task 7 of the Statement of Work (SOW) under which this study is being conducted required that a third TRADOC post-deployment software support (PDSS) functional and management system be designed based on the results of the comparative analysis of the Baseline and Theoretical Systems discussed in Chapter 4. This chapter describes the PDSS system that resulted from this effort. This system, called the Hybrid System, incorporates many desirable features of each of the other two systems. All assumptions, design guidelines, and other considerations that were applicable to the Theoretical System, as discussed in Chapter 3, were also applied to the design of this Hybrid System. However, in designing this system, a conscientious effort was made to identify ways of retaining the capabilities of the Theoretical System while reducing resource requirements through increased sharing of capabilities, prioritization of functional requirements, devising alternative approaches to satisfying these requirements, and other measures. Consequently, the resulting Hybrid System provides a Combat Developer (CD) PDSS capability significantly greater than the present Baseline, and equal to the Theoretical System in most PDSS requirement areas. This chapter provides an overview of the Hybrid System and discusses the concept of operations and an estimate of the resources needed for full implementation. A detailed description of each component of the system is provided in Appendix F.
- 5-2. SYSTEM OVERVIEW. Based on the results of the comparative analysis discussed in Chapter 4, and following the assumptions, design guidelines, and other considerations referred to above, the Study Team designed the TRADOC Hybrid PDSS System presented in this report. This system is illustrated in Figure 5-1. It has been structured within the context of the Battlefield Functional Area (BFA) Concept. This corresponds with the Hybrid Approach adopted by the Task Force that developed the plan for establishing MD-managed PDSS Centers as documented in the PDSS Concept Plan for BAS, May 1980, and discussed briefly in Chapter 1. As shown in Figure 5-1, this Hybrid System consists of:
  - A small PDSS Staff Element at Headquarters, TRADOC, to provide a PDSS focal point at the major command level and, in conjunction with the HQ TRADOC hardware directorates, to exercise staff supervision over PDSS matters within TRADOC
  - A small PDSS Staff Element at CACDA to provide a capability to fulfill assigned responsibilities as the TRADOC PDSS proponent
  - Two resource coordination branch-level staff elements in CACDA to ensure the fullest and most effective use possible of existing TRADOC analytical and test and evaluation resources to support CD PDSS requirements
  - Four Combat Developer Support Facilities (CDSF) at major TRADOC doctrinal centers where the PDSS Concept Plan for BAS provides for the establishment and operation of a MD-managed PDSS Center (One CDSF at CACDA is to support both the Force Level Control Functional Area and the Maneuver BFA.)




Figure 5-1. Overview of the Hybrid System

- Three Combat Developer Support Elements (CDSE) at other TRADOC doctrinal and functional centers where a requirement for a PDSS capability has been identified
- Thirty Combat Developments System Managers (CDSM) (These CDSM are proposed based on requirements established as a result of analysis of each system in each functional area. They are subject to change periodically as systems are initiated, modified, or phased out.)
- Six CD PDSS Liaison Offices located at those MD installations which have MD PDSS Centers with which the CD must interact regularly in planning and providing PDSS for BAS for which the MD and CD each have major responsibilities in their respective functional areas
- Five Combat Developer Forward Support Teams (CDFST) to interface with, and provide CD guidance and support to, systems users.

The overall structure of this system is similar in concept to the Theoretical System but it differs from that system in total size as well as in the size and structure of its components. The differences, in terms of resource requirements and capabilities, are evident in the detailed descriptions of the systems in Appendices E and F and in the discussion of resources associated with each system in Paragraphs 3-3 and 5-4, respectively. With respect to capability, the Theoretical System provides for accomplishing all identified CD PDSS functions for all BAS currently projected to require PDSS through 1987. The Hybrid System also provides a capability to accomplish all CD PDSS functions but some less critical actions may have to be accomplished on a prioritized basis.

- 5-3. CONCEPT OF OPERATIONS. The concept of operations associated with this Hybrid System is essentially the same as that described in Paragraph 3-3 for the Theoretical System. The overall concept for direction and control of the system and the roles of HQ TRADOC and CACDA remain unchanged. Most CD PDSS operations will be decentralized to the BFA level, but there is emphasis on sharing of resources and consolidating responsibilities in fewer PDSS organizational elements within each BFA. CD PDSS Liaison Offices are reduced in number and, in some cases, represent the CD in more than one functional area. CDFST are also reduced in number which will, in turn, reduce direct CD contact with Users. This will require that remaining elements of the Hybrid PDSS System take a more active role in interfacing with system Users. These measures permit a reduction in resource requirements without severely impacting the capabilities of the system. Further details of the concept of operations are incorporated into the discussions of the system components in Appendix F.
- 5-4. RESOURCES. As in the case of the Theoretical System, no specific personnel resource constraints were imposed on the design of this Hybrid System. All CD PDSS functional requirements were considered. Estimates of resources needed to meet these requirements were than developed within the structure

and operational concept envisioned for the Hybrid System. During this process, an effort was made to identify ways in which resource requirements could be reduced from those in the Theoretical System, without detracting significantly from the system capability. Some reduction in requirements was realized primarily through consolidation of responsibilities and sharing of resources. A summary of the personnel resource requirements resulting from this effort are shown in Figure 5-2. A breakout of these requirements to the Hybrid System component level and a full discussion of their employment is included in Appendix F.

	Р	ERSONN	EL BY	FISCAL	YEAR		
PERSONNEL TYPE	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED: MILITARY CIVILIAN TOTAL	170 173 343	179 185 364	191 196 387	207 232 439	214 251 465	218 257 475	219 261 480
AUTHORIZED: MILITARY CIVILIAN TOTAL	70 91 161	72 91 163	73 91 164	74 92 166	76 93 169	78 93 171	86 94 180
ADDITIONAL NEEDED: MILITARY CIVILIAN TOTAL	100 82 182	107 94 201	118 105 223	123 140 273	138 168 296	140 164 304	133 167 300

NOTE: THE "AUTHORIZED" PERSONNEL NUMBERS SHOWN ABOVE INCLUDE PERSONNEL PERFORMING PDSS FUNCTIONS ON A PART TIME BASIS; THE "ADDITIONAL NEEDED" NUMBERS REFLECT PERSONNEL WHO WOULD BE DEDICATED TO PDSS FUNCTIONS .

Figure 5-2. Summary of estimated personnel requirements--Hybrid System

#### APPENDIX A

#### REFERENCE APPENDIX

- 1. Integrated Tactical Communications System Plan (INTACS). 1978.
- US Department of the Army, Headquarters, US Army Materiel Development and Readiness Command. <u>Post-Deployment Software Support Plan for</u> <u>Intelligence/Electronic Warfare (INTEL/EW) Systems</u>. 8 March 1978.
- 3. <u>Post-Deployment Software Support (PDSS) Concept Plan for Battlefield Automated Systems.</u> Washington D.C.: May 1980.
- 4. Post-Deployment Management Plan for Fire Direction System Artillery AN/GSG-10(V). (TACFIRE) Draft. 6 December 1976.
- 5. International Business Machines Corporation, Federal Systems Division.
  Army Command and Control Master Plan (AC<sup>2</sup>MP) effort, published under various titles. Arlington: 1 June 1979.
- 6. ADCCS Directorate and ARTADS. AN/TSQ-73 (Missile Minder) Post-Deployment Management Plan. Huntsville and Fort Monmouth: 19 May 1977.
- 7. US Department of the Army. Headquarters, Combined Arms Center and Fort Leavenworth. Position Location Reporting System (PLRS)

  Post-Deployment Support Concepts Presentation. Fort Leavenworth: 11 March 1977.
- 8. <u>Battlefield Automation Management Program (BAMP)</u>. Fort Leavenworth: 1 July 1978.
- US Army Combined Arms Combat Development Activity. Functional
   Systems on the Corps Battlefield. US Army Combined Arms Center.
   Fort Leavenworth: 13 July 1978.
- 10. <u>Mission Element Needs Statement (MENS) for the Military</u>
  Computer Family (MCF). Fort Leavenworth: September 1978.
- 11. Joint Chairmen, Communications Research and Development Command and Center for Systems Engineering and Integration. Army Battlefield Automation Interoperability System Engineering Management Plan.

  Working Group. Fort Monmouth: 31 January 1979.

- 12. US Department of the Army. Army Battlefield Interface Concept 80 (U) (Short Title: ABIC 80). Draft. ACN Number 47635. Washington, D.C. (CONFIDENTIAL)
- 13. CORADCOM. <u>Guidance on Preparing a Product Improvement Proposal</u>. Fort Monmouth: <u>January 1978</u>.
- 14. Report of the Defense Science Board Task Force on Command and Control Systems Management. July 1978.
- 15. PATRIOT Software Support Facility Plan. July 1978.
- 16. Joint Interoperability Tactical Command and Control Systems (JINTACCS) reports, published under various titles.
- 17. US Department of Defense. <u>Department of Defense Directive 5010.19</u>: Configuration Management. Washington, D.C.: 1 May 1979.
- 18. . . Department of Defense Instructions 5010.27: Management of Automated Data System Development. Washington, D.C.
- 19. Department of Defense Directive 5000.29: Management of Computer Resources in Major Defense Systems. Washington, D.C.: 26 April 1976.
- 20. Department of Defense Directive 5000.31: Interim List of DOD Approved High Order Programming Languages (HOL). Washington, D.C.: 24 November 1976.
- 21. Department of Defense Directive 5000.3: Test and Evaluation. Washington, D.C.: 26 December 1979.
- 22. Department of Defense Instructions 5000.XXA: Interim List of DOD Approved Computer Architecture. Washington, D.C.: 19
  April 1978.
- 23. <u>Department of Defense Directive 5000.1</u>: Major System Acquisition. Washington, D.C.: 19 March 1980.
- 24. <u>Department of Defense Instruction 5000.2</u>: Major System Acquisition Procedures. Washington, D.C.: 19 March 1980.
- 25. US Department of the Army. Army Regulation 11-28: Economic Analysis and Program Evaluation for Resource Management. Washington, D.C.: 2 December 1975.
- 26. Army Regulation 15-14: Systems Acquisition Review Council Procedures. Washington, D.C.: 1 April 1978.

27. US Department of the Army. Army Regulation 70-1: Army Research, Development, and Acquisition. Washington, D.C.: 1 February 1977. 28. Army Regulation 70-27: Outline Development Plan/Development Plan/Army Program Memorandum/Defense Program Memorandum/Decision Coordinating Paper. Washington, D.C.: 17 March 1975. Army Regulation 70-37: Configuration Management. Washington, D.C.: 19 July 1976. 30. Army Regulation 71-9: Materiel Objectives and Requirements. Washington, D.C.: 7 February 1975. Army Regulation 700-127: Integrated Logistic Support. Washington, D.C.: 11 April 1975. Headquarters, US Army Materiel Development and Readiness Command. DARCOM Regulation 70-1: Transition of Management Responsibility from a Research and Development Command Manager to a Materiel Readiness Command Manager. Fort Belvoir. Army Regulation\_71-1: Force Development, Army Combat Developments. Washington, D.C.: 25 June 1969. 34. US Department of the Air Force. Air Force Regulation 800-14: Volume I: Management of Computer Resources in Systems; Volume II: Acquisition and Support Procedures for Computer Resources in Systems. Washington, D.C.: 26 September 1975. 35. US Department of the Army. Army Regulation 18-1: Management Information Systems, Policies, Objectives, Procedures, and Responsibilities. Washington, D.C.: 22 March 1976. (With TRADOC Supplement 1, 10 September 1976.); Army Regulation 18-1: Army Automation, Army Automation Management. Washington, D.C.: 15 August 1980. (Without accompanying Technical Bulletins.) Headquarters, US Army Materiel Development and Readiness Command. DARCOM Regulation 70-16: Management of Computer Resources in Battlefield Automation Systems. Fort Belvoir: 16 July 1979. Army Regulation 1000-1: Basic Policies for Systems Acquis-37. ition. Washington, D.C.: 1 April 1978. Army Regulation 70-61: Type Classification of Army Materiel. Washington, D.C.: 1 August 1978. Army Regulation 70-15: Research and Development, Product Improvement of Materiel. Washington, D.C.: 15 June 1980.

40. US Department of the Army. Army Regulation 380-380: Automated Systems Security. Washington, D.C.: 15 April 1979. Army Regulation 70-10: Test and Evaluation During Development and Acquisition of Materiel. Washington, D.C.: 29 August 1975. Army Regulation 70-17: System/Program/Project/Product Management. Washington, D.C.: 11 November 1976. Army Regulation 10-41: United States Army Training and Doctrine Command. Washington, D.C.: 27 June 1973. Army Regulation 10-11: United States Army Materiel Development and Readiness Command. Washington, D.C.: 9 March 1977. 45. US Department of Defense. Military Standard 483: Configuration Management Practices for Systems, Equipment, Munitions, and Computer Programs. Washington, D.C.: 31 December 1970. Military Standard 490A: Specification Practices. Washington, 46. D.C.: 30 October 1968. 47. US Department of the Air Force. Air Force Systems Command Pamphlet 800-7: Configuration Management. Washington, D.C.: 1 December 1977. 48. US Department of the Army. Headquarters, US Army Development and Readiness Command. DARCOM Circular 702-4: Army Defense Systems Software Control During the Production and Deployment Phase. Fort Belvoir: 28 March 1978. Pamphlet 11-25: Life Cycle System Management Model for Army Systems. Washington, D.C.: 21 May 1975. Pamphlet 70-21: The Coordinated Test Program (CTP). Washington, D.C.: 10 May 1976. Headquarters, US Army Training and Doctrine Command. TRADOC Pamphlet 71-3: Force Development, Combat Developments Study Writing Guide. Fort Monroe: 1 June 1977. Army Regulation AR 10-1: Organization and Functions, Functions of the Department of Defense and Its Major Components. Washington, D.C.: 6 January 1977. Headquarters, US Army Training and Doctrine Command. TRADOC 53. Regulation 10-5: Organization and Functions. Fort Monroe:

10 December 1979.

US Department of the Army. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 10-41: Organization and Functions, Mission Assignments. Fort Monroe: 1 May 1980. Army Regulation 10-4: Organization and Functions, US Army 55. Operational Test and Evaluation Agency. Washington, D.C.: 30 December 1974. 56. Army Regulation 570-2: Manpower and Equipment Control, Organization and Equipment Authorization tables -- Personnel. Washington, D.C.: 15 September 1978. Headquarters, US Army Training and Doctrine Command. TRADOC 57. REGULATION 71-1: Force Development, US Army Training and Doctrine Command (TRADOC) Management Information System (TRAMIS) (RCS A TRM - 38). Fort Monroe: 1 September 1976. (With CAC and Fort Leavenworth Supplement 1 - 15 June 1978.) 58. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 71-3: Force Development, Acceptance and Assignment of New Combat Development Tasks. Fort Monroe: 2 May 1977. Army Regulation 71-3: Force Development, User Testing. Washington, D.C.: 8 March 1977. Headquarters, US Army Training and Doctrine Command. TRADOC 60. Regulation 71-12: Force Development, Total System Management -TRADOC System Manager (TSM). Fort Monroe: 15 September 1978. 61. Army Regulation 5-5: Management, The Army Study System. Washington D.C.: 15 April 1978. Army Regulation 70-16: Research and Development, Department of the Army System Coordinator (DASC) System. Washington, D.C.: 20 March 1975. Army Regulation 700-129: Integrated Logistics Support 63. Management of Multiservice Communications Electronics Systems and Equipment. Washington, D.C.: 11 January 1980. Army Regulation 70-9: Research and Development, Army 64. Research and Development Information System Planning and On-Going Work Reporting. Washington, D.C.: 22 August 1973. Army Regulation\_611-1: Personnel Selection and Classification, 65. Military Occupational Classification Structure Development and Implementation. Washington, D.C.: 27 April 1976.

66. US Department of the Army. Army Regulation 37-200: Financial Administration, Selected Acquisition Information and Management Systems (SAIMS). Washington, D.C.: 1 December 1979. Army Regulation 71-2: Force Development, Basis of Issue Plan. Washington, D.C.: 19 April 1976. 68. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 11-5: Army Programs, Cost Analysis Program, (MOS Training Costs) RCS A TRM - 159. Fort Monroe: 5 September 1975. 69. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 11-12: Army Programs, TRADOC Resource Factors (Requirement Control Symbol ATR M - 54 (R1)). Fort Monroe: 11 January 1980. 70. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 11-2: Army Programs, Priorities and Tasking Control. Fort Monroe: 15 February 1980. 71. Headquarters, US Army Materiel Development and Readiness Command/Headquarters, Army Training and Doctrine Command. DARCOM/TRADOC Materiel Acquisition Handbook. Alexandria/Fort 1 January 1980. 72. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 71-9: Force Development, User Testing and Evaluation. Fort Monroe: 1 October 1978. DA Pamphlet 5-5: Guidance for Study Sponsors and Study Advisory Groups. Washington, D.C.: 18 October 1976. 74. Office of the Assistant Chief of Staff for Automation and Communications. Alignment of Automation and Communications Functions of Army Agencies and Commands (SAACFAAC). Study Final Report. Washington, D.C.: 31 July 1980. **75.** Headquarters, US Army Computer Systems Command. USACSC Regulation 18-21: Management Information Systems, Command Customer Assistance Program. Fort Belvoir: 5 December 1979. Office of the Assistant Secretary. Memorandum for Deputy Chief of Staff for Research, Development, and Acquisition. Washington, D.C.: 1 July 1980. Headquarters, US Army Logistics Center. LOGC Regulation 10-1: 77. Organization and Functions. Fort Lee: 1 January 1980. 78. US Army Intelligence Center and School. USAICS Regulation 10-1: Organization and Functions USAICS Organization, Mission, and Functiona! Manual. Fort Huachuca: 1 October 1979.

79. US Department of the Army. Headquarters, US Army Training and Doctrine Command. TRADOC Circular 351-8: Schools, Individual and Collective Training Plan for Developing Systems Policy and Procedures. Fort Monroe: 1 May 1980. 80. Headquarters, US Army Air Defense Center and Fort Bliss. USAADCENFB Regulation 10-1: Organization and Functions, Manual of Organization, Missions, and Functions. Fort Bliss: 15 September 1980. 81. Headquarters, US Army Computer Systems Command. USACSC Regulation 18-23: Management Information Systems, Automated Data Systems Configuration Management Program. Fort Belvoir: 1 December 1979. Headquarters, US Army Training and Doctrine Command. TRADOC 82. Circular 351-8: Schools, Individual and Collection Training Plan for Developing Systems Policy and Procedures. Fort Monroe: 1 May 1980. 83. United States Army Signal School. USASIGS Regulation 10-2: Organization and Functions Manual. Fort Gordon: 18 May 1977. 84. US Department of the Army. Headquarters, US Army Field Artillery Center and Fort Sill. USAFACFS Regulation 10-1: Organization and Functions, Manual of Organization and Functions. Fort Sill: 11 April 1980. Headquarters, Combined Arms Center and Fort Leavenworth. 85. CAC and Ft LVN Regulation 10-1: Organization and Functions. Fort Leavenworth: 1 August 1980 . Army Regulation 10-5: Organization and Functions. Washington, D.C.: 1 November 1978. 87. Headquarters, US Army Training and Doctrine Command. TRADOC Regulation 10-2: Organizations and Functions, Control of Mission Assignment and Organization Structure. Fort Monroe. July 1973. Headquarters, US Army Logistics Center. LOGC Regulation 10-1: 88. Organization and Functions. Fort Lee. 1 January 1980. Office of the Deputy Commanding General, US Army Training and 89. Doctrine Command. Standardization of Embedded Computer\_Resources. Letter. Fort Leavenworth: 30 July 1980. Headquarters, US Army Communications Research and Development 90. Command. CORADCOM, Master Configuration Management Plan. Fort Monmouth: 11 January 1980.

9]. US Department of the Army. Headquarters, US Army Training and Doctrine Command, General Donn A. Starry. Combat Service Support (CSS) Doctrine and Automation and Communications Architecture. Message. Fort Monroe: 23 September 1980. Project Manager, PATRIOT Missile System, DARCOM. Post-Deploy-92. ment Software Support Implementation Plan. Redstone Arsenal: January 1979. Project Manager, Missile Minder/Air Defense Tactical Data 93. Systems (MM/ADTDS), CORADCOM. AN/TSQ-73 Post-Deployment Management Plan. 2nd Revision. Redstone Arsenal: 25 June 1979. . US Army Military Personnel Center. MILPERCEN Supplement 1 94. to AR 10-5: Organization and Functions. Alexandria: 1 August 1979. Special Study Group. Review of Army Analysis: Volume I; 95. Main Report and Volume II; Appendixes C-M. Washington, DC:

## APPENDIX B

#### GLOSSARY 1

#### **TERMS**

- Air Defense BFA--This BFA reacts to and defeats a varied and growing aircraft and countermeasures threat under all environmental and tactical conditions and in all intensities of combat.
- Baseline PDSS System--The personnel, equipment, organizational structure, and operating procedures presently existing within TRADOC that are employed in accomplishing PDSS functions for which that command is responsible.
- Battlefield Automated System (BAS)--A system which contains a computer(s), is intended for use by the Army in the field, and which will not function without computer(s); e.g., AN/TSQ-73, TACFIRE. (Source: Office of the Assistant Secretary of the Army (RDA), Memorandum for Deputy Chief of Staff for Research, Development and Acquisition, 1 July 1980.) (Note: For purposes of this study, software only systems are included as BAS.)
- Battlefield Functional Area (BFA)--A conceptual grouping of Army personnel, equipment, and procedures which together perform a major battlefield function. The BFAs used in this study are identified in Figure 1-1.
- Combat Developer--The agency or command responsible for the formulation of concepts, doctrine, organization, and materiel objectives, and requirements for the employment of U.S. Army Forces in a theater of operations and in the control of civil disturbances. The Combat Developer formulates Army functional systems (logistics, personnel, administrative, and others, as designated) which impact directly on or extend into a theater of operations. The U.S. Army Training and Doctrine Command (TRADOC) is the Army's principal Combat Developer.
- Combat Developer Support Element (CDSE)--An element, in the Combat Developer organization, within which the PDSS functions for which the parent CD organization is responsible are performed. These PDSS functions may range for those associated with a single BAS to those required for all BAS within a BFA. A CDSE is based at the TRADOC center or school having proponency for the BAS and/or BFA supported by the CDSE. The size and composition of each CDSE is tailored to the needs of the parent CD organization. A CDSE does not have the benefit of a collocated MD PDSS Center whereas a CDSF does.
- Combat Developer PDSS Forward Support Team (CDFST)--An element established on a permanent or temporary basis within the CD organization. The purpose of a CDFST is to maintain liaison with and provide PDSS guidance and support to users of BAS in the respective BFA. As appropriate, a CDFST may be assigned or attached to a specific user organization for a specified period of continuous duty; or may visit or make contact with the user organizations on an ad hoc or periodic basis as required. In any case, the CDFST will possess or have access to communication capabilities allowing rapid and complete interchange of necessary information with its home CDSF under essentially all forseeable circumstances.

- Combat Developer PDSS Liasion Office (CD PDSS LNO)--An office consisting of one or more Combat Developer personnel who represent the Combat Developer and User on PDSS matters pertaining to specified BAS at a Materiel Developer er organization. The CD PDSS LNO coordinates and facilitates Combat Developer-Materiel Developer interaction.
- Combat Developer PDSS Staff Element—A staff element within a Combat Developer organization responsible for PDSS-related actions of a management or an administrative nature as opposed to actions pertaining directly to substantive changes in BAS which are generally handled within a CDSF or CDSE.
- Combat Development Support Facility (CDSF)—The CDSF is a TRADOC analytical facility which encompasses one or more BFAs and which may or may not be collocated, in whole or in part, with an MD PDSS facility at the TRADOC doctrine center or school. The CDSF has as its primary purpose the provision of both the system/software analytical capability and the technical personnel necessary to perform CD functions in the development, maintenance, application, and training for BAS in order to develop, field, use, sustain, and evolve these systems.
- Combat Development System Manager (CDSM)--The Combat Developments System Manager (CDSM) is the system/software CD and the principal Field User's representative for a designated system or systems. The CDSM is responsible for managing and coordinating and/or performing all software-related actions inherent in the CD mission. The CDSM is also responsible for planning, programming, and coordinating those software tasks required to be performed by the CDSF in support of the systems for which he is responsible.
- Combat Service Support BFA--This BFA supports the commander at each tactical echelon in seeing the battlefield and sustaining the force by providing decisive and timely personnel, administrative, and logistical support and technical expertise as far forward as possible, to give the command a full complement of personnel, operating equipment, and weapons. Support is also provided to all other BFA.
- Communications Functional Area--This functional area provides the mechanism by which the commander controls all other battlefield functions in the performance of his mission.
- Computer Firmware--Programs or instructions that are stored in read-only memory; firmware is software in unalterable form. Firmware is software regardless of the media on which it is stored.
- Computer Software--A combination of associated computer programs, documentation, and computer data required to command the computer equipment to perform computational or control functions.

- Configuration--The functional and physical characteristics of materiel, as described in technical documents and achieved in a product.
- Configuration (Change) Control Board (CCB)--A board composed of representatives from program/project functional areas such as engineering, configuration management, procurement, production, test and logistic support, training activities and using/supporting organizations. This board approves or disapproves proposed change requests with each member recording his organization's official position as regards the CCB Chairman's decision. The program/project manager is normally the board chairman and he makes the final decision on all changes unless otherwise directed by command policy. The board issues a directive to implement its decision.
- Configuration Identification--Documents which identify and define the configuration baseline characteristics of an item.
- Configuration Item (CI)--An aggregation of hardware/software, or any of its discrete portions, which statisfies an end-use function and is designated by the Government for configuration management. CIs may vary widely in complexity, size, and type, from an aircraft, electronic, or ship system to a test meter or round of ammunition. During development and initial production, CIs are only those specification items that are referenced directly in the contract (or an equivalent in-house agreement). During the operation and maintenance period, any repairable item designated for separate procurement is a CI (DOD Directive 5010.19).
- Configuration Management (CM)--A discipline applying technical and administrative direction and surveillance to (1) identify and document the functional and physical characteristics of a configuration item, (2) control changes to those characteristics, and (3) record and report change processing and implementation status. It includes configuration identification, control, status accounting and audits.
- Embedded Computer Resources (ECR)--Computer resources dedicated to and essential to the performance of the Army BAS mission when physically incorporated in the system or when separated selection, acquisition, and/or management of the computer resources would not be feasible, or when the computer resources are integral to the BAS from a design, procurement and operations viewpoint.
- Engineering Change Proposal (ECP)--A term that includes both a proposed engineering change and the documentation by which the change is described and suggested.
- Fielded Software--The software that is deployed in and with the tactical equipments.
- Fire Support BFA--This BFA is the major contributor of fire support for maneuver forces to include Field Artillery.

- Force Level Control Functional Area--This functional area is the exercise of the inherent authority of a commander to plan, direct and monitor implementation of tasks by subordinate elements within all Battlefield Functional Areas.
- Functional Proponent--The Army Staff agency responsible for the subject area in which automation is used or is to be used, including automation in support of the function performed.
- Hybrid PDSS System--The conceptual system consisting of personnel, equipment, facilities, organizational structure, and operating procedures, derived during this study from a comparative analysis of the PDSS Baseline and Theoretical Systems, which incorporates the desirable features of each of those systems, and which would provide TRADOC a capability to fulfill its role and responsibilities in providing PDSS for BAS.
- Intelligence Surveillance and Electronic Warfare--This BFA assists the commander and his staff in knowing and understanding the enemy and in seeing the battlefield through surveillance and target acquisition. In its electronic capability this BFA attacks or defends systems that employ electromagnetic energy, including command and control, weapon and acquisition systems.
- Interoperability--The capability of a system to receive and process intelligible information between or among other systems regardless of whether the systems perform the same battlefield function.
- Maneuver BFA--This BFA, through its inherent subsystems of direct fire and integration provides the timely means to generate and apply decisive combat power on the modern battlefield. Also included in this BFA are the functional areas of Air/Ground, Engineer and that portion of Command and Control in the area of planning.
- Materiel Developer--The command or agency responsible for research, development, and production validation of an item (including the system for its logistic support) which responds to DA objectives and requirements.
- Post-Deployment Software Support (PDSS)—is that part of overall system support necessary to sustain, modify, and improve a deployed system's computer software, as defined by the User or his representative. It includes evaluation, development, and timely implementation of system and software modifications to accommodate trouble reports; User proposed changes; and changes to satisfy new or revised doctrinal, tactical, procedural or interoperability requirements.
- Post-Deployment Software Support (PDSS) Center--A facility, managed by the Materiel/System Developer, with necessary equipment and personnel to provide PDSS to designated BAS.

- Product Improvement Proposal (PIP)—A reconfiguration of an end item of Army or multi-Service material type-classified standard that is funded, managed, and completed as a single project. The term "PIP" is applied to the project from its start as a proposal through its completion.
- Proponent Agency (PA)--The element assigned responsibility by the functional proponent for the functional design, development, implementation, and maintenance of an automated system.
- Support--All the actions and procedures necessary to maintain and sustain a system in an operational condition acceptable to the Combat Developer.
- Support Software--The software used to develop and maintain the fielded software.
- Theoretical PDSS System--The conceptual system consisting of personnel, equipment, facilities, organizational structure, and operating procedures determined during this study to be needed within TRADOC to enable that command to fulfill its role and responsibilities for providing PDSS for BAS, within the context of Army regulatory policy and the PDSS Concept Plan for BAS.
- User--The command or agency ultimately intended to employ an item of equipment and so designated by DCSOPS (AR 1000-1) when approving the requirement document. The User or Users representative provides guidance to the developer throughout the materiel acquisition process on matters pertaining to the expected operational employment of the item. Unless another command is so designated, TRADOC will act as the User representative and will carry out the "User" functions.

# GLOSSARY 2

## **ACRONYMS**

ABS--Army Battlefield System

ADA--Air Defense Artillery

ADDS/MSE--Army Data Distribution System and Mobile Subscriber Equipment

ARRADCOM--US Army Armaments Research and Development Command

ARRCOM--US Army Armaments Readiness Command

ATACS--Army Tactical Communication Systems

AVRADCOM--US Army Aviation Research and Development Command

BAS--Battlefield Automated Systems

BCS--Battery Computer System

BFA--Battlefield Functional Area

C & E--Communications-Electronics

C & S--Concepts and Studies

CAC--US Army Combined Arms Center

CACDA--US Army Combined Arms Combat Development Activity

CCS<sup>2</sup>--Command, Control, and Subordinate System

CD--Combat Developer

CC PDSS LNO--Combat Developer PDSS Liaison Office

CDFST--Combat Developer PDSS Forward Support Team

CDSE--Combat Developer Support Element

CDSF--Combat Development Support Facility

CDSM--Combat Development System Manager

CERCOM--US Army Communications and Electronics Readiness Command

CI/CPCI--Configuration Item/Computer Program Configuration Item

COMFAC--Communications Center

CORADCOM--US Army Communications Research and Development Command

COTR--Contracting Officer's Technical Representative

CRMP--Computer Resources Management Plan

CSS--Combat Service Support

CSSD--Combat Systems Software Division

DARCOM--US Army Materiel Development and Readiness Command

DCD--Directorate of Combat Developments

DCSCD--Deputy Chief of Staff for Combat Developments

DDCD--Directorate of Doctrine and Combat Development

DMD--Digital Message Device

DTD--Directorate of Training Developments

EAC--Echelon Above Corps

ECP--Engineering Change Proposal

ERADCOM--US Army Electronic Research and Development Command

FATDS--Field Artillery Tactical Data Systems

FC--Force Control

FDS--Fire Direction System

FYDP--Five Year Defense Program

HQDA--Headquarters, Department of the Army

INSCOM--US Army Intelligence and Security Command

IOC--Initial Operating Capability

LOGCEN--US Army Logistics Center

MC--Maneuver Control

MD--Materiel Developer

MICOM--US Army Missile Command

MILPERCEN--US Army Military Personnel Center

MISD--Management Information System Directorate (Division)

MLRS--Multiple Launch Rocket System

ODCSLOG--Office of the Deputy Chief of Staff for Logistics

OMA--Operations and Maintenance Army

PARR--Program Analysis and Resource Review

PDSS--Post-Deployment Software Support

PII--Pershing II

POM--Program Objective Memorandum

PPBS--Planning, Programming, and Budgeting System

SAG--Study Advisory Group

SIDPERS--Standard Installation/Division Personnel System

SSC--US Army Soldier Support Center

TAC AU SW--Tactical Automatic Switches

TACSATCOM--Tactical Satellite Communications

TC4S--Telecommunications, Command and Control, and Computer Systems

TDS--Tactical Data Systems

TMDS--Test Measurement Diagnostic Systems

TRADOC--US Army Training and Doctrine Command

TSARCOM--US Army Troop Support and Aviation Readiness Command

TSM--TRADOC System Manager

TSSG--TACFIRE Software Support Center

USAADCEN--US Army Air Defense Center

USAADS--US Army Air Defense School

USACC--US Army Communications Command

USACSC--US Army Computer Systems Command

USAFACFS--US Army Field Artillery Center and Fort Sill
USAFAS--US Army Field Artillery School
USAICS--US Army Intelligence Center and School
USASC--US Army Signal Center
USASC & FG--US Army Signal Center and Fort Gordon

### APPENDIX C

# BATTLEFIELD AUTOMATED SYSTEMS (BAS)

- C-1. CONTENT OF APPENDIX. This appendix contains the Battlefield Automated Systems (BAS) addressed during this Post-Deployment Software Support (PDSS) Study organized by their Battlefield Functional Area (BFA). Consistent with current doctrinal literature, there are now considered to be five BFA's and two functional areas instead of the 11 former BFA's that were recognized. Figure C-1 clarifies this new classification in relationship to the 11 former BFA's. Figures C-2 through C-8 list the systems according to this new classification and identify the system proponent, development command, readiness command, and projected PDSS center.
- C-2. SYSTEM CATEGORIES. The focus of this study has been on System Categories 1, 2A and 2B as defined in the PDSS Concept Plan for BAS, May 1980, since those are the systems with which TRADOC is principally concerned with respect to PDSS:
- a. Category 1 systems are defined as large (over 100K lines of code) evolutionary systems and include SIGMA, ASAS, TACFIRE, AN/TSQ-73, PATRIOT, CSS Control System, AN/MSM-105(V), and PLRS/JTIDS Hybrid.
- b. Category 2A systems are defined as small (less than 100K lines of code) evolutionary systems, e.g., DIVAD GUN, Battery Computer System (BCS), SHORAD C2, and IHAWK.
- c. Category 2B systems include large stable systems, e.g., PLRS, SOTAS, and ADDS.
- d. Category 3 systems are small stable systems in which the software is normally transparent to the user and is not expected to change greatly once the system is fielded.
- C-3. CATEGORIZATION SOURCE. The above system categorization, used during this study was accomplished during a previous DARCOM-initiated study, <u>Post-Deployment Software Support (PDSS) Concept Plan for Battlefield Automated Systems</u>, May 1980.

BATTLEFIELD FUNCTI	ONAL AREAS (BFA)
FORMER CLASSIFICATION	
1. FORCE LEVEL CONTROL BFA	FORCE LEVEL CONTROL FUNCTIONAL AREA (THAT PORTION WHICH AFFECTS THE COMMANDER AND HIS STAFF IS NOW CONSIDERED TO BE IN THE FORCE LEVEL CONTROL AREA AND TO INTERACT WITH THE FIVE BFA'S LISTED BELOW.)
<ol> <li>MANEUVER BFA</li> <li>AIR GROUND BFA</li> <li>ENGINEER BFA</li> </ol>	1. MANEUVER BFA (ALSO INCLUDES THAT PORTION OF COMMAND AND CONTROL IN THE AREA OF PLANNING.)
5. AIR DEFENSE BFA	2. AIR DEFENSE BFA
6. FIRE SUPPORT BFA	3. FIRE SUPPORT BFA
7. LOGISTICS BFA 8. ADMINISTRATION BFA	4. COMBAT SERVICE SUPPORT BFA
9. INTELLIGENCE BFA 10. ELECTRONIC WARFARE BFA	5. INTELLIGENCE AND ELECTRONIC WARFARE BFA
11. COMMUNICATIONS BFA	COMMUNICATIONS FUNCTIONAL AREA (IS NOW CONSIDERED TO BE A SUPPORT FUNCTIONAL AREA WHICH SUPPORTS AND INTERACTS WITH THE FIVE BFA'S LISTED ABOVE.)

Figure C-1. Classification of the current functional areas in relationship to the 11 former BFA's

			DEVEL OPMENT	PEADTNESS	PDSS CENTER	NTER
SYSTEM	CALE- GORY	PROPONENT	COMMAND	COMMAND	LOCATION	MANAGED BY
SIGMA (Phase I is designated Operations Control and Command Information System)	-	CAC	CORADCOM (FT. MONMOUTH)	CERCOM	FORT LEAVENWORTH	сокарсом
PLRS Position Location Reporting System*	2	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FORT MONMOUTH	CORADCOM

\* Also addressed under the Communications Functional Area since USASC is the proponent.

Figure C-2. Force Level Control System

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
AH-1S COBRA ATTACK HELICOPTER	က	CAC	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
XM-1, TANK (FIRE CONTROL SYSTEM)	m	CAC	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
AN/ASN-86 INERTIAL MAVIGATION SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
AN/ASN-132 INTEGRATED INERTIAL NAVIGATION SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
AN/PSN-6 POSITION LOCATION NAVIGATION SET (LORAN)	m	TRADOC POS/NAV	AVRADCON (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
IACS INTEGRATED AVIONICS CONTROL SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
JTMLS JOINT TACTICAL MICROWAVE LANDING SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
AN/ASN-128 LIGHTWEIGHT DOPPLER NAVIGATION SYSTEM	3	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM

Figure C-3. Maneuver BFA Systems (continued on next page)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
AN/ASN-43B IMPROVED HEADING REFERENCE SYSTEM	8	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
ATHS AUTOMATIC TARGET HANDOFF SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
LR-80 ATTITUDE HEADING REFERENCE SYSTEM	m	USAAC	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	AVRADCOM
ADVANCED ATTACK HELICOPTER	28	ARMOR CENTER	PM AAH (ST. LOUIS) CERCOM/ TSARCOM/ ARRCOM/ MICOM	CERCOM/ TSARCOM/ ARRCOM/ MICOM	*	*
AN/ALQ-136 COUNTERMEASURES SET	m	USAAC	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN/APR-39 RADAR WARNING RECEIVER	т	USAAC	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM

\* System for which a DARCOM PDSS Center is not required or for which the need has not been determined.

Figure C-3 (concluded)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
DIVAD GUN DIVISION AIR DEFENSE GUN	2A	USAADS	ARRADCOM (DOVER SITE)	ARRCOM	*	*
AN/TSQ-73 MISSILE MINDER	-	USAADS	MICOM (REDSTONE)	MICOM	FT. BLISS/ REDSTONE	MICOM
SHORAD C2 SHORT RANGE AIR DEFENSE COMMAND AND CONTROL	2A	USAADS	MICOM (REDSTONE)	MICOM	FT. BLISS	MICOM
PATRIOT AIR DEFENSE MISSILE SYSTEM	<b>,</b>	USAADS	PM PATRIOT (DARCOM)	MICOM	REDSTONE ARSENAL	MICOM
					BEDFORD, MASS	RAYTHEON CONTRACTOR
HAWK-IMPROVED	2A	USAADS	MICOM (REDSTONE)	МІСОМ	REDSTONE ARSENAL	MICOM
ROLAND AIR DEFENSE	က	USAADS	MICOM (REDSTONE)	MICOM	REDSTONE ARSENAL	MISOM
ADEWS AIR DEFENSE EW SYSTEM	*	USAADS	*	*	*	*

To be determined.

Figure C-4. Air Defense BFA Systems

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
FADAC FIELD ARTILLERY DIGITAL AUTOMATIC COMPUTER	2A	USAFAS	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
COPPERHEAD ROLL RATE SENSOR	က	USAFAS	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
APPS ANALYTICAL PHOTOGRAM-METRIC POSITION SYSTEM	က	USAFAS	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
AN/GSG-10(U) TACTICAL FIRE DIRECTION SYSTEM (TACFIRE)	_	USAFAS	CORADCOM (FT. MONMOUTH)	CERCOM	FT. SILL	CORADCOM
AN/GYK-29 BATTERY COMPUTER SYSTEM (BCS)	2A	USAFAS	CORADCOM (FT. MONMOUTH)	CERCOM	FT. SILL	CORADCOM
AN/PSG-2 DIGITAL MESSAGE DEVICE (DMD)	က	USAFAS	CORADCOM (FT. MONMOUTH)	CERCOM	FT. SILL	CORADCOM
LASER RANGE FINDER	e	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN/TNS-10 SOUND RANGE SET	ъ	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	ЕТ. МОММОUТН	ERADCOM

Figure C-5. Fire Support BFA Systems (continued on next page)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
AN/TPQ-36 FIREFINDER (MORTAR)	m	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN/TPQ-37 FIREFINDER (ARTILLERY)	т	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
BSTAR BATTLEFIELD SURVEILLANCE TARGET ACQUISITION RADAR	ю	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
FAMAS FIELD ARTILLERY METERO- LOGICAL ACQUISITION SYSTEM	ო	USAFAS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
PERSHING II TACTICAL MISSILE SYSTEM	28	USAFAS	MICOM (REDSTONE)	MICOM	REDSTONE ARSENAL	МІСОМ
LANCE SHORT-RANGE TACTICAL MISSILE SYSTEM	က	USAFAS	MICOM (REDSTONE)	MICOM	REDSTONE ARSENAL	МІСОМ
PERSHING PIA TACTICAL MISSILE SYSTEM	က	USAFAS	MICOM (REDSTONE)	MICOM	REDSTONE ARSENAL	MICOM
MLRS MULTIPLE LAUNCH SYSTEM	ъ	USAFAS	MICOM (REDSTONE)	MICOM	REDSTONE ARSENAL	місом

Figure C-5. (continued)

	T V V			READINESS	PDSS	CENTER
, vS	GORY	PROPONENT	COMMAND	COMMAND	LOCATION	LOCATION MANAGED BY
RPV REMOTELY PILOTED VEHICLE	æ	USAFAS	AVRADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH AVRADCOM	AVRADCOM
PADS POSITIONING AZIMUTH DIRECTION SYSTEM	٣	USAFAS	ENGINEER TOPOLOGICAL TSARCOM LABS (DARCOM)	TSARCOM	*	*

\* Systems for which a DARCOM PDSS Center is not required or for which the need has not been determined.

Figure C-5. (concluded)

BOM SERVICES CO LEAVENWORTH KS F/6 9/2
ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE IN POST-DEPLOYMENT 50--ETC(U)
DEC 80 L H CHARITY, J M MCCURDY, P L DUNN MDA903-80-C-0479
BOMSC/L-80-007-TR M AD-A100 484 **U**NCLASSIFIED 400484

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
MEDLOG MEDICAL LOGISTICS SYSTEM	*	SURGEON GENERAL	ACADEMY OF HEALTH SCIENCES	282	FT. BELVOIR	csc
MEDBLOOD BLOOD MANAGEMENT SYSTEM	*	SURGEON GENERAL	ACADEMY OF HEALTH SCIENCES	252	FT. BELVOIR	3S3
MEDREG MEDICAL REGULATING	*	SURGEON GENERAL	ACADEMY OF HEALTH SCIENCES	CSC	FT. BELVOIR	252
PAR PATIENT ACCOUNTING REPORTING	*	SURGEON GENERAL	CSC (FT. BELVOIR)	252	FT. BELVOIR	282
SIDPERS STANDARD INSTALLATION DIVISION PERSONNEL SYSTEM	*	MILPERCEN	CSC (FT. BELVOIR)	353	FT. BELVOIR	282
CIUS CORPS INTERIM UPGRADE SYSTEM (HARDWARE ONLY)	*	N/A	CSC (FT. BELVOIR)	CERCOM	FT. BELVOIR	)S)
XM-19-XM-2 BIOLOGICAL DETECTOR	ю	USAOCCS	ARRADCOM (DOVER SITE)	ARRCOM	PICATINNY ARSENAL	ARRADCOM
CSS CONTROL SYSTEM	_	LOGCEN	383	CSC/CERCOM	FT. LEE	383
SIDPERS FUTURE	*	SSC	csc	ČSC	FT. BELVOIR	csc

\*Not categorized but treated as Category 2 for PDSS planning.

Figure C-6. Combat Service Support BFA Systems (continued on next page)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
PWIS PRISONERS OF WAR INFORMATION SYSTEM	*	DCSPER	25.2	วรว	FT. BELVOIR	csc
VFDMIS VERTICAL FORCE DEVELOPMENT MANAGEMENT INFORMATION SYSTEM	*	ODCSOPS	SS	ევე	FT. BELVOIR	252
TAPER THEATER ARMY PERSONNEL ROLLUP AND TAPER WARTIME	*	USAREUR	283	282	FT. BELVOIR	oso oso
VTAADS VERTICAL THE ARMY AUTHORIZATION DOCUMENT SYSTEM	*	00CS0PS	csc	วรว	FT. BELVOIR	252
XM-21 CHEMICAL AGENT ALARM REMOTE SENSING		USAOCCS	ARRADCOM (DOVER SITE)	ARRCOM	P I CAT I NNY ARSENAL	ARRADCOM
DSU/GSU DIRECT SUPPORT UNIT/GENERAL SUPPORT UNIT	*	LOGCEN/ DCSLOG	CSC (FT. BELVOIR)	CERCOM/CSC	FT. BELVOIR	JSJ
MOBILE 360/40 (HARDWARE ONLY)	*	N/A	CSC (FT. BELVOIR)	CERCOM	FT. BELVOIR	csc

\* Not categorized but treated as Category 2 for PDSS planning.

Figure C-6. (continued)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
CS3 COMBAT SERVICE SUPPORT SYSTEM (HARDWARE ONLY)	*	N/A	CSC (FT. BELVOIR)	CERCOM	FT, BELVOIR	282
SAMS STANDARD ARMY MAINTENANCE SYSTEM	*	LOGCEN/ DCSLOG	CSC/LOGCEN (FT. LEE) CERCOM/CSC	CERCOM/CSC	FT. LEE	353
DIVISION LOGISTICS SYSTEM	*	LOGCEN/ DCSLOG	LOGCEN/CSC (FT. LEE)	oso	FT. LEE	282
DS4 DIRECT SUPPORT STANDARD SUPPLY SYSTEM	*	LOGCEN/ DCSLOG	LOGCEN/CSC (FT. LEE) CSC	28.2	FT. LEE	383
MRM MAINTENANCE REPORTING AND MANAGEMENT	*	LOGCEN/ DCSLOG	LOGCEN/CSC (FT. LEE)	csc	FT. LEE	282
SAAS-3 STANDARD ARHY AMMUNITION SYSTEM	*	LOGCEN/ DCSLOG	LOGCEN/CSC (FT. LEE)	CERCOM/CSC	FT. LEE	252
SAILS ABX STANDARD ARMY INTER- MEDIATE LEVEL SUPPLY	*	LOGCEN/ DSCLOG	LOGCEN/CSC (FT. LEE)	CERCOM/CSC	FT. LEE	252
DAS-3 (HARDWARE)	*	LBESEN6	CSC (FT. BELVOIR)	CERCOM	FT. LEE	csc

\* Not categorized but treated as Category 2 for PDSS planning.

Figure C-6. (continued)

, SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
DASPS DA STANDARD PORT SYSTEM	*	LOGCEN/ DCSLOG	LOGCEN/CSC	ວຮວ	FT. LEE	282
DASPS-E DA STANDARD PORT SYSTEM ENHANCED	*	LOGCEN/ DCSLOG	LOGCEN/CSC	252	FT. LEE	383
TOPS TRANSPORTATION OPERATIONAL PERSONNEL PROPERTY STANDARD SYSTEM	*	LOGCEN/ DCSLOG	LOGCEN/CSC	383	FT. LEE	)S)
DAMMS DA MOVEMENT SYSTEM	*	LOGCEN/	LOGCEN/CSC	oso	FT. LEE	oso
SUBSYSTEM 1: CMMCARGO MOVEMENT MODULE		DCSFOR				
SUBSYSTEM 2: MPMMOVE- MENT PLANNING MODULE						
PHOENIX	*	LOGCEN/ DCSLOG	LOGCEN/CSC	CSC	FT. LEE	CSC

\* NOT CATEGORIZED BUT TREATED AS CATEGORY 2 FOR PDSS PLANNING.

Figure C-6 (concluded)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
AN/MSC-67 COMMUNICATIONS CENTER	2A	USAICS	USACC	CERCOM	FT. MONMOUTH	CORADCOM
ASAS ALL SOURCE ANALYSIS SYSTEM	~	USAICS	ERADCOM	CERCOM	FT. НАИСНИСА	ERADCOM
AN/TSQ-114 TRAILBLAZER	2A	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN/ALQ-151 QUICKFIX	28	USAICS	ERADCOM (FT. MONMOUTH	CERCOM	FT. MONMOUTH	ERADCOM
AN/TSQ-105 GUARDRAIL V	28	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN/ALG-133 QUICKLOOK II	28	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
SOTAS STAND-OFF TARGET ACQUISITION SYSTEM	28	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
TCAC TECHINICAL CONTROL AND ANALYSIS CENTER	28	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM

SYSTEM	CATE- GORY	PROPONENT	DEVEL OPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ON MANAGED BY
AN/MLQ-33 CLOSE AIR SUPPORT ELECTRONIC COUNTERMEASURE (CAS ECM)	æ	USAICS/ USAADS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERAUCOM
AN/MLQ-34 TACTICAL JAMMER (TACJAM)	ო	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
U/E ECM UNATTENDED/EXPENDABLE ELECTRONIC COUNTERMEASURE	က	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AGTELIS AUTOMATIC GROUND-TRANSPOR- TABLE EMITTER LOCATION/ IDENTIFICATION SYSTEM	ю	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
AN'ALR-46 AIR3ORNE RADAR WARNING RECEIVER	е	USAADS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCGM
AN/MSQ-103 TEAMPACK	က	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
MAGIIC MOBILE AIR-GROUND IMAGE INTERPRETATION CENTER	3	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM

Figure C-7. (continued)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	PDSS CENTER ION MANAGED BY
MDPG-OL-192 METEOROLOGICAL DATA PROCESSING GROUP	٣	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
REMBASS REMOTELY MONITORED BATTLEFIELD SENSOR SYSTEM	т	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
SLAR SIDE-LOOKING AIRBORNE RADAR	m	USAICS	ERADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	ERADCOM
FENC FREQUENCY EXTENSION NON-COMMUNICATIONS	3	INSCOM	ERADCOM (FT. MONMOUTH)	ТВО	*	*

\* Systems for which a DARCOM PDSS Center is not required or for which the need has not been determined.

Figure C-7. (concluded)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
AN/MSM-105(V)1,2 TEST AND AUTOMATIC REPAIR FACILITY	_	ATE	CORADCOM (FT. MONMOUTH	CERCOM	FT. MONMOUTH	CORADCOM
PLRS/JTIDS HYBRID POSITION LOCATION REPORTING SYSTEM/JOINT TACTICAL INFORMATION DISTRIBUTION SYSTEM	_	USASC	CORADCOM (FT. MONMOUTH	CERCOM	FT. MONMOUTH	СОКАВСОМ
AN/MYQ-Z TRANSPORTABLE AUTOMATIC DIGITAL SWITCH (TADS)	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
AN/TTC-38 AUTOMATIC TELEPHONE CENTRAL OFFICE	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONHOUTH	CORADCOM
AN/TTC-39 AUTOMATIC TELEPHONE CENTRAL OFFICE	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
AN/TYC-39 AUTOMATIC MESSAGE SWITCHING CENTER	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
AN/UGC-74A(V)3 COMMUNICATIONS TERMINAL	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM

Figure C-8. Communications Systems (continued on next page)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS	POSS LOCATION	PDSS CENTER ON MANAGED BY
PLRS POSITION LOCATION REPORTING SYSTEM *	28	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH CORADCOM	CORADCOM
AN/USC-28(V) SATELLITE COMMUNICATION SET	т	DCA	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	СОКАВСОМ
BURST COMMUNICATIONS SYSTEM	က	USAIMA (FT BRAGG)	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
DCSS FAULT CONTROL SUBSYSTEM	ဧ	DCA	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
AN/TSQ-84(A) COMMUNICATIONS TECHNICAL CONTROL CENTER	က	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH CORADCOM	CORADCOM
RTACS REAL-TIME ADAPTIVE CONTROL SYSTEM	ъ	DCA	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	MONMOUTH CORADCOM
SINCGARS SINGLE CHANNEL GROUND AND AIRBORNE RADIO SUBSYSTEM	8	USASC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH CORADCOM	CORADCOM
TSCVT TACTICAL SATELLITE SINGLE CHANNEL VEHICULAR TERMINAL	ю	USASC	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH CORADCOM	СОКАБСОМ

\* Also addressed under Command and Control Functional Area.

Figure C-8. (continued)

SYSTEM	CATE- GORY	PROPONENT	DEVELOPMENT COMMAND	READINESS COMMAND	PDSS LOCATION	CENTER MANAGED BY
MSE MOBILE SUBSCRIBER EQUIPMENT	3	DCA	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	СОКАВСОМ
PCS PILOT CONTROL SYSTEM	က	DCA	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	сокарсом
AJ/CON ANTI-JAM CONTROL MODEM	က	USASC	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	сокарсом
AN/GSC-40 COMMAND POST TERMINAL	<u>ب</u>	usasc	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	СОКАВСОМ
AN/MSC-64 FORCE TERMINAL	က	USASC	CORADCOM/SATCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	СОКАВСОМ
AN/MSQ-114 SATELLITE COMMUNICATIONS MONITORING CENTER	က	USACC	CORADCOM (FT. MONMOUTH)	CERCOM	FT. MONMOUTH	CORADCOM
DLDED DIVISION LEVEL DATA ENTRY DEVICE	*	SIGCEN	CSC (FT. BELVOIR)	CERCOM/CSC	FT. BELVOIR	282

\*\* Not categorized but treated as Category 2 for PDSS planning. Figure C-8. (continued)

PDSS CENTER ON MANAGED BY	*	*	*	
PDSS LOCATION	*	*	*	
READINESS COMMAND	180	T80	AIR FORCE	
DEVELOPMENT COMMAND	ESD AFSC	ESD AFSC	SAMSO/AFSC	
PROPONENT	USASC	USASC	USASC	
CATE- GORY	28	28	က	
SYSTEM	AN/TSQ-111(V) COMMUNICATIONS NODAL CONTROL ELEMENT	JIIDS JOINT TACTICAL INFORMATION DISTRIBUTION SYSTEM	GPS GLOBAL POSITIONING SYSTEM	

\* Systems for which a DARCOM PDSS Center is not required or for which the need has not been determined.

# APPENDIX D DESCRIPTION OF THE BASELINE SYSTEM

## CONTENTS

		<u> </u>	age
SECTION	I.	General	D-3
SECTION	II.	HQ TRADOC	D <b>-</b> 5
SECTION	III.	Force Level Control	D-9
SECTION	IV.	Communications Functional Area	D-19
SECTION	٧.	Fire Support BFA	D-31
SECTION	VI.	Air Defense BFA	D-43
SECTION	VII.	Intelligence and Electronic Warfare BFA	D <b>-</b> 59
SECTION	VIII.	Combat Service Support BFAUS Army Logistics Center	D-71
SECTION	IX.	Combat Service Support BFAUS Army Soldier Support Center	D-81
SECTION	х.	Maneuver BFA	D-95


#### SECTION I. GENERAL

D-1. INTRODUCTION. This appendix contains a description of the current "Baseline System" within TRADOC for planning, managing, and performing combat development functions associated with providing post-deployment software support (PDSS) to battlefield automated systems (BAS). The major components of this Baseline System are illustrated in Figure D-1. The system is described in the paragraphs that follow in terms of its overall management and functional structure, its components and their organization, responsibilities and relationships, and associated resources.

#### D-2. GENERAL SYSTEM DESCRIPTION.

- a. <u>Mission Assignment</u>. As discussed in Chapter 2, within TRADOC, PDSS responsibilities are assigned and functions are conducted as part of the system development and life cycle management process under the TRADOC combat development mission. This TRADOC combat development mission, which is established by AR 10-41, is accomplished through TRADOC functional centers, service schools, and other TRADOC combat development activities in coordination with other Army commands and agencies. CACDA is the overall TRADOC proponent for PDSS. To the maximum extent possible, combat development programs, to include those involving PDSS, are decentralized, with programs, priorities, and resources passed to the appropriate TRADOC functional center or school.
- b. <u>Functional Area Concept</u>. The TRADOC functional centers and schools are assigned responsibilities and tasks under TRADOC Reg. 10-41 in consonance with the battlefield functional area (BFA) concept. The seven functional areas currently recognized in this BFA concept are illustrated in Figure D-1. As noted in Chapter 2, within TRADOC, combat development proponency for each of the seven areas is assigned to a TRADOC integrating or functional center. The proponent center for each area is also identified in Figure D-1. As indicated, proponency for the Combat Service Support (CSS) BFA is divided between the Logistics Center (for logistics functions) and the Soldier Support Center (SSC) (for administration functions). In addition to the proponent centers, other associated centers or schools within the Maneuver and Combat Service Support BFA are also identified. Other TRADOC organizations, not shown in Figure D-1, which have key supporting roles in this Baseline System within their areas of responsibility, include the US Army Training Support Center and the TRADOC Combined Arms Test Agency.
- c. The Current PDSS System. It is within this general organizational structure and functional area concept that TRADOC responsibilities and functions associated with the development and life cycle management of BAS, to include PDSS, are currently carried out. At Headquarters, TRADOC and at each of the proponent centers, one or more staff elements are assigned responsibility for PDSS functions for the BAS in their respective BFA. These organizational elements and their responsibilities, relationships, operating procedures, and associated resources, which comprise the current TRADOC PDSS Baseline System, are discussed in the sections that follow.

HEADQUARTERS
US ARMY TRAINING
AND DOCTRINE
COMMAND



- - PROPONENT •• ASSOCIATED CENTER OR SCHOOL.
- \* ALSO FUNCTIONS AS THE TRADOC PROPONENT FOR PDSS.
- \*\* NON-TRADOC ORGANIZATION.

Figure D-1. Major components of the Baseline System

#### SECTION II. HQ TRADOC

- D-3. ROLE. The role of HQ TRADOC in the Baseline PDSS System includes establishing operating policy, determining priorities, allocating resources, and providing the guidance, functional direction and control necessary to accomplish CD responsibilities for planning and providing PDSS for BAS. This role is carried out with support from CACDA, the TRADOC PDSS proponent. As noted previously, operational control over PDSS actions is decentralized to TRADOC functional centers and other combat development activities to the extent possible.
- D-4. ORGANIZATION AND RESPONSIBILITIES. To fulfill the role outlined above, responsible staff elements at HQ TRADOC must be cognizant of major PDSS activities within the command. Organizational staff elements principally involved with this effort at present are shown in Figure D-2 and are discussed below.
- a. <u>Primary Responsibility</u>. The Deputy Chief of Staff for Combat Developments (DCSCD) has primary staff responsibility for PDSS. This stems from his responsibility for monitoring all user aspects of materiel systems throughout their life cycle to ensure integration of doctrine, tactics, training, personnel, and logistics requirements. Within DCSCD, PDSS staff responsibility is assigned to the Battlefield Systems Integration Branch of the Telecommunications, Command and Control, and Computer Systems (TC4S) Directorate. This branch serves as the focal point for PDSS activity at HQ TRADOC with responsibility for coordinating the associated PDSS activity of other staff elements.
- b. Coordinating Responsibility. Each of the "hardware directorates" (e.g., Firepower Systems, Maneuver Systems, etc.) in DCSCD has staff responsibility for coordinating PDSS activity with its associated functional center. Within these DCSCD directorates, designated staff officers exercise this responsibility for one or more systems in their functional areas. Other directorates of DCSCD and elements of other major TRADOC staff elements outside of DCSCD participate in a coordination role on PDSS staff actions impacting their areas of functional responsibility.
- D-5. RESOURCES. Although the Battlefield Systems Integration Branch has been assigned primary HQ TRADOC staff responsibility for PDSS, no personnel resources have been committed to this function on a full-time or dedicated basis. Current staffing of this branch is not adequate to support such a commitment. To properly fulfill current responsibilities and handle the projected increase in PDSS requirements as more systems are fielded through the program years, additional personnel are needed within the Battlefield Systems Integration Branch as shown below.

### HEADQUARTERS, US ARMY TRAINING AND DOCTRINE COMMAND




Figure D-2. HQ TRADOC staff elements with major responsibilities in the PDSS Baseline System

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	1	1 1 2	1 1 2	1 2 3	1 2 3	2 2 4	2 2 4
Authorized Military Civilian TOTAL	0 0 0						
Additional Needed Military Civilian TOTAL	1	1 1 2	1 1 2	1 2 3	1 2 3	2 2 4	2 2 4

The reasons for this increase in personnel resource requirements are TRADOC's expanding role in PDSS and the projected increase in the number and complexity of BAS to be deployed during the years shown. This increase is required to fill the current void in HQ TRADOC staff dedicated to this functional area and provide a gradually increasing capability in consonance with TRADOC's overall involvement in PDSS.

#### SECTION III. FORCE LEVEL CONTROL FUNCTIONAL AREA

D-6. SYSTEM DESCRIPTION. The TRADOC Baseline System for providing PDSS to BAS in this functional area is centered in the Combined Arms Combat Development Activity (CACDA), the proponent for the Force Level Control Functional Area. The organizational structure of this Baseline System within CACDA is shown in Figure D-3. As illustrated in the figure, the Army C2/JINTACCS Division and the C2 Development Branch and JINTACCS Office of that division form the basic action-level elements of the system. In addition to its other responsibilities, the JINTACCS Office serves as the TRADOC focal point for PDSS matters.

#### D-7. RESPONSIBILITIES AND RELATIONSHIPS.

- a. Responsibilities. TRADOC Reg. 10-41 assigns CACDA responsibility, among other things, for developing doctrine, organization, and materiel requirements for tactical command and control systems. Within CACDA, this responsibility is assigned to the Command, Control, Communications, and Intelligence (C3I) Directorate. The Army C2/JINTACCS Division of this directorate serves as the TRADOC proponent for Force Control and Maneuver Control (FC&MC) systems, as the focal point for integration of ADP concepts and doctrine for these systems, and as the TRADOC point of contact with DARCOM on actions involving these systems. A TRADOC System Manager (TSM) does not exist at present for SIGMA, the principal system in the Force Level Control Functional Area. Therefore, functions that would normally be performed by a TSM must be accomplished by the Army C2/JINTACCS Division.
- b. <u>BAS to be Supported</u>. The BAS to be supported in this functional area are shown in Figure D-4. While the PLRS is included functionally in this area, it will be addressed in further detail in the discussion of the Communications Functional Area since the US Army Signal Center is the proponent and will have the greatest requirement for resources to provide PDSS for this system. As indicated in Figure D-4, the OCCIS (Phase I SIGMA) requires PDSS at present as a result of a current effort to field and test an evolutionary developmental operations control and command information system in USAREUR under operational conditions.
- c. Principal Interfaces. Interfaces must be established and maintained among the organizational elements associated with the Force Level Control Baseline PDSS System shown in Figure D-5. The Army C2/JINTACCS Division (CACDA) has primary Combat Developer responsibility for these interfaces. The establishment of a CORADCOM-managed PDSS center at Fort Leavenworth, as proposed in the PDSS Concept Plan for BAS, May 1980, will facilitate the close interface and interaction desirable between the Combat Developer and Materiel Developer organizations involved with systems in this functional area. The interface between the Army C2/JINTACCS Division and other TRADOC functional centers shown in the figure is to ensure that appropriate coordination and configuration management is exercised among the command and control systems within the Command, Control, and Subordinate System (CCS<sup>2</sup>) concept.




Figure D-3. Combined Arms Center elements with primary responsibilities in the PDSS Baseline System

## FORCE LEVEL CONTROL

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
CAC	FORCE LEVEL AND MANEUVER CONTROL (SIGMA) (EVOLUTIONARY DEVELOPMENT)
USASC	PLRS-POSITION LOCATION REPORTING SYSTEM* (FULL SCALE DEVELOPMENT)

<sup>\*</sup> ALSO ADDRESSED IN THE DISCUSSION OF THE COMMUNICATIONS FUNCTIONAL AREA SINCE THE RESOURCE IMPACT IS PRIMARILY IN THAT AREA.

Figure D-4. Force Level Control Functional Area Category 1 and 2 BAS




Figure D-5. Principal organizational elements that must interact in the Force Level Control PDSS Baseline System

#### D-8. SYSTEM CAPABILITIES.

- a. <u>PDSS Functions</u>. Combat Developer PDSS responsibilities that were identified during Phase I of this study were used as a basis for describing and analyzing the current capabilities of the Force Level Control Baseline PDSS system. These responsibilities, grouped into six general task areas, are shown in Figure D-6. The six task areas are shown in the first column. The second column identifies PDSS responsibilities in each of these general areas. The third column describes the functions that must be performed to fulfill the responsibility shown in the second column. Information shown in the remaining columns is described below.
- (1) Relationships of PDSS functions and the system life cycle. The fourth column contains an entry indicating when each PDSS function will/may have to be performed during the system life cycle. This entry has been developed for each function based on the discussion of the relationship of PDSS and the system life cycle, contained in Chapter 1, Paragraph 1-4.c. Specific entries are further explained by the legend in the figure.
- (2) Relationship of PDSS functions and BAS in this BFA. Entries in the fifth column indicate the number of Category 1 and 2 BAS in this functional area deemed to currently require performance of each PDSS function. Entries in the sixth column indicate the number of BAS in this functional area for which each function is currently being performed adequately. In this case, the entries reflect the Phase I SIGMA system, OCCIS (also referred to as the Force Level and Maneuver Control System).
- (3) Relationship of PDSS functions and organizational elements. Entries in the seventh and eighth columns identify organizations at the branch or separate office levels, that are currently involved in the PDSS effort within this functional area. The entries under each organizational element indicate whether or not that element is adequately performing each of the functions for which it is responsible. An "X" has been entered whenever an element is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function, located to the left, for the relevant currently identified BAS whose stage in the life cycle requires performance of that function. A blank indicates that the function is not being adequately performed by the organizational element identified at the top of the column. An "N" entry indicates that the organizational element is not responsible for performing the PDSS function at this time.
- b. <u>Discussion of Capabilities</u>. Review of Figure D-6 reveals that all required PDSS functions are being performed adequately at the present time for the BAS in this BFA. However, these requirements are projected to increase as the evolutionary development and extension of SIGMA continues. As this occurs, a corresponding increase in capability will be needed. This need is discussed further in Paragraph D-9.

HE HOUSE THE FOREITY FUNCTIONS  F					
FUNCTIONS  THE MO. IN. PARTICIPATE IN DEVELOPMENT OF THE CAMP.  LANS FOR 3. PARTICIPATE IN DEVELOPMENT OF THE CAMP.  LANS FOR 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.  LAND 10. PROVIDE REPRESENTATION ON EACH BAS SCIB.  A. PROVIDE REPRESENTATION ON EACH BAS SCIB.  4. PROVIDE REPRESENTATION ON EACH BAS SCIB.  A. PROVIDE REPRESENTATION ON EACH BAS SCIB.  A. PROVIDE REPRESENTATION ON ANY ERECUTIVE LEVEL CCB  ESTABLISHED UNDER THE CCS CONCEPT.  DATA BASES.  ACQUIRE AND PROGRAM FOR RESOURCES.  ACQUIRE AND PROGRAM FOR RESOURCES.  ACQUIRE AND MANAGE RESOURCES.  ACQUIRE AND MANAGE RESOURCES.  ACQUIRE AND MANAGE RESOURCES.  ACQUIRE AND MANAGE RESOURCES.  CORROLATE WITH MO. DETERMINE IF SOURCE OF PROBLEM.  CORROLATE WITH MO. ACTION ON TROUBLE REPORTS.  ACCORDINATE WITH MO. ACTION ON TROUBLE REPORTS.  ACCORDINATE WITH MO. ACTION ON TROUBLE REPORTS.  AND TIME FRAME FOR CHANGE TO BE EFFECTED.  AND TIME FRAME FOR CHANGE TO BE EFFECTED.  ESTABLISH.  AND THE FRAME FOR CHANGE TO BE SEFECTED.  AND THE FRAME FOR REQUIREMENT.  A. INFORM USER OF PLANIED OR SOUTION OF REQUIREMENT.  A. INFORM USER OF PLANIED OR SOUTION OF REQUIREMENT.  A. INFORM USER OF PLANIED OR SOUTION OF SATISFY  ALLOATED.  A. INFORM USER OF PLANIED OR SOUTION OF SECULE.  A. INFORM USER OF PLANIED OR SOUTION OF STATISFY  ALLOADED.  A. INFORM USER OF PLANIED OR SOUTION OF SECULE.  A. INFORM USER OF PLANIED OR SOUTION OF STATISFY  A. INFORM USER OF PLANIED OR SOUTION.  A. INFORM OF SECULE OR SECULE OR SOUTION.  A. INFORM OF SECULE OR SECULE OR SECULE.  A. INFORM OF SECULE.  A. I	CS DEVELOPMENT BRANCH, ARMY C2/JINTACCS DIV AINTACCS OFFICE, ARMY	** *** *	**	×× ×× ×	*
				RECEIVE REQUIREMENT FROM USER.  EXAMINE BASIS FOR REQUIREMENT.  COORDINATE WITH MO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS.  INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.  IOFORT AND DEVELOF POTENTIAL CHANGES	Z. DETERHINE AND EXAMINE IMPACT ON SYSTEM INTEROPER-
TAADOC  1. PARTIC  1. DEVELO  1. PERFORM  2. PARTIC  2. PARTIC  3. HANAGE  3. HANAGE  3. HANAGE  3. ANALYZ  7. FERFORM  1. FER	TAADOC RESPONSIBILITY	PARTICIPATE WITDEVELOPING AND TAINING POSS PLEACH BAS. PARTICIPATE WITCOMFIGURATION MENT. MANAGE CD POSS	PERFORM ANALYSI REPORTS.	1	CHANGES ON SYSTEMS.

Baseline requirements and capabilities--Force Level Control (continued on next page) Figure D-6.

				-+
	-			11 1-1
				++
VIG SOCATHICASO	2222222	Z × Z Z Z	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	22 Z Z
ADEQUATELY SUPPOPIED  ES DEVELOPMENT BRANCH, DINTACCS OFFICE, SANY CS/JINTACCS DIV CS/JINTACCS DIV	XXXXXXX			** * *
LIFE CYCLE STAGE WHEN NUMBER OF BAS REQUIRED.  REQUIRING FUNCTION.	<del>╺┡</del> ┩┽┼┥┤╾			
LIFE CYCLE STAGE WHEN	222222	2 2 2 2		
FUNCT IONS.	1. IDENTIFY OPERATIONAL IMPACT. 12. IDENTIFY USER: RESOURCE REQUIREMENT IMPACT. 13. IDENTIFY TRAINING IMPACT. 14. IDENTIFY LOGISTICAL IMACT. 15. IDENTIFY HADARY ON ALL PERSONNEL ASPECTS. 16. IDENTIFY HADAN FACTORS IMACT. 17. IDENTIFY SYSTEM INFEROPERABILITY IMPACT.	11. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 12. SPECIFY ANY INTERDERABILITY CHANGE REQUIREMENT. 13. PROVIDE REQUIREMENT TO MO. 14. COORDINATE WITH MO IN ESTABLISHING CHANGE; PRIORITIES AND OBJECTIVE TOC OMF. 15. WAINTAIN COORDINATION WITH MO DURING DEVELOPMENT 15. WAINTAIN CORROLATION WITH MO DURING DEVELOPMENT	11. COORDINATE TYPE DECRKE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTAME PROGRAM. 12. PAYLLOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 13. PARTICUPATE IN CHANGE TEST CONDITIONS AND CRITERIA. 14. MONITOR DEVELOPMENT TEST (DT). 15. PARTICUPATE AS TASKED BY HIGA. IN OPERATIONAL. 15. PARTICUPATE AS TASKED BY HIGA. IN OPERATIONAL. 16. PLAN AND CONDUCT OF HIGA SYSTEM OT. 17. PLAN AND CONDUCT OFHER SYSTEM OT. 17. PLAN AND CONDUCT OFHER SYSTEM OT. 18. EFECTIVE SERVICE. 18. EFECTIVE SERVICE. 19. PROVICE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	1. MAINTAIN COMMUNICATIONS WITH USERS. 2. FUNCTION AS USER SURBOGATE. 3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ 1 ACTICAL ASPECTS OF SYSTEM EMPLOYMENT. 4. COORDINATE WITH MO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIFTO
TRADOC RESPONSIBILITY)	4. AMALYZE FUNCTÍONAL IMPACT OF PROPOSEOL SYSTEM CHANGES.	1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT,	1. MONITOR, PARTICIPATE 114, OR COHOUCT SYSTEM TESTING AS APPRO-	1. MAINTAIN INTERFACE UITH AND PROVIDE! FUNCTIONAL GUIDANCE TO FIELD USERSJ
TASK AREA	CONTINUED)	3. SYSTEM NODIFICATION	4. STSILMG' TESTING'	JA111.5 SUPPORTI

Figure D-6. (continued)

Figure D-6. (concluded)

D-9. RESOURCES. Currently authorized personnel resources appear to be adequate to handle PDSS requirements in the Force Level Control Functional Area at the present time. Further, the programmed increase in these authorizations also appears to be adequate to handle the anticipated increase in PDSS requirements in this functional area throughout the program years. These current and projected personnel authorizations are shown below.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	1 1 2	3 1 4	4 1 5	5 2 7	7 3 10	9 3 12	17 4 21
Authorized Military Civilian TOTAL	1 1 2	3 7 4	4 1 5	5 2 7	7 3 10	9 3 12	17 4 21
Additional Needed	0	0	0	0	0	0	0

This increase in personnel requirements stems primarily from two general responsibilities. First is the evolutionary development of SIGMA and its planned extension to additional users worldwide. Second is the responsibility of this organization to function as the driver of the CCS<sup>2</sup> concept. This includes responsibility for the integration of all control systems and, specifically, the need to closely coordinate and manage the configuration of SIGMA and each of the evolving control systems in the CCS<sup>2</sup> concept throughout their life cycle.

#### SECTION IV. COMMUNICATIONS

D-10. SYSTEM DESCRIPTION. The focal point for providing PDSS to the BAS within the Communications Functional Area is the US Army Signal Center and Fort Gordon (USASC & FG). The organizational structure of the baseline system within USASC & FG which provides this PDSS is shown in Figure D-7. As shown there, the TRADOC action level elements include personnel from three directorates, from the US Army Communications-Electronics Board, and from five TRADOC System Manager (TSM) Offices. Figure D-8 shows the structure of the total TRADOC Baseline PDSS System for the Communications Functional Area.

#### D-11. RESPONSIBILITIES AND RELATIONSHIPS.

- a. <u>Responsibilities</u>. The responsibilities of the organizational elements, shown in Figure D-7, are many and varied. In the paragraphs which follow only those responsibilities which are related to PDSS for BAS within the Communications Functional Area are discussed.
- (1) US Army Signal Center and Fort Gordon. Included in the responsibilities of USASC & FG are the following:
  - Develops and validates, through coordination with the User, communications-electronics (C-E) requirements for communications doctrine, equipment and material
  - Acts as the US Army C-E User Representative in supporting force development objectives and activities by participating with the US Army combat development community, on studies, analyses, field experiments, tests, and life cycle management and evaluation
  - Participates in the development and conduct of operational test and evaluations for C-E doctrine, communications systems, equipment and materiel
  - Evaluates the life cycle assessment of all proponent materiel and training systems to ensure that optimum training, doctrinal and organizational concepts are being used.
- (2) <u>Commanding General</u>, <u>USASC & FG</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Signal Center, Fort Gordon
  - Serves as the Commandant for the USASC training activities.
- (3) <u>Concepts and Studies Division (C & S), Directorate of Combat Developments, USASC</u>. Among this organizational element's many functions, those which may impact upon PDSS are as follows:

FRECEDIAG LAGE BLANK-NOT FILMED




Figure D- 7 . USASC & FG elements with primary responsibilities in the Baseline PDSS System




Figure D-8. Overall TRADOC elements of Baseline PDSS System for the Communications Functional Area

- Provides input to general functional systems requirements and detailed systems requirements for automated communications control systems
- Assists in determining requirements and preparing proposals for force development testing and experimentation and reviewing results
- Prepares, coordinates, and reviews international standardization agreements within assigned area of proponency
- Develops maintenance concepts and reviews the maintenance test package
- Maintains cognizance of computer simulation models used by communication system analyses in C-E system design, engineering, and evaluation.
- (4) <u>Materiel Systems Development Division</u>, <u>Directorate of Combat Developments</u>, <u>USASC</u>. This organization's PDSS responsibilities include:
  - Serves as the USASC life cycle manager (Combat Developer) for all proponent developmental systems and is the principal USASC point of contact for those systems
  - Maintains an up-to-date status and continuous evaluation of proponent systems and related conceptual, operational, organizational, training, testing and funding actions throughout the development cycle
  - Acts as the USASC action agency for all life cycle development events which are not the functional responsibility of other USASC activities
  - Prepares and keeps current the USASC historical files for each proponent system during its development.
- (5) <u>Tactical Data Systems Office</u>, <u>Directorate of Training Developments</u>, <u>USASC</u>. This office is responsible for the development of training materials which deal with tactical data systems.
- (6) Officers Department, Directorate of Training, USASC. The PDSS related activities of this department are concerned primarily with the training of officers in the use of automatic data processing equipment.
- (7) <u>US Army Communications-Electronics (C-E) Board</u>. The C-E Board at Fort Gordon is one of eight US Army test boards and as such is assigned the following missions under TRADOC Reg. 10-41:

- Plan, conduct, and report on operational and other user tests
- Participate in other testing as directed
- Provide advice and guidance on test matters to combat, training, and materiel developers, other services, and private industry
- Conduct other tests and selected evaluations as directed by CG TRADOC.
- (8) TRADOC System Manager (TSM) for Army Data Distribution
  System and Mobile Subscriber Equipment (ADDS/MSE). The mission, authority,
  and responsibilities of the TSM-ADDS/MSE are spelled out in the TRADOC System
  Manager Charter, Army Data Distribution System and Mobile Subscriber Equipment
  (ADDS/MSE), dated 16 November 1979. By this charter, his mission is to conduct
  total system management for ADDS and MSE within TRADOC. In terms of PDSS,
  this TSM will be responsible for identifying and/or communicating doctrinal
  changes which necessitate enhancements in the system or which may represent a
  new requirement thereby requiring major software, firmware, or hardware changes.
- (9) TRADOC System Manager (TSM) for Army Tactical Communication Systems (ATACS). The mission, authority, and responsibilities of the TSM-ATACS are spelled out in a TSM Charter dated June 1978. By this Charter, his mission is to conduct total system management for ATACS within TRADOC. For these systems, TSM-ATACS is ensuring that User requirements are being satisfied in terms of operational and organizational concepts, hardware, software, training, fielding, and integrated logistical support.
- (10) TRADOC System Manager (TSM) for Tactical Automatic Switches (TAC AU SW). The TSM-TAC AU SW, operating under a TSM Charter, is conducting total system management within TRADOC for Tactical Automatic Switches. He is providing User representation for the AN/TTC-39, the AN/TYC-39, and the AN/TSQ-111(V).
- (11) TRADOC System Manager (TSM) for Tactical Satellite Communications (TACSATCOM). The TSM-TACSATCOM, operating under a TSM Charter dated 10 September 1978, is conducting total system management within TRADOC for Tactical Satellite Communications. All of the systems for which he currently is providing User representation are Category 3.
- (12) TRADOC System Manager (TSM) for Test Measurement Diagnostic Systems (TMDS). The TSM-TMDS was recently designated and does not yet have a formal charter from TRADOC although a draft charter has been approved. TSM-TMDS will conduct total system management within TRADOC for TMDS.
- b. BAS to be Supported. The Category 1 and 2 BAS to be supported at USASC & FG are listed in Figure D-9. Included in parentheses behind each system name is the current life cycle status of that system.

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USASC	PLRSPOSITION LOCATION REPORTING SYSTEM (FULL SCALE DEVELOPMENT)
USASC	JTIDSJOINT TACTICAL INFOR- MATION DISTRIBUTION SYSTEM (FULL SCALE DEVELOPMENT)
USASC	PLRS/JTIDS HYBRID (VALIDATION)
USASC	DLDEDDIVISION LEVEL DATA ENTRY DEVICE (CONCEPTUAL)
USASC	AN/TTC-39AUTOMATIC TELE- PHONE CENTRAL OFFICE (FULL SCALE PRODUCTION)
USASC	AN/TYC-39AUTOMATIC MESSAGE SWITCHING CENTER (FULL SCALE PRODUCTION)
USASC	AN/UGC-74A(V)MODULAR RECORD TRAFFIC TERMINAL (MRTT) (FULL SCALE PRODUCTION)
USASC	AN/TSQ-111(V)COMMUNICATION NODAL CONTROL ELEMENT (CNCE) (FULL SCALE DEVELOPMENT)
USASC .	AN/TTC-38AUTOMATIC TELE- PHONE CENTRAL OFFICE (FULLY OPERATIONAL)
USASC	AN/MSM-105TEST AND AUTO- MATIC REPAIR FACILITY (LOW RATE INITIAL PRODUCTION)

Figure D-9. Systems requiring PDSS--Communications Functional Area

- c. <u>Principal Interfaces</u>. Figure D-10 shows the principal interfaces which occur between TRADOC organizational elements and other Army elements in fulfilling the PDSS responsibilities within the Communications Functional Area. Not shown in the figure are the many interfaces within DARCOM and between the other Army elements.
- D-12. SYSTEM CAPABILITIES. During Phase I of this study, an essentially complete list of TRADOC PDSS responsibilities, based on all BFAs, was developed and refined. This list is organized around six major task areas, with each task area broken down into one or more major responsibilities and with each responsibility requiring one or more functions to be performed. This list is presented in Figure D-11. The fifth and sixth columns in the figure indicate respectively the number of BAS for which the function is currently required and the number for which the function is being satisfactorily performed. Also included in that figure is an indication of the capabilities of the current PDSS system to perform each of these functions. These capabilities are addressed both in terms of the BAS to be supported and in terms of the organizational elements providing the support. An "X" under an organ= izational element indicates that it is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function to the left of the X for all BAS which require the function and which are the responsibility of that element. An "N" indicates that the function is not currently required for any BAS for which that element is responsible. A "blank" indicates that the function is required for at least one BAS for which it is not satisfactorily being performed.

D-13. RESOURCES. The USASC & FG currently does not have sufficient resources to perform all the required PDSS functions. As the table below indicates, they currently need seven additional people and will need 17 by FY 85.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	<u>FY 87</u>
Required Military	5	5	5	7	9	9	9
Civilian	2	2	2	7	8	8	8
TOTAL	7	7	7	14	17	17	17
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Additional N	leeded						
Military	5	5	5	7	9	9	9
Civilian	2	2	2	7	8	8	8
TOTAL	7	7	7	14	17	17	17




Figure D-10. Principal interfaces between TRADOC elements and other elements involved with PDSS in the Communications Functional Area

TSM TAC AU SW TSM ATACS MSD-DCD, USASC C-E BOARD			× ;	2 Z				z	× × × z	×××	Z	× × Z	××z		× ×	×	X X	×	×
32M\200A M2T 20MT M2T	-H		×	12			Н	Z	Z	Z		<b>Z</b>	Z	×	Х Д	Z	Н	_ ×	×
LIFE CYCLE STRGE WHEN FUNCTION 15 REQUIREME FUNCTION NO. OF BAS REQUIRELY NO. OF BAS ADEQUARELY SUPPORTED	9-	0	٠,	-	0	0	0	0	~	2		~	7	е	m	3	6	6	9
NO. OF BAS REQUIRING FUNCTION	<u> </u>	9	9	7 (7)	9	6	σ	7	~	2	2	٦	7	5	4	5	2	N	N)
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED*		-	-	2	1			=	2	2	3	7	~	2	~	2	2	2	2
FUNCT10MS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRIG.	3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB.	3. PROVIDE REPRESENTATION ON EACH BAS FSCB.	4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEYEL CCB ESTABLISHED UNDER THE CCS CONCEPT.	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES).	2. PLAN AND PROGRAM FOR RESOURCES.	3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.	<ol> <li>COGRDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.</li> </ol>		4. COORDINATE WITH MD ON PROVIDING SOLUTION TO THE FIELD. 5. ESTABLISH, IN COORDINATION WITH MD. PRIORITY OF CHANGE	AND TIME FRAME FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER.	Z. EXAMINE BASIS FOR REQUIREMENT.	VALIDATED REQUIREMENTS.	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS,	Z. DETERNÍNE AND EXAMÍNE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
TRADOC RESPONSIBILITY	7.7	TAINING POSS PLANS FOR EACH BAS.		HENT.	•	I. MANAGE CO POSS EFFORT.			. PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.				2. ANALYZE USER-STATED	REQUIREMENTS.			3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	CHAMGES ON SYSTEMS.
A39A A2AT			.~		LN:	M 3 SANA	<b>4</b>	ī					<u>-</u> -	<u> </u>			515	YTYNY	<u>S</u>

Figure D-11. Baseline requirements and capabilities--Communications Functional Area (continued on next page)

	<del>┊</del> ┼┼┼┼			
			<del>                                     </del>	
	┝┼┼┼┼┼		<del>}</del>	
		<del></del>		<del></del>
gy-09 3-1				<del></del>
MSD-DCD, USASC C-E BOARD	VXXXXX	<del>                                     </del>	X  X  X  X  X  X  X  X  X  X  X  X  X	
SCATA MET	NAMANAN   MANANAN	XXX X X	<u> </u>	××××
HZ UA DAT MZT		<del>  ~ ~~</del>	× × × × × × × × ×	<del>: - : - : - :</del> :
SOMT MRT	XXXXXX	××× ×	X	<del></del>
32M\2004 M2T	ZZZZZZ	zzz z z	<del></del>	
NO. OF BAS ADEQUATELY SUPPORTED	namana	लतन न ल	<del>├──├─┼</del>	<del></del>
NO. OF BAS REQUIFING FUNCTION	พพพพพพพ	ก เก เก เก	<del>╎╸╏┊</del> ┡╂╾ <del>╏┡╸┣</del>	20 20 20
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRETM	~~~~~~	~~~~	2000 200 200	<del> </del>
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINED IMPACT. 4. DENTIFY TOGISTICAL IMPACT. 6. IDENTIFY HUMSY FACTORS IMPACT. 7. IDENTIFY HUMSY FACTORS IMPACT. 7. IDENTIFY SYSTEM INTEROPERABLLITY IMPACT.	II. DEFINE REQUIREMENT IN APPROPRIATE  ** REGUIREMENTS DOCUMENT.  ** SECTO FOR THE STATE OF THE	1. COGRDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/ARVISION OF SOFTWARE PROGRAM.  2. DEVELOR SESTEM CHANGE FEST OND FIGNAL AND CRITERIA.  3. DATECTOR SESTEM CHANGE FEST OND FIGNAL OF SOFTWAR TO SCHOOL TOWN THE THE TOWN TOWN TOWN THE TOWN THE THE TOWN THE TOWN THE TESTING OF OWN TOWN TOWN THE SESTEM OF THE TESTING CONDUCT ON FROM THE OWN TOWN TOWN TOWN THE TOWN THE TOWN THE TOWN THE THE THE TOWN THE THE THE TOWN THE THE TOWN THE THE THE THE TOWN THE THE THE TOWN THE THE THE TOWN THE THE THE THE TOWN THE THE THE TOWN THE THE TOWN THE THE THE THE TOWN THE THE TOWN THE THE TOWN THE THE THE TOWN THE THE THE THE TOWN THE THE THE TOWN THE THE TOWN THE THE THE THE TOWN THE THE THE TOWN THE THE THE TOWN THE THE TOWN THE THE THE TOWN THE	1 HAINTAIN COMMUNICATIONS WITH USERS. 2. ENCITIM AS USER SURGINATE. 3. DEVELO AND PROVIDE GUIDANCE ON DOCTRINAL/ 1. EVITLON AND PROVIDE GUIDANCE ON DOCTRINAL/ 1. COMMUNICATE WITH HO ON THE SCHEDULE AND METHODOLOGY 1. FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE 1. TO THE FIFT.
TRADOC RESPONSIBILITY	4. AIMLYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	1. DEVELOP FUNCTIONAL CNANGE REQUIREMENT.	1. WOULTON, PARTICIPATE, 111, OR COHOUCT SYSTEM TESTING AS APPRO-, PRIATE.	I. MAINTAIN INTERFACE UITH AND PROVIDEL FUICTIONAL GUIDANCE, TO FIELD USENS.1
A38A X2AT	CLCVTINUED)	ADITACIEM HODITACETION	TESTING:	5. FIELU SUPPORT

Figure D-11. (continued)

		HIT			
		++++			
<del></del>		1111			
	<del>                                     </del>				}
		<u> </u>	}		
	1 111 1 1				
C-E BOARD	<del>                                     </del>	1111			
MSD-DCD, USASC		1111			
ZDATA MZT	1 111 1				
WZ UA DAT MET	z z z z	ZZZ××	z 2	Z	Z
ZOMT MET	<del>                                     </del>	Z	z 2	2	Z
32M\200A M2T	ययय र राय	ZZXX	z z	Z	Z
NO. OF BAS ADEQUATELY SUPPORTED	444 0 04		0 0	0 -	74
NO. OF BAS REQUIRING FUNCTION	जिल्ला का कार	44450	2 2	0 00 4 0	7
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED.  NO. OF BAS REQUIRING	2000 00 00	4Vm  -  -	3 3		6
F UNCT JONS	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS. 2. DETERMINE TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING DEVICE NEGUTREMENTS. 4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING LITERATURE AND WATERIALS. 5. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS.	11.11.	1. COORDINATE WITH MD IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE. 2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	1. SPECIFY POSS RESPONSE REQUIREMENTS. 2. EXAMINE ATTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOS SCENARIOS. 3. COORDINATE WITH THE MO IN PLANNING POSS SUPPORT. 4. DEVELOP PROCEDURAL HORK-AROUNDS WHEN SITUATION ODES NOT PERMIT SOFTWARE CHANGES. 5. THROUGH FROM - EM ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FILED USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE LITY CONTINUED TACTICAL SUITABLLITY AS CHANGES OCCUR IN TER POSS PLANNING THE PRESE POINT (SOFTWARE TION ESTABLISHED)
THADOC RESPONSIBILITY	2. DEVELOP AND WANAGE TRAINING PROGRAM RE- QUINED BY SYSTEM CHANGE (EXCEPT FOR HEM EQUIPMENT TRAIN- ING (MET)).	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLAINING.	3. SUPPORT TO CRISIS/ MARTIME OPEPATIONS.	4. ASSESS CONTINUED  1ACTICAL SUITABILITY OF BAS.  1 - AINTIME AFTER POSS PCAUMING 2 - AFTER SOFTWARE FREEZE POIN CONFIGURATION ESTABLISHED) 3 - AFTER FIELDING
A3AA X2AT TSUD SUPPORT (CONTINUED)					

Figure D41. (concluded)

#### SECTION V. FIRE SUPPORT BATTLEFIELD FUNCTIONAL AREA

D-14. SYSTEM DESCRIPTION. The focal point for providing post-deployment software support (PDSS) to the BAS within the Fire Support BFA is the US Army Field Artillery Center and Fort Sill (USAFACFS). The organizational structure of the Baseline System within USAFACFS which provides this PDSS is shown in Figure D-12. As shown there, the TRADOC action-level elements are the Tactical Data Systems Division, Combat Developments Directorate, US Army Field Artillery School (USAFAS); the Computer Test and Technical Support Division of US Army Field Artillery Board (USAFABD); and three TRADOC System Managers. Figure D-13 shows the structure of the total TRADOC Baseline PDSS System for the Fire Support BFA.

#### D-15. RESPONSIBILITIES AND RELATIONSHIPS.

- a. <u>Responsibilities</u>. The responsibilities of the organizational elements shown in Figure D-12 are many and varied. In the paragraphs which follow only those responsibilities which are related to PDSS for BAS within the Fire Support BFA are discussed.
- (1) Fort Sill. Included in the responsibilities of Fort Sill are the following:
  - Provide personnel, equipment, and facilities in support of test and evaluation of military equipment systems and components conducted by US Government agencies
  - Command and exercise staff supervision and provide assistance to Field Artillery School in the areas of troop support, forecasts of personnel and equipment requirements for future instructional and developmental uses, and coordinating the integration of the school support mission with all other units/activities
  - Command and exercise staff supervision and provide assistance to the Field Artillery Board in the areas of troop support for ongoing developmental tests, and coordination of future requirements for personnel and equipment.
- (2) <u>Commanding General</u>, <u>USAFACFS</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Field Artillery Center, Fort Sill
  - Serves as the Commandant of the US Army Field Artillery School (USAFAS).
- (3) <u>US Army Field Artillery School (USAFAS)</u>. The PDSS related responsibilities of USAFAS include:




Figure D-12. USAFACFS elements with primary responsibilities in the Baseline PDSS System




Figure D-13. Overall TRADOC elements of Baseline PDSS System for the Fire Support BFA

- Participate in the review of doctrine, organization, and equipment for which training responsibility has been assigned, including the development of training plans to support new items of materiel, new organizations, or new tactical and technical concepts
- Review and evaluate new or revised doctrine, tactics, and techniques prepared by other Army agencies or other services, as appropriate
- Serve as the User proponent throughout the life cycle of Field Artillery system materiel. Serve as spokesman for the Field Artillery in qualitative interpretations and definitions in support of the materiel development community
- Serve through the Commandant as the principal Field Artillery advisor to the Commander, TRADOC.
- (4) <u>US Army Field Artillery Board (USAFABD)</u>. The PDSS related responsibilities of USAFABD are as follows:
  - Plan, conduct, and report on Operational Test I, Operational Test II, Operational Test III, and any other User type tests of Field Artillery material
  - Participate in Development Test I, Development Test II (engineering phase), and Development Test III as directed
  - Provide advice and guidance on test and evaluation matters to materiel developers, materiel producers, other services, and private industry
  - Conduct other tests and evaluation as directed by Commander, TRADOC.

On 10 August 1977, the USAFABD was designated by HQ TRADOC (via TRADOC Msg, ATCD-TM, 101918Z Aug 77, subject: TACFIRE Tape Validation) as the responsible agency for User validation of TACFIRE system master tapes developed by the DARCOM TACFIRE Software Support Center, Fort Sill. In accordance with this tasking, the Software Validation Branch, Test and Technical Support Division, USAFABD, has been performing acceptance testing of new TACFIRE software releases. Depending on requirements, this testing has been or can be operational testing, developmental testing, or command post exercise oriented. In addition to its testing responsibilities, this organization is also a member of the local Software Configuration Control Board.

(5) The Tactical Data Systems (TDS) Division Combat Developments (CD) Directorate USAFAS. This organization has maintenance and support responsibilities for all Field Artillery systems which have reached Initial Operating Capability (IOC). Included in these responsibilities is the frontend evaluation and definition of, and establishment of requirements for system changes to meet User needs before release to the Materiel Developer. The TDS-CD also analyzes and develops requirements for training devices and procedures for fielded BAS as software changes occur.

- (6) TRADOC System Manager (TSM), Field Artillery Tactical Data Systems (FATDS). The mission, authority, and responsibilities of the TSM-FATDS are spelled out in the TRADOC System Manager Charter, Field Artillery Tactical Data Systems (FATDS), dated 1 November 79. By this charter, his mission is to "conduct total system management within TRADOC for FATDS to include TACFIRE, Battery Computer System (BCS), Digital Message Device (DMD), and other follow-on system enhancements". One of the responsibilities of the TSM-FATDS which is delineated in that charter is "Managing the TRADOC aspects of Post-Deployment Software Support (PDSS) for FATDS and other Field Artillery systems requiring software support". Included in these PDSS duties is coordination with other organizations to ensure that plans for training, personnel, logistics, testing, and new doctrine/tactics are timely and fully integrated into the materiel development program.
- (7) TRADOC System Manager (TSM), Multiple Launch Rocket System (MLRS) Fire Direction System (FDS). The TSM-MLRS monitors overall management of the MLRS-FDS during production and deployment phases. He acts as User representative in the writing of the Computer Resources Management Plan (CRMP) for MLRS-FDS. He ensures User participation in all Engineering Change Proposals (ECP). In addition, the TSM-MLRS participates as a principal member on the TACFIRE/MLRS Executive Committee dealing with all aspects of TACFIRE-FDS interoperability.
- (8) TRADOC System Manager (TSM), Pershing II Tactical Missile System (PII). The TSM-PII conducts total system management within TRADOC for the Pershing II. Due to the life cycle status of the PII, he currently has no PDSS activities.
- b. BAS to be Supported. The category 1 and 2 BAS to be supported at USAFACS are listed in Figure D-14. Included in parentheses behind each system name is the current life cycle status of that system.
- c. <u>Principal Interfaces</u>. Figure D-15 shows the principal interfaces which occur between TRADOC organizational elements and other Army elements in fulfilling the PDSS responsibilities within the Fire Support BFA. Not shown in the figure are the many interfaces within DARCOM and between the non-TRADOC elements.
- D-16. SYSTEM CAPABILITIES. During Phase I of this study, an essentially complete list of TRADOC PDSS responsibilities, based on all BFAs, was developed and refined. This list is organized around six major task areas, with each task area broken down into one or more major responsibilities and with each responsibility requiring one or more functions to be performed. This list is presented in Figure D-16. The fifth and sixth columns in the figure indicate, respectively, the number of BAS for which the function is currently required and the number for which the function is being satisfactorily performed. Also included in that figure is an indication of the capabilities of the current PDSS system to perform each of those functions. These capabilities are addressed both in terms of the BAS to be supported and in terms of the organiza-

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAFAS	AN/GSG-10(U)TACTICAL FIRE DIRECTION SYSTEM (TACFIRE) (PARTIALLY FIELDED)
USAFAS	AN/GYK-29BATTERY COMPUTER SYSTEM (BCS) (DTII)
USAFAS	PERSHING IITACTICAL MISSILE SYSTEM (DT/OTI)

Figure D-14. Category 1 and 2 systems requiring PDSS - Fire Support BFA




Figure D-15 Principal interfaces between TRADOC elements and other elements involved with PDSS in the Fire Support BFA

12% PERSHING 11	+-	×		4 4	×	¥:	z z	Z	Z	ZZ	Z	Z z	Z	· z	z
SQTAN MET		x x	<del>   </del>	\ \ \	×				<del> i</del>	<del>7</del> -	H	7	П		$\dashv$
<b>08A1A2U</b>		z z	_	Z	×					Z	×	z z	×		
ZA7AZU-GO-2GT		x >	(X)	X	×	×				××					
NO. OF BAS REQUIRING FUNCTION NO. OF BAS ADEQU! ELY SUPPORTED	ad	n o	1-+		(1)	⊢	0	0	o	<del></del>	0	d o	0	q	_0
LIFE CYCLE STAGE WHEN FUNCTION IS REQUISED*	20	W 52		1-	6	6	+-	2	$\vdash$	N -		-	П	-	_=
LIFE CYCLE STAGE WHEN	-77-	#		1-		H	~	2		<u> </u>	~	2 2	2	- 2	~
FUNCTIONS		BAS.  PROMINE REPRESENTATION ON FACH BAS COR .		<b>.</b>	<u></u>	2. PLAN AND PROGRAM FOR RESOURCES.		2. COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.	3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	4. COMBINATE WITH HIS DIM PROVISING SOLUTION TO THE FIELD. 5. ESTABLISH, IN COORDINATION WITH HIS PRICEITS OF CHANGE AND TIME FRAME FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER.	Z. EXAMINE BASIS FON REQUIREMENT 3. COORDINATE WITH MO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	Z. DELEKHINE AND EXAMINE IMPACT ON SYSTEM INTEROPER-
TRADOC RESPONSIBILITY	1. PARTICIPATE WITH MD IN DEVELOPING AND MAIN- TAINING POSS PLANS FOR	EACH BAS.			3. MANAGE CO POSS EFFORT.		PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.			2. ANALYZE USER-STATED	REQUIREMENTS.		3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	CHANGES ON STRIEMS.
AIRA AEAT			<u>.                                    </u>	LN	M 30ANA	М .	1						512	ZYJANA	S

Baseline requirements and capabilities--Fire Support BFA (continued on next page) Figure D-16.

THE CYCLE STAGE WHEN	
### ### ### #### #####################	××
REMENT.  GOMENT  RED.  CRITERIA.  CRITERIA.  CE	<del>                                     </del>
FUNCTIONS  1. IDENTIFY OPERATIONAL IMPACT  2. IDENTIFY OPERATIONAL IMPACT  3. IDENTIFY USER RESONAE REQUIREMENT IMPACT  4. IDENTIFY LOGISTICAL IMPACT  5. IDENTIFY LOGISTICAL IMPACT  7. IDENTIFY HUMAL MACTORS HABALT  7. IDENTIFY HUMAL FACTORS HABALT  7. FARTICLIPATE OF STEER CHARGE FERRAR TO THE FITTED  8. FRALICIPATE OF STEER HABALT  8. EFALLING  8. EFALLING  8. EFALLING  8. EFALLING  8. EFALLING  10. CANDUCT GA MONITOR USERS.  10. MAINTAIN COMMUNICATIONS HIT USERS.  11. MAINTAIN COMMUNICATIONS HIT USERS.  12. FRANTAIN HABALT  13. MAND HABALT  14. ORDER HABALT  15. INCLING  16. ELECTIVERESS  16. PROVIDE RESONALL FOR SOFTWARE RELEASE TO THE FITTED  17. HUMALTION AS USER SYNGOGRED.	1 1 1
TRADOC RESPONSIBILITY  TRADOC RESPONSIBILITY	FUNCTIONAL COLONICE FOR TO FIELD USERS

Figure D-16. (continued)

12M FETDS 11 PERSHING 11	Z Z Z Z Z Z X X X X X Z Z Z Z Z Z Z	<del></del>			Z × × z
TDS-CD-USAFAS	ZZZZZ	ZZZZ	<del></del>	<del>                                      </del>	<u> </u>
NO. OF BAS ADEQUATELY SUPPORTED	2122 - 2	00440	1	2 04 4 4	2
FUNCTION 15 REQUIRENCE NO. OF BAS REQUIRENCE NO. OF BAS REQUIRENCE NO. OF BAS ADEQUALELY	444 - 4	40404	1 10 11	<u>ш</u> шш ч г	7
THE CYCLE STAGE WEEN	202 6 2	~~\~\-\-			-
FUNCT IONS	DETERMINE TRÂINING/RETRAI REQUIREMENTS: DETERMINE TRAINING DEVICE DEVELOP AND DISTRIBUTE UP LITERALURE AND MATERIALS DEVELOP TARINING SCENARIO DEVELOP TARINING SCENARIO	6. DEVELOP TRAITING SUPPORT SOFTWARE REQUIREMENTS. 7. VALIDATE/VERIEY TRAITING MATERIALS. 8. PARTICIPATE IN FIELD DUEN TRAITING AND NET. 1. IDEUTIEY REQUIREMENTS. 2. SPECIFY IN REQUIREMENTS DOCUMENT.		1. SPECIFY PDSS RESPONSE REQUIREMENTS. 2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST THELY AND EFFORT THE PDSS UNDER VARIOUS SERVARIALOS. 3. COUNDINATE HI THE PDSS UNDER VARIOUS BODES NOT PERMIT SOFTWARE CHANKES. 4. DEVELOP PROCEDURAL WORK-AROUNDS MIEM SITUATION DOES NOT PERMIT SOFTWARE CHANKES. 5. THROUGH FROM THID ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FILLD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	SS CONTINUED 1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE 1CAL SUITABILITY   CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN AS. ANYTHE AFTER POSS PLAINING - AFTER SOFTWARE FREEZE POINT (SOFTWARE CONFIGURATION ESTABLISHED)
TRADOC RESPONSIBILITY	2. DEVELOP AND WANAGE TRAINING PROCRAM RE- QUIRED BY SYSTEM CHANGE (EXCEPT FOR NEW EQUIPMENT TRAIN- ING (NET)).	1. JOINT AND INTER- NATIONAL HITEROPER-	ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLAINING.	3. SUPPORT TO CRISIS/ WARTINE OPERATIONS.	4. ASSESS CONTINUED TACTICAL SUITABILITY: CONTINUE AND THE CONTINUE 1 - AITTIME AFTER POSS PLAINIIN 2 - AFTER SOFTWARE FREEZE POIN CONFIGURATION ESTABLISHED) 3 - AFTER FILLDING
ASK AREA	LD SUPPORT	(COV		<u>11</u>	MTO . 3

Figure D-16. (concluded)

tional elements providing the support. An "X" under an organizational element indicates that it is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function to the left of the X for all BAS which require the function and which are the responsibility of that element. An "N" indicates that the function is not currently required for any BAS for which that element is responsible. A "blank" indicates that the function is required for at least one BAS for which it is not satisfactorily being performed.

D-17. RESOURCES. USAFAS, CD has organized a TDS Division to handle PDSS requirements for the Fire Support BFA. The TDS Division has an approved TDA for 25 spaces with authorized fill to 17 spaces. It is currently operating with only 11 spaces filled. Listed below are the projected personnel requirements for the next seven fiscal years.

PERSONNEL Required	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Military	17	17	17	17	17	17	17
Civilian	8	8	12	12	12	12	12
TOTAL	25	25	29	29	29	29	29
Authorized							
Military	21	21	21	21	21	21	21
Civilian	4	4	4	4	4	4	4
TOTAL	25	25	25	25	25	25	25
Additional	Needed						
Military	-4	-4	-4	-4	-4	-4	-4
Civilian	4	4	8	8	8	8	8
TOTAL	0	0	4	4	4	4	4

In order to fulfill its PDSS responsibilities in testing TACFIRE master tapes, the USAFABD will require the following personnel.

PERSONNEL Required	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	5	5	5	5	5 -	5	5
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Additional N	leeded						
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	5	5	5	5	5	5	5

# SECTION VI. AIR DEFENSE BFA

D-18. SYSTEM DESCRIPTION. The current TRADOC Baseline System for providing PDSS in the Air Defense BFA has its focal point in the US Army Air Defense School (USAADS), within the US Army Air Defense Center and Fort Bliss, at Fort Bliss Texas. There the principal action-level element is the Combat Systems Software Division (CSSD), in the Directorate of Combat Developments, USAADS. Other TRADOC elements, both at USAADS and at other installations, are actively involved in the Baseline System. Outside of TRADOC, elements of DARCOM, the Users of Air Defense systems, the US Army Research Institute, and various contractors are involved in the Baseline PDSS System either actively or as interface points. Figure D-17 delineates the organizational structure of the TRADOC elements of the Baseline PDSS System at Fort Bliss. Figure D-18 shows the structure of the total TRADOC Baseline PDSS System for the Air Defense BFA.

- D-19. RESPONSIBILITIES AND RELATIONSHIPS. This paragraph addresses responsibilities, BAS involved, and relationships resulting among the elements within the TRADOC Baseline System for providing PDSS in the Air Defense BFA.
- a. Responsibilities. Overall responsibilities of USAADS are defined in USAADS Reg. 10-1. Within USAADS, responsibility for representing the User of Air Defense systems, and for developing the detailed doctrine, tactics, and system requirements to be implemented in (or considered for implementation in) BAS software, is focused in the Directorate of Combat Developments (DCD). Responsibilities for developing training materials, devices, and courses of instruction in Air Defense are focused in the Directorate of Training Developments (DTD). Responsibilities related to the development, coordination and review of broad air defense doctrine rest with the Directorate of Training and Doctrine, USAADS. Responsibilities relating to software and PDSS fall primarily upon the Combat Systems Software Division (CSSD) of DCD, and for training devices, the Software Branch, DTD, as indicated in Figure D-17, above. Based on USAADS Reg. 10-1 and additional information, Figure D-19 summarizes and identifies principal USAADS responsibilities, working from the general level down to the level of software and PDSS. Identified in that figure are those functions which have particular relevance to PDSS. During Phase I of this study, a relatively detailed table of TRADOC responsibilities and functions was developed to define comprehensively those principal functions which fall within the purview of the PDSS process. That table has been refined and will be used as a basis for assessing PDSS system capabilities, in Paragraph D-20, below. Of the 64 principal PDSS functions so identified, some pertain to early planning for PDSS, some to a later stage before fielding of a BAS, and some to the stage after fielding. Therefore, it should be noted, the PDSS functions relevant to a particular BAS depend on the stage in its life cycle which a BAS occupies at any particular time.
- b. <u>BAS Addressed</u>. In the first phase of this study, the BAS within the Air Defense BFA were reviewed to identify those which require, or can be clearly anticipated to require, PDSS. Seven specific BAS, plus an additional category, were thus identified, as summarized in Figure D-20.

FRECEDIANI LAGE BLANK-NOI FILMED




Figure D-17. TRADOC elements of Baseline PDSS System at Ft. Bliss




Figure D-18. Overall TRADOC elements of Baseline PDSS System for Air Defense BFA

General: Prepare and conduct courses of instruction for training US military and other students in Air Defense Artillery. Develop concepts, doctrine, materiel, and training literature; devise procedures for their application in operation, training, and maintenance of air defense weapons and control systems, personnel, units, and organization.

## Selected Functions:

- Conduct research and develop procedures, tactics, and techniques for the application of approved doctrine in the operation, maintenance, and training of air defense artillery units and control systems.
- 2. Develop doctrine and organizational evaluation requirements, and analyze test results to determine the validity of doctrine and organizational concepts.
- Coordinate actions and conduct liaison with activities
  of other major commands to provide user guidance during
  all phases of air defense development, production, and
  employment to ensure user interests are fully incorporated.
- 4. Act as proponent agency for TRADOC for all air defense weapons systems and, as such, serve as principal advisor and representative for TRADOC in areas of air defense organization, doctrine, training, tactics, and techniques.
- 5. Determine air defense materiel (system hardware and software) requirements and provide user guidance throughout its development.
- 6. Coordinate approved air defense doctrine with other schools to ensure that it is current and encompasses the latest concepts.
- 7. Develop training requirements and programs to support the introduction of new and modified air defense equipment.
- 8. Develop doctrine for employment and deployment of air defense weapons and command and control systems.

Figure D-19. Summary of USAADS mission & functions (continued on next page)

- 9. Develop, optimize, verify, and maintain system operations and firing doctrine (SYSOPS/FIDOC) for current and future air defense weapons systems and command and control systems, including airspace control systems.
- 10. Review, compile, and analyze air threat data and conduct wargames, simulations systems analysis, cost effectiveness studies, and other analyses in support of air defense operational doctrine, organizations, and equipment tests and evaluations, to include training devices.
- 11. Develop improve, maintain, and use computer models and data bases, and other analytical tools to support simulations, wargames, and other analyses of air defense systems and software.
- 12. Develop requirements for air defense training devices/ simulators (hardware and software) and training device scenarios.
- 13. Verify that software incorporated in air defense systems correctly reflects air defense doctrine.
- 14. Insure compatibility between doctrine incorporated into interrelated or interdependent systems.
- 15. Perform continuing analysis of suitability of air defense doctrine in light of changing threat, technology, and employment.
- 16. Define and conduct operational and user acceptance tests of air defense systems.

BATTLEFIELD AUTOMATED SYSTEM (BAS) AND STAGE IN LIFE CYCLE PATRIOT Air Defense Missile System (Limited Production) AN/TSQ-73 (Missile Minder) (Post-Deployment) SHORAD C<sup>2</sup>--Short Range Air Defense Command and Control System (Early Concept Formulation) DIVAD Gun--Division Air Defense Gun (Engineering Development) I-HAWK--Improved HAWK Air Defense Missile System (Post-Deployment + New Improvements) ROLAND--Air Defense Missile System (Advanced Eng'g Development) ADEWS--Air Defense (Electronic Warfare System (Conceptual Study) Other--Including AD Control System for CCS

Figure D-20. Systems requiring PDSS--Air Defense BFA

- c. Principal Interfaces. As indicated in Figures D-17, and 18, above, and Figure D-21, below, the number of TRADOC and other elements involved in the Baseline PDSS System for the Air Defense BFA is very substantial. Thus, a multiplicity of interfaces between elements is possible. Because of the central responsibility of USAADS in PDSS for this BFA, however, the principal PDSS interfaces in this system will tend to be between USAADS (particularly the Combat Systems Software Division of DCD and the Software Branch of DTD) and other key elements. Such principal interfaces are summarized in Figure D-22.
- D-20. SYSTEM CAPABILITIES. An assessment of the capabilities of the Baseline PDSS System for the Air Defense BFA is presented in Figure D-23. This figure summarizes the results of considering each of the seven specific BAS to be supported, plus an "other" category, against each of 64 PDSS functions. The assessment involves a judgement as to whether the Baseline PDSS System is now adequately fulfilling a given function now required by a given BAS. judgement was made for each function currently required by each BAS. Figure D-23 begins at the left with six broad task areas: management, analysis, system modification, system (BAS) testing, field support, and other. Each task area is broken down into one to four major TRADOC responsibilities, each of which is broken down in the third column into one to nine more detailed PDSS functions. Immediately to the right of these functions is a column designating in which of three stages of the life cycle of the BAS each PDSS function must be initiated. Next, two columns of numbers appear. In the first of these columns, numbers indicate how many of the seven BAS plus one "other" were deemed to currently require performance of the PDSS function at left. In the second of these columns numbers indicate for how many of those in the first column the PDSS function at left is deemed to be adequately performed now by the Baseline PDSS System. Next appear three columns headed by the identity of existing TRADOC elements which perform PDSS functions. An "X" in these columns indicates that a needed function is adequately performed by a given element. A "blank" indicates that the organization is responsible but is not performing this function adequately for one or more of the BAS currently needing it. An "N" indicates the organization is not now responsible for this function. Thus, Figure D-23 provides a measure of the extent to which the Baseline PDSS System in the Air Defense BFA is deemed to be currently fulfilling perceived PDSS responsibilities.
- D-21. SYSTEM RESOURCE REQUIREMENTS. Resources relating to the Baseline PDSS System for the Air Defense BFA need to be viewed from two very different perspectives. The first perspective involves the resources currently on hand and committed, in whole or in part, to performing the PDSS functions and responsibilities now identified. This current set of resources provides the PDSS Baseline System capabilities discussed in the preceding paragraph, where it was shown that current capabilites fall far short of currently perceived needs. The resources currently on hand do not represent resource requirements; they represent only those resources which have been acquired, appropriated, or borrowed. The second perspective from which resources relating to the Baseline need to be viewed involves the currently perceived requirement for resources to fulfill Baseline functions and responsibilities in PDSS. Resources are addressed from each of these perspectives, respectively, in the two paragraphs below.




Figure **0-21.** Principal TRADOC and other elements in Baseline POSS System for Air Defense BFA

	TSM DIVAD GUN  TSM PATRIOT  TSM PATRIOT  TSM ROLAND  DCD, USAADS  CSSD, USAADS  CONBAT SIMULATIONS SPT. BRANCH, CSSD  OTD, USAADS  SOFTMARE BRANCH, DID  PM, ADCCS  PM, DIVAD GUN  PM, PATRIOT  PM, ROLAND  PM, RO
ISM DIVAD GUN TSM PATRIOT ISM ROLAND DIRECTORATE OF CD (DCD), USAADS COMBAT SYSTEMS SOFTWARE DIV (CSSD), DCC TACTICAL SUPPORT BRANCH, CSSD SYSTEMS SUPPORT BRANCH, CSSD COMBAT SIMULATIONS SPT. BRANCH, CSSD DIRECTORATE OF TNG. DEV. (DID), USAADS SOFTWARE BRANCH, DTD PM, AD COMMAND & CONTROL SYSTEMS SOFTWARE SUPPORT DIVISION, ADCCS PM, DIVAD GUN PM, ROLAND PM, PATRIOT PM, IHANK PATRIOT SOFTWARE SPT. OFFICE, FT. BLISS PATRIOT SOFTWARE SPT. ORG., BEDFORD 32d AADCOM	

Figure D-22. Principal interfaces, Baseline PDSS System, ADA BFA

LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED— RECOURSER OF BAS RECOURSER OF BAS RECOURSER OF STEMS BEING COMBAT SYSTEMS SETING (COMBAT SYSTEMS)  DIRECTORATE OF TRAINING (COMBAT SYSTEMS)	X X X X X X X X X X X X X X X X X X X	× 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ZZZ	z z zz z	ZZ Z Z	
FUNCTION 15 REQUIRED*  REQUESTED OF SYSTEMS BEING	7 7	7 2 5 7	8 2 2	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	<del> </del>	<del>                                     </del>
FUNCTIONS	1, PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRMG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS SSCB. 4. PROVIDE REPRESENTATION OF EACH BAS FSCB. ESTABLISHED UNDER THE CCS CONCEPT.	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA ASSES). 2. PLAN AND PROGRAM FOR RESOURCES. 3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.  2. CORRDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.  3. CORRDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.  4. CORRDINATE WITH MD ON ROYLDING SOLUTION TO THE FIELD.  5. ESTABLISH, IN COORDINATION WITH MD, PRIORITY OF CHANGE SERVERS.  5. ESTABLISH, IN COORDINATION WITH MD, PRIORITY OF CHANGE	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. COORDINATE VITH NO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS. 4. INFORM USER OF PLANTED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOF POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEM.  2. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILLIT BASELINE.
TRADOC RESPONSIBILITY,	1. PARTICIPATE WITH MD IN DEVELOPING AND MAIN- TAINING POSS PLANS FOR EACH BAS.	2. PARTICIPATE WITH HD IN CONFIGURATION MANAGE-MENT.	3. MANAGE CO POSS EFFORT.	1. PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. ANALYZE USER-STATED REQUIREMENTS.	3. AMALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS,
TASK AREA		TN	1. MANAGEME		12	ZY ANALYS

Figure D-23. Baseline requirements and capabilities--Air Defense BFA (continued on next page)

DIRECTORATE OF TRANUIUS DEVELOPMENT (DTD) TSMS (PATRIOT, DIVAD, ROLAND)	Z	Z Z X X X	z z z z z z z z z z z z z z z z z z z	
LIFE CYCLE STAGE WHEN FUNCTION 1S REQUIRED- FUNCTION 1S REQUIRED- REQUIRING FUNCTION ANNERS OF SYSTEMS ESING DIVISION (CSSD) DIRECTORATE OF TRAINING DIVELOPMENT (OTD) TSWS (PATRIOT, DIVAD, TSWS (PATRIOT, DIVAD, TSWS (PATRIOT, DIVAD,	0000000		0000 00 000	00 0 - 000 0 -
THE CYCLE STAGE WHEN	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REOUTREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY LOGISTICAL IMPACT. 5. IDENTIFY IMPACT OF ALL PERSONNEL ASPECTS. 6. IDENTIFY IMPACT OF ALL PERSONNEL ASPECTS. 7. IDENTIFY SYSTEM INTEROPERABLLITY IMPACT. 7. IDENTIFY SYSTEM INTEROPERABLLITY IMPACT. 7. IDENTIFY SYSTEM INTEROPERABLLITY IMPACT. 7.	1. DEFINE REQUIREMENT IN APPROPRIATE  2. SPECITY ANY INTERPERABILITY CHANGE REQUIREMENT. 2. SPECITY ANY INTERPERABILITY CHANGE REQUIREMENT. 2. GROWIDE REQUIREMENT TO MO. 4. COORDINATE WITH NO IN ESTABLISHING CHANGE PRIGRITIES AND ABJECTIVE TO COART. 5. MAINTAIN COORDINATION WITH MO DURING DEVELOPMENT 2. CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED. 2. CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWAKE PROGRAM. 2. DEVELOP SYSTEM CHANGE TISE CONDITIONS AND CRITERIA. 3. DARTICIPATE N DESIGN OF THREAT SCENARIOS. 4. MONITOR DEVELOPMENT TEST (OF). 5. PARTICIPATE AS TASKED BY NGDA IN OPERATIONAL INSTITUTE OF THE AS TASKED BY NGDA IN OPERATIONAL TESTING (OI) CONDUCT OTHER SYSTEM OT. 7. PLAN AND CONDUCT OTHER SYSTEM OT. 1ESTING 8. EMALUATE OPERATIONAL SUITABILITY AND 1ESTING 9. FROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	HAINTAIN COMMUNICATIONS WITH USERS.  FUNCTION AS USER SURROGATE.  DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ TACTICAL ASPECTS OF SYSTEM ENPLOYMENT.  CORDINATE WITH NO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE IN THE FIFT N.
TABDOC RESPONSIBILITY	4. MALYZE FUICTIONAL IMPACT OF PROPOSED SYSTEM CHANGES. SYSTEM CHANGES.	HODELICATIONAL CHANGE REQUIREMENT.	1. WORITOR, PARTICIPATE 111, OR CONDUCT SYSTEM TESTING AS APPRO- PRIATE.	1. MAINTAIN INTERFACE UTH AND PROVIDE. FUNCTIONAL GUIDANCE TO FIELD USERS,

Figure D-23. (continued)

(QIM AUD)														אל הירו, פער) אפ
DIRECTORATE OF TREINING DEVELOPMENT (DTD) ASAS (PATRIOT, DILLD, ROLAND)		Z Z	ZZ	Z	3 3	×	×	7	7		Z 2	Z	Z	0.136
### 6761E 5185E ####################################									1					0.00 TO 6.35
NUMBER OF SYSTEMS BEING	000	╁╾┾	000	50	+-	0	0	0 8	9	<del>}</del>	2 0	<del> </del>	<del> </del>	2 5751,851 5,15,15,15,15,15,15,15,15,15,15,15,15,15
LIFE CYCLE STAGE LHEN FUNCTION IS REQUISED.	200	y 7	20	2 -	,  -	-	2	2 8	7	-	7 6	<del>├</del>	2	SYSTEMS PREAT PROFESSION
FUNCTIONS	1. DETERMINE TRAINING/RETAAINING DEVELOPMENT REQUIREMENTS. 2. DETERMINE TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING TO METTAR PRINTERMENTS.	4. DEVELOP AND DISTRIBUTE UPDATED ON NEW TRAINING LITERATURE AND WATERIAS.		7. VALIDATE/VERIET TRAINING MATERIALS.	1. JOENTIFY REQUIRENETS.	2. SPECIFY IN REQUIREMENTS DOCUMENT.	1. COORDINATE WITH ND IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.	2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	1 SPECIFY PIDSS RESPONSE REQUIREMENTS.	2. EXAMINE ALIENGLIVES FOR PROFIDING THE POST TIMET AND EFFECTIVE POSS UNCER VARIOUS SCEMARIOS.	3. COUNTAINE HITH THE AND IN PLANIFING PISS SUPPORT 4. DEVELOP PROCEDUAL WORK-AROUNDS WHEN SITUATION PORTAGE CHANGE CHANGE	5. THROUGH FRONT-END ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTAME TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABLELLY AS CHANGES OCCUR IN THREAT DOCTRINE. AND OPERATIONAL RETURNSERYS.	FR FOSS PLANNING ARE FREEZE POINT (SOFTWARE b. TOKING GAVEGHENT PRIOR TO FISCHMENT) C. FOLLIGHED) C. FOLLIGHED) C. FOLLIGHED
TANDOC RESPONSIBILITY	2. DEVELOP AND MANAGE TRAINING PROGRAM RE-: QUIRED BY SYSTEM CHANGE (EXCEPT FOR				1. JOINT AND INTER-	NATIONAL INTEROPER- ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLAINING.		3. SUPPORT TO CRISIS/	MARTIME OPERATIONS.	,			HYTINE AFTI FFER SOFTW ONFIGURATION
ABRA AREA	18	5UPPOR (03UN	11NO3 1110	1 .								Я.	HľU .á	

Figure D-23. (concluded)

a. <u>Current Resources</u>. TRADOC resources currently on hand and committed or otherwise available, in whole or in part, for PDSS functions or responsibilities in the Air Defense BFA are very limited. Accordingly, the following estimates of current USAADS PDSS resources are provided here for completeness of the presentation:

PERSONNEL (total complement; only a part is available for PDSS alone):
Combat Systems Software Division,
Directorate of Combat Development -- Military 5
Civilian 3 1/2

Software Branch, Patriot/Hercules Division, Instructional Systems Development Dept, Directorate of Training Development -- Civilian 7

Other elements of USAADS -- Military and Civilian 3

## FACILITIES:

Combat Systems Software Division, DCD
Office areas: about 1500 sq ft

Simulator, computer, and experimental areas: about 3000 sq ft

Software Branch, DTD
Office areas: ?
Other areas: ?

### **EOUIPMENT:**

CSSD:

Secure terminal to TRADOC computer at Fort Leavenworth Data Processing Field Office (DPFO) (Shared by DCD) One single-console PATRIOT Tactical Operations Simulator (TOS-T), with mini-computer (use shared by CSSD, Software Branch (DTD), and ARI)

(Note: Upgrade of TOS-T simulator to a two-station TOS is underway. Also, a new, four-console Patriot simulator is to be delivered in early 1981.)

Software Branch, DTD:
Two DEC 1160 Computers (from Sanders) for PATRIOT Operator Tactics
Trainer (Prototype)
One Graphic 7
One Disk unit
Two VT-100 IO devices w/keyboard

b. Resource Requirements. The requirement for resources to fulfill PDSS functions and responsibilities at USAADS has been addressed in detail at USAADS over the past two years or more. During that time, two program request packages have been submitted to TRADOC, for the TRADOC Program Analysis and Resource Review (PARR) (81-85 PARR and 82-86 PARR). Essential portions of the proposed DCD program were entered in the DA Program Objective Memorandum

(POM) for 82-86. In October, 1980, USAADS prepared additional estimates of PDSS resource requirements, based primarily on the earlier estimates, for use in the next cycle of DA review of Army-wide PDSS requirements. When the original edition of this report was prepared, in December 1980, although the available detail on these various USAADS estimates had been examined by this Study Team, and an effort had been made to formulate independent estimates, no compelling reason was seen to present other than the current USAADS estimates here. Accordingly, Figure D-24 was a summary of USAADS estimates of personnel requirements. Similar rationale prevails at this time (February 1981). However, Figure D-24, and also Figure D-25 on costs, have been updated to reflect data made available to the study team in January 1981. The military and civilian personnel shown as required in Figure D-24 represent that core complement of in-house personnel necessary and desirable to guide and direct the program with the help of an appropriate mix of contractor support to augment and extend the skills and capability of the in-house core. These contractor personnel are not included in this figure, but are included as contractual costs under both the Development (RDT&E) and Operations and Maintenance (OMA) categories in Figure D-25, which covers DCD only.

	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED * MILITARY CIVILIAN TOTAL	41 48 89	41 48 98	- 50 48 89	53 48 101	53 48 101	53 48 101	53 48 101
AUTHORIZED MILITARY CIVILIAN TOTAL	19 14 33	19 14 33	19 14 33	19 14 33	19 14 33	19 14 33	19 14 33
ADDITIONAL NEEDED MILITARY CIVILIAN TOTAL	22 <u>34</u> 56	22 34 56	31 34 65	34 <u>34</u> 68	34 34 68	34 34 68	34 34 68

<sup>\*</sup> Includes personnel in both mission-oriented and facility support functions of combat development area. Does not include requirement within the Directorate of Training Development for about 32 people in FY 81 and subsequent years to support planning for and providing PDSS for training devices.

Figure D-24. Personnel required, Baseline PDSS System, ADA BFA

	CONSTANT FY 81 K\$								
		Fiscal Year							
	81	82	83	84	85	86	87		
Development (RDT&E) Contracts	830	550	2030	1760	1400	200	200		
Procurement (PA)	-	-	2700	~	-	-	-		
Operations & Maintenance (OMA):									
Civilian Salaries	1058	1058	1198	1198	1198	1198	1198		
Contracts	1300	4700	4440	4700	4530	4590	4440		
Building Modifica- tions	-	-	150	150	100	100	0		
TDY	150	150	298	314	264	264	264		
Communica- tions	50	50	50	50	50	50	50		
Other .	500	500	400	400	450	450	450		
TOTAL	3888	7008	11266	8572	7992	6852	6602		

Figure D-25. Funding required, Baseline PDSS System, ADA BFA

## SECTION VII. INTELLIGENCE AND ELECTRONIC WARFARE BFA

D-22. SYSTEM DESCRIPTION. As indicated by Figure D-1, the US Army Intelligence Center and School (USAICS) is the proponent for this BFA. This proponency includes the mission of conducting general intelligence and cryptologic/electronic warfare training, training developments, combat developments, and operational testing. Systems development and life cycle management, to include post-deployment software support, are carried out as part of the combat developments mission. USAICS' organizational elements involved in performing Combat Developer PDSS functions in the current Baseline System are shown in Figure D-26. While these functions are concentrated in the Directorate of Combat Developments, other organizational elements also have significant roles in this effort. These include the US Army Intelligence and Security Board, four separate TRADOC System Managers, the Computer Systems Management Office, and the Directorate of Training Developments at both USAICS and the US Army Intelligence School, Fort Devens. These elements are all identified in Figure D-26. This organization and its functional responsibilities, relationships, capabilities and associated resources are discussed in the paragraphs that follow.

## D-23. RESPONSIBILITIES AND RELATIONSHIPS.

# a. Responsibilities.

- (1) <u>USAICS</u>. As the TRADOC proponent for tactical intelligence, electronic warfare, and intelligence support to operational security, USAICS is responsible for developing operational concepts, doctrine, organization, and materiel requirements for new intelligence and electronic warfare systems and units at all echelons of the Army. This includes a broad range of functions associated with all phases of the system life cycle, working both independently and in coordination with System Users, Materiel Developers, Operational Testers, and others involved with various aspects of intelligence systems.
- (2) <u>Directorate of Combat Developments</u>. Within USAICS, primary responsibility for these functions is assigned to the Directorate of Combat Developments. Two divisions of this directorate—the Concepts and Studies Division and the Materiel Division—are extensively involved with these functions. The Corps, Division, and EAC/Common Systems Branches of the Materiel Division have action officers with responsibility for accomplishing or coordinating all CD actions for specific intelligence and electronic warfare systems in their functional areas. The All-Source Analysis System (ASAS) Management Office in the Directorate of Combat Developments discharges combat development responsibilities inherent in the USAICS proponency for the ASAS and related systems/test bed (i.e., TCAC, ADM/SEWS, and BETA. It supports as required the TRADOC System Manager for ASAS (TSM-ASAS) (located at CACDA).




Figure D-26. Organizational elements with major responsibilities in the PDSS Baseline System for the Intelligence and EM 8FA

- (3) Other elements. Other organizational elements, external to the Directorate of Combat Developments, that have major responsibilities in the Baseline PDSS System include:
  - The TSMs for Corps, Division, and EAC/Common EW/Intelligence Systems, whose responsibilities are prescribed in TRADOC Reg. 71-12
  - The US Army Intelligence and Security Board which, under TRADOC Reg. 10-41, is responsible for monitoring or planning, programming, and supporting or conducting operational tests and other tests and evaluations as directed
  - The Directorate of Training Developments, USAICS, which has training development responsibility for all Intelligence and Electronic Warfare systems except Signal Intelligence systems. Training development for these latter systems is the responsibility of the US Army Intelligence School, Fort Devens
  - The Computer Systems Management Office which, under a phased plan, is to develop a capability for providing automated support (e.g., simulations and analyses) to the system development and life cycle management effort at USAICS.
- b. BAS to be Supported. The Category 1 and 2 BAS in this functional area addressed in this study are shown in Figure D-27. The stage of each system in the life cycle is also shown in the figure. In addition, there are 11 Category 3 systems which will also require some CD participation in the effort devoted to their PDSS.
- c. <u>Principal Interfaces</u>. Interfaces, both internal and external to TRADOC, must be established and maintained by organizational elements involved with the PDSS Baseline System for the Intelligence and Electronic Warfare BFA shown in Figure D-28. The Combat Developments Directorate, USAICS, and each TSM have primary responsibility for these interfaces within their respective functional areas.
- (1) Interface with Materiel Developer Organizations. The establishment of an ERADCOM-managed PDSS facility at Fort Huachuca for the ASAS, as proposed in the PDSS Concept Plan for BAS, May 1980, will facilitate the close interface and interaction needed between the Combat Developer and Materiel Developer organizations involved with this major system. Similarly the collocation at Fort Huachuca of the USACC organization tasked with developing the AN/MSC-67 Communications Center (COMFAC) facilitates close CD-MD interaction on this system during its development. USAICS organizations must interface with ERADCOM or CORADCOM PDSS Center elements, as appropriate, at Fort Monmouth on PDSS actions involving all other systems.

# INTELLIGENCE/EW BFA

- FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAICS*	AN/MSC-67COMMUNICATIONS CENTER (COMFAC) (VALIDATION PHASE)
USAICS	ASASALL SOURCE ANALYSIS SYSTEM (CONCEPTUAL PHASE)
USAICS	AN/TSQ-114TRAILBLAZER (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALQ-151QUICKFIX (INITIAL PRODUCTION)
USAICS	AN/TSQ-105GUARDRAIL V (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALG-133QUICKLOOK II (PRODUCTION AND DEPLOYMENT)
USAICS	SOTASSTAND- OFF TARGET ACQUISITION SYSTEM (FULL-SCALE DEVELOPMENT)
USĀICS	TCAC(D)TECHNICAL CONTROL AND ANALYSIS CENTER (DIVISION)**
1	

<sup>\*</sup> USASC TO BECOME PROPONENT AT THE TIME SYSTEM IS FIELDED

Figure D-27. Intelligence and Electronic Warfare Category 1 and 2 BAS

<sup>\*\*</sup> BEING DEVELOPED UNDER QRC-51 IAW AR 105-37.




Figure D-28. Principal organizational elements that
must interact in the Intelligence and Electronic
Warfare BFA PDSS Baseline System

(2) Interface with Intelligence and Security Command (INSCOM).
USAICS must coordinate closely with the INSCOM on certain intelligence systems because of the relationships between some of these systems within the corps area, at echelons above corps, and at the strategic level.

### D-24. SYSTEM CAPABILITIES.

- a. <u>PDSS Functions</u>. Combat Developer PDSS responsibilities that were identified during Phase I of this study were used as a basis for describing and analyzing the current capabilities of the Intelligence and Electronic Warfare Baseline PDSS system. These responsibilities, grouped into six general task areas are shown in Figure D-29. The six task areas are shown in the first column. The second column identifies PDSS responsibilities in each of these general areas. The third column describes the functions that must be performed to fulfill the responsibility shown in the second column. Information shown in the remaining columns is described below.
- (1) Relationship of PDSS functions and the system life cycle. The fourth column contains an entry indicating when each PDSS function will/may have to be performed during the system life cycle. This entry has been developed for each function based on the discussion of the relationship of PDSS and the system life cycle, contained in Chapter 1, Paragraph 1-4.c. Specific entries are further explained by the legend in the figure.
- (2) Relationship of PDSS functions and BAS in this BFA. Entries in the fifth column indicate the number of Category 1 and 2 BAS in this BFA deemed to currently require performance of each PDSS function. This entry varies among the functions because of the unique relationship between each PDSS function and the system life cycle stage a system is in, as discussed in Paragraph (1), above. Entries in the sixth column indicate the number of BAS in this BFA for which each function is currently being performed adequately. A lower number in column 6 than in column 5 indicates a shortfall in the capability of the baseline system.
- (3) Relationship of PDSS functions and organizational elements. Entries in the seventh through the eleventh columns identify organizations at the directorate, division, branch, or separate office levels, that are currently involved in the PDSS effort within this BFA. The entries under each organizational element indicate whether or not that element is adequately performing each of the functions for which it is or should be responsible. An "X" has been entered whenever an element is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function, located to the left, for the relevant currently identified BAS whose stage in the life cycle requires performance of that function. A blank indicates that the function is not being performed adequately by the organizational element identified at the top of the column. An "N" entry indicates that the organizational element is not responsible for performing the PDSS function at this time.

INTELLIGENCE AND	z Z Z	ZZZZ	777	ZZZZZ	ZZZZ	ZZ
CONPUTER SYSTEMS MANAGEMENT OFFICE	2 Z Z	ZZZZ	×	ZZZZZ	ZZZZ	·
TAME (CORPS, DIVILION,	×× ×	<del></del>			111 [	ZZ
DIRECTORATE OF TREINING	z Z Z	<del></del>	<del>                                     </del>	ZZZZZ	ZZZZ	zz
INMBER OF BAS. ADSOUATELY SUPPORED DIRECTORATE OF DIRECTORATE OF DIRECTORATE OF TRITALING DIRECTORATE OF TRITALING TOYNE OF TRITALING TOYNE OF TRITALING TOYNE AND RASS) SOMPLE AND RASS TOWNED	×× ×	┢╂┼╂╾╌	<del>                                     </del>			××
REDUTRING FUNCTION ZAB 10 REBMUN	8	<del>┝╶┞╶╏╌┠╌╸</del>	00000	0 0 0 0 0 0 c	<del>} -                                    </del>	د د
## 1967 WERN ### 1967 ### 1968 ### 1968 ### 1969 ##########	-1-	- ~~ -		2 2 mm 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		7 7
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRMG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS SSCB. 4. PROVIDE REPRESENTATION ON ANY EXCUTIVE LEVEL CCB. ESTABLISHED UNDER THE CCS. CONCEPT.	- 2	1. IN CONJUNCTION WITH MO, DETERNINE IF SOURCE OF PROBLEM IS EUNCTIONAL OR TECHNICAL. 2. CORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM. 3. COORDINATE WITH MO IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS. 4. COORDINATE WITH MO ON PROVIDING SOUTION TO THE FIRED. 5. ESTABLISH, IN COORDINATION WITH MO, PRIORITY OF CHANGE SERVEND. 6. ESTABLISH, TO CORDINATION WITH MO, PRIORITY OF CHANGE	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. CORROINATE WITH WO RECARDING ACTION TO SATISFY VALIDATED REQUIREMENTS. 4. INFORM USER OF PLANKE DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS Z. DETERNINE AND EXAMINE IMPACT ON SYSTEM INTEROPERABILITY BASELINE.
TRADOC RESPONSIBILITY	1. PARTICIPATE WITH MD IN 1 DEVELOPING AND MAIN- (2 TAINING PDSS PLANS FOR 3 EACH BAS.	2. PARTICIPATE WITH HD IN CONFIGURATION MANAGE. MENT.	3. MANAGE CD POSS EFFORT,	I. PERFORMI ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. ANALYZE USÉR-STATED REQUIREMENTS.	3. ANALYZE FUKCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS,
TASK AREA	-		1. MANAGEME			S. MALYS

Figure D-29. Baseline requirements and capabilities--Intelligence and EW BFA (continued on next page)

ASAS (CORPS, DIVISION, OLOSPS, DIVISION, OLOSPOS, DIVISION, OLOSPOS, Olospo	ZZZZZZ	z z z z z z z z x x x x x x x x x x x x		ZZZZ
LIFE CYCLE STREE WHEN  CHUCTION IS REQUISED.  REQUIRING FUNCTION  RECOURTER SUPPORTED  DIRECTORATE OF  COMBAT DEVELOMEN'S  COMBAT DEVELOMEN'S  DIRECTORATE OF  COMBAT DEVELOMEN'S  DIRECTORATE OF  COMBAT DEVELOMEN'S  DIRECTORATE OF TRITING  DIRECTO	*******  ******  *******  ********  ****	X X X X X X X X X X X X X X X X X X X	X	X X Z Z Z X X X X X X X X X X X X X X X
CNCTIONS AHEN	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESQUECE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY LOGISTICAL IMPACT. 5. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 6. IDENTIFY HAMAT FACTORS INFACT. 7. IDENTIFY SYSTEM INTERDERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT. 13. PROVIDE REQUIREMENT TO MO. 4. COORDINATE WITH MO IN ESTABLISHING CHANGE 5. PATRAIN COORDINATION WITH MO DUBING DEVELOPMENT 5. PATRAIN COORDINATION WITH MO DUBING DEVELOPMENT 5. CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWAKE PROGRAM. 2. DEVELOP SYSTEM CHANGE TEST CANDITIONS AND CRITERIA. 3. DEVELOP SYSTEM CHANGE TEST CANDITIONS AND CRITERIA. 3. PONITOR DEVELOPMENT TEST (DT). 4. MONITOR DEVELOPMENT TEST (DT). 5. PARTICIPATE AS TASKED BY NGDA IN OPERATIONAL TESTING (DT). 6. PLAN AND CONDUCT OTHER SYSTEM OT TESTING. 1. TESTING. 8. EYALLARS BY TO WANTION USER ACCEPTANCE TESTING. 1. TESTING. 8. EYALLARS SYSTEM	11. MAINTAIN COMMUNICATIONS WITH USERS. 2. EUNCTION AS USER SURKAGARIE. 3. DEVELOP AND SOFOYOIS GUIGADE ON DOCTRINAL/ 3. DEVELOR ASPECTS OF SYSTEM EMPLOYMENT. 4. COORDINATE WITH MO GN THE SCHEDULE AND NETHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIFIN.
TRADOC RESPONSIBILITY.	4. ANALYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	HODEL CHANGE REQUIREMENT.	1. MONITOR, PARTICIPATE 111, OR CONDUCT SYSTEM TESTING AS APPRO- PRIATE. 9	1. MAINTAIN INTERFACE UITH AND PROVIDE. FUNCTIONAL GUIDANCE TO FIELD USERS.

Figure D-29. (continued)

LITE CYCLE STAGE AREA FUNCTION 15 REGULT: DP REGULTION 15 REGULT: DP REGULTING FUNCTION FUNCTION 15 RAS FUNCTI	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		2 2 2 ×
FUNCTION 15 REQUISEDS	and a along		3
FUNCTIONS	1. GETERMINE TRAINING/RETRAINING DEVELOPHENT 2. GETERMINE TRAINING DEVTCE REQUIREMENTS. 3. GEVELOP TRAINING DEVTCE REQUIREMENTS. 4. GEVELOP TRAINING PLAN FOR MEETING REQUIREMENTS. 4. GEVELOP TRAINING SECRATION OR NEW TRAINING SECRATION OR NEW TITOTION AND FILED USE. 5. DEVELOP TRAINING SECRATION FOR INSTITUTION AND FILED USE. 6. GEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VALIDATE PRRINT TRAINING MATERIALS. 8. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VALIDATE PRRINT TRAINING MATERIALS. 8. PRANTICIPATE THE FILED USER TRAINING AND NET.	1. IDENTIFY REQUIREMENTS. 2. SPECIFY IN REQUIREMENTS. 3. COORDINATE HITH MO IN PLANTING FOR REQUIRED PROS. SUPPORT TO BAS IN THE CONTINUENCY FUNCE. 2. PROVIDE FOR "ACTICAL TALLORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION. 1. SPECIFY POSS RESPONSE REQUIREMENTS. 2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS GROWING WARIOUS. 3. COMMUNE MITH THE MID THE PROVIDING THE STORMARD. 4. GEVELOP PROCEDURAL WORK-AROUNDS WHER SITUATION DOES NOT PREMIT SOFTWARE CHANGES. 5. THROUGH FRONT-END ANNY-SIS, DESTON FLEXIBILITY MING THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINUENCIES.	SS CONTINUED 1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE 1CAL SUITABILITY AS CHANGES OCCUR IN ASSULTABLITY AS CHANGES OCCUR IN ANYTHE AFTER POSS PLANIFIE  - AFTER SOFTWARE FREEZE POINT (SOFTWAKE CONFIGURATION ESTABLISHED)  - AFTER FIELDING  - AFTER FILELOING
TRADOC RESPONSIBILITY	2. DEVELOP AND MANAGE TRAINING PROGRAM RE- OUINED SULVEON HEN EQUIPMENT TRAIN- (CONT.) 110 (MET.)	- 's 's	1. CONIDER TO THE TELE TO THE THE TO THE THE TELE TO THE

Figure D-29. (concluded)

- b. <u>Discussion of capabilities</u>. Examination of Figure D-29 reveals that while most CD PDSS functions are presently being performed for the BAS that require them, there are shortfalls in the current capability in several areas. The most important of these areas are discussed below.
- (1) <u>Directorate of Combat Developments</u>. Figure D-29 indicates a need for an improved capability devoted to functions under Responsibilities 2.1, 2.2, 6.2, and 6.3. The first two sets of these functions involve interface with System Users to address system problem reports and User-stated system change requirements. Phase I research revealed that there is little CD involvement in this area at present. Software problems and corrective actions are handled primarily through interaction between the User and the MD.
- (2) Computer Systems Management Office. Figure D-29 also indicates several functional areas in which support from the Simulation Systems Management Office, an element of the Computer Systems Management Office, is needed in order to enhance the PDSS capability of the system action officers in the Directorate of Combat Developments. These functional areas are those involving analysis of PDSS requirements and alternatives in which computerassisted analyses and simulations would be very beneficial.
- D-25. RESOURCES. Research conducted during Phase I of this study and the data presented in Paragraph D-24 reveals that additional emphasis needs to be devoted to certain aspects of PDSS by combat development personnel in the Intelligence and Electronic Warfare BFA. No personnel are assigned PDSS responsibilities full-time and there are only two systems for which an action officer reported devoting a portion of his duty time to PDSS on a regular basis. This can be attributed to Army regulatory policies and workload priorities which have resulted in organizations, not only in this BFA but elsewhere as well, placing insufficient emphasis on PDSS in the past. However, the Phase I research did reveal a growing awareness of the importance of PDSS at USAICS. It also revealed a concern (held by both Combat and Materiel Developers) over the need for closer working-level interaction between Combat Developer and Materiel Developer personnel involved with BAS in this BFA. As a result of this situation and the projected increase in PDSS requirements for BAS in this BFA, an estimate of personnel resource requirements to provide needed improvements in PDSS capabilities at USAICS has been developed and is shown below. The resources shown are considered to be those required, in the current Baseline Structure, to provide a minimal capability to accomplish all PDSS functions identified in Figure D-29, for the BAS identified in Figure D-27.

PERSONNEL Authorized 1	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	<u>FY 87</u>
Military	0	0	0.	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Required							
Military	3	5	7	9	9	9	9
Civilian	3	5	7	9	9	9	9
TOTAL	6	10	14	18	18	18	18
Additional Need	ed						
Military	3	5	7	9	9	9	9
Civilian	3	5	7	9	9	9	9
TOTAL	6	10	14	18	18	18	18

This estimate of combat development personnel requirements has been developed on the assumptions that:

- US Army Intelligence and Security Board staffing will be adequate to monitor, plan, program, and conduct those system tests, required as a result of PDSS actions, for which it is assigned responsibility
- The Directorate of Training Developments is adequately manned to provide training development support required as a result of PDSS actions
- The Computer Systems Management Office will acquire, in conjunction with the planned expansion of that office, the resources and capability necessary to provide the required automated support to PDSS analysis being conducted by USAICS combat development personnel.

The personnel acquired to fulfill the requirements stated above should be primarily functionally oriented and trained personnel with secondary skills/expertise in appropriate automatic data processing areas.

There are no personnel assigned PDSS responsibilities on a full time basis. Action officers devote time to accomplishment of PDSS actions as required.

# SECTION VIII. COMBAT SERVICE SUPPORT BFA--US ARMY LOGISTICS CENTER

#### D-26. SYSTEM DESCRIPTION.

- a. <u>General</u>. As discussed previously, proponency for this BFA is divided between the US Army Logistics Center (LOGCEN), for logistics functions, and Soldier Support Center (SSC), for personnel support functions. Separate descriptions are provided, in this Section and in Section IX, of the Baseline Systems that exist in each of these organizations for providing PDSS to BAS in their respective portions of this BFA.
- b. Logistics Baseline PDSS System. The LOGCEN is designated by TRADOC Reg. 10-41 as one of three major TRADOC integrating centers. It has the mission of ensuring the systematic integration of combat and training developments functions in the logistics area. Included in this broad mission are the requirements for developing and coordinating the functional design, installation, and maintenance of multicommand intermediate and user logistics operating/management information systems and providing customer assistance for these systems. LOGCEN organizational elements involved in performing these system-related functions, to include PDSS, in the current Baseline System are shown in Figure D-30. As indicated by the figure, these functions are concentrated in the Management Information Systems Directorate and the Concepts and Doctrine Directorate of the LOGCEN.

## D-27. RESPONSIBILITIES AND RELATIONSHIPS.

# a. Responsibilities.

- (1) <u>LOGCEN</u>. As the TRADOC proponent for the logistics portion of the Combat Service Support (CSS) BFA, the LOGCEN is responsible, among other things, for the functional design and development of requirements for testing validation, installation (conversion), and maintenance of all Army retail logistics systems for supply (except supply Class I), maintenance, transportation, and ammunition.
- (2) Management Information Systems Directorate. Within the LOGCEN, primary responsibility for the above functions is assigned to the Management Information Systems Directorate. Except for the conceptual design of certain systems for which the Concepts and Doctrine Directorate is assigned responsibility, the Management Information Systems Directorate is responsible for developing and coordinating the functional plans, design, installation, maintenance, and customer assistance of retail logistics operating/management information systems. The elements of the directorate involved in carrying out these responsibilities are shown in Figure D-30. Designated staff officers assigned to branches of the Field Systems and Supply Systems Divisions, are assigned as action officers for specific logistics systems. These personnel perform CD functions associated with all phases of the management information system life cycle. During the Deployment and Operation Phase of the life




Figure D-30. Organizational elements with major responsibilities in the PDSS Easeline System for the logistics portion of the CSS BFA

cycle, they perform a broad range of PDSS functions. These extend from participating in customer assistance actions, through developing and participating in the testing of system functional change requirements, to the installation of system changes and updating functional User procedures as required.

- (3) <u>Concepts and Doctrine Directorate</u>. The Concepts and Doctrine Directorate has responsibility for analysis and development of logistics automation requirements, and for the conceptual design of specified logistics systems. Design of the CSS Control System is currently assigned to this directorate.
- b. BAS to be supported. The systems in the logistics portion of the CSS BFA requiring PDSS are shown in Figure D-31. The stage of each system in the life cycle is also shown.
- c. Principal Interfaces. Interfaces must be established and maintained among organizational elements of the LOGCEN and other organizations identified in Figure D-32. The collocation of the US Army Computer Systems Command Support Group, Ft. Lee, with the LOGCEN Management Information Systems Directorate and Concepts and Doctrine Directorate facilitate the close interface and interaction needed between these organizations. The LOGCEN must maintain an interface with CACDA, the SSC, and the other TRADOC integrating centers, to assure consistency and integration of the efforts and products of all associated functional centers. Centers associated with the LOGCEN include the Ordanance and Chemical Center, the Transportation School, the Missile and Munitions Center, and the Quartermaster School. Contact with Users is maintained to address User-reported system problems and system change requirements, and to provide assistance as required. Close coordination must also be maintained with the Office of the Deputy Chief of Staff for Logistics (ODCSLOG), the functional proponent for most logistics systems in the CSS BFA.

# D-28. SYSTEM CAPABILITIES.

a. <u>PDSS Functions</u>. Combat Developer PDSS responsibilities that were identified during Phase I of this study were used as a basis for analyzing the logistics portion of the CSS Baseline System. These responsibilities, grouped into six general task areas, are shown in Figure D-33. The six task areas are shown in the first column. The second column identifies PDSS responsibilities in each of these general areas. The third column escribes the functions that must be performed to fulfill the responsibilities shown in the previous column. Information shown in the remaining the previous column. Information shown in the remaining the previous column.

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
'LOGCEN/ DCSLOG	CSU/GSUDIRECT SUPPORT UNIT GENERAL SUPPORT UNIT (OPERATION)
USASC	DEDED (DEFINITION/DESIGN)
LOGCEN/ DCSLOG	SAMSSTANDARD ARMY MAIN- TENANCE SYSTEM (CONCEPT DEVELOPMENT)
LOSCEN/ DCSLOG	DLOGSDIVISION LOGISTICS SYSTEM (MAINTENANCE)
L OGCEN/ DCSL OG	MRMMAINTENANCE REPORTING AND MANAGEMENT (OPERATION)
LOGCEN/ DCSLOG	SAAS-3STANDARD ARMY AMMUNITION SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DOSLOG	SAILSABX STANDARD ARMY INTERMEDIATE LEVEL SUPPLY (OPERATION)
LOGCEN/ DCSLOG	DS4DIRECT SUPPORT STANDARD SUPPLY SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DOSLOG	PROERTX (GREENTIEN)
LOGCEN	CSS CONTROL SYSTEM FOR CCS2 (CONCEPT DEVELORMENT
LOGCEN/ DOSLOG	DASPSDA STANDARD PORT SYSTEM (OPERATION)
LOGCEN/ DCSLOG	DASPS-EDA STANDARD PORT SYSTEM ENHANCED (SYSTEM DEVELOPMENT)
DCSFOG FOCEN/	TOPSTRANSPORTATION OFERATIONAL PERSONNEL PROFERTY STENDARD SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DOSLOG	DAWNSDA MOVEMENT MAYAGEMENT SYSTEM SUBSYSTEM 1: CMM
	CARGO MOYEMENT MODULE (SYSTEM DEVELOPMENTY MAINTENANCE) SLEDISTEM 2: MOM MOYEMENT PLANNING MODULE (SYSTEM DEVELOPMENT)
LOSCEN/ DOSLOG	DAS-3DECENTRALIZED AUTOMATED SERVICE SUPFORT SYSTEM (DEPLOIMENT)

Figure D-31. Logistics systems




Figure D-32. Principal organizations that must interact in the logistics portion of the CSS 3FA PDSS Baseline System

ADTOMATION & CONTUNICA-	74 × 222	× ×22	2 2 22 2	<del></del>	· × ×
MANAGEMENT SUPPORT	77 × 44×	* *** * ***			<u> </u>
FIELD SYSTEMS DIAISION, MIS DIRECTORATE FILS SYSTEMS DIAISION, FILS DIRECTORATE FILS DIRECTORATE FAMILICEMENT SUPPON.  THE STATEMENT SUPP	22 x x x x x	4 333		<del> </del>	XX
ADEQUATELY SUPPOFIED  ADEQUATELY SUPPOFIED		- 333	<b>5</b> 5 6 6 6 5	<del>╎╶┤╸┞╶</del>	9 9
111 CYCLE STREE WHEN  CONCISION SERVISED   CONCISION STREET  CONCI	00 5 2 e e	- 333	क क व्यव्य ठ	वव बब	<b>ਰ</b> ਰ
LIFE CYCLE STAGE WHEN			2 2 6 2	22 22	2 2
F UNCT I ON S	1. PARTICIPATE IN DEVELOPHENT OF THE CRMP. 2. PROVIDE REPRÉSENTATION ON THE CRUG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR 8AS.  1. PROVIDE REPRESENTATION ON EACH BAS SCB. 2. PROVIDE REPRESENTATION ON EACH BAS SCB. 3. PROVIDE REPRESENTATION ON EACH BAS SCB.	4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB ESTABLISHED UNDER THE CCS CONCEPT.  1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILISMS, SIMULATION MODELS AND DEVICES, DATA BASES).  2. PLAN AND PROGRAM FOR RESOURCES.  3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MO, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.  2. COORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM.  3. COORDINATE WITH MO IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE RECERTS.  4. COORDINATE WITH MO ON PROVIDING SOLUTION TO THE FIELD.  5. ESTABLISH, IN COORDINATION WITH MO, PRIGNETY OF CHANGE SETABLISH. IN COORDINATION WITH MO, PRIGNETY OF CHANGE OF BEFECTED.	1. RECEIVE REQUIREMENT FROM USER. 2. EXMINE BASIS FOR REQUIREMENT. 3. COORDINATE WITH HOR RECARDING ACTION TO SATISFY VALLOMATED REQUIREMENTS. 4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THERE IMPACT ON AFFECTED SYSTEMS. 2. DETERMINE AND EXAMINE THPACT ON SYSTEM INTEROPERABILITY BASELINE.
TRADOC RESPONSIBILITY	PARTICIPATE WITH MD IN DEVELOPING AND MAIK- TAINING POSS PLANS FOR EACH BAS. PARTICIPATE WITH MD IN CONFIGURATION MANAGE- MENT.	3. MANAGE CO PDSS EFFORT,	PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	. ANAL YZE USER-STATED REQUIREMENTS,	. AMALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS.
A38A A2AT	<u>-: [2</u>	1. MANAGEMENT	ين ا	\$15	Z. ANALYS

Figure D-33. Baseline requirements and capabilities--CSS BFA, Logistics Center (continued on next page)

TOUR DIA SAID CHOIL				
-AUTOMOTION & COMMINICA-	Z Z Z Z Z Z Z	ZZZ Z Z	ZZZZ ZZ Z ZZ	- <del> </del>
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED— FUNCTION IS REQUIRED— REQUIRING FUNCTION REQUIRING FUNCTION— MIS DIRECTORATE MIS DIRECTORATE MIS DIRECTORATE MIS DIRECTORATE MIS DIRECTORATE MIS DIRECTORATE MANAGEMENT SUPPOSIT	Z Z Z Z Z Z Z Z X X X X X X	Z Z Z Z Z Z X X X X	z   z   z   z   z   x   x   x   x   x	
MIS DIRECTORATE SUPPLY SYSTEMS DIVISION,	XXXXXXX	<del>                                     </del>	<del>▎▀▀▐▘▐</del> ▘ <del>▍</del> ▝▛▘▊	<del>▎▔▕▗▕▗▀</del> ▔▎
ADEQUATELY SUPPORTED	000000	× × × × ×	ययय राष्ट्र य राष्ट्र	2 × × ×
REQUIRING FUNCTION	000000	000 0 0	9999 99 9 98	00 00 00 00
FUNCTION IS REQUIRED*	202222	2 22 22 2	2222 22 21 21 21	C
FUNCT 10MS	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY LOGISTICAL IMPACT. 5. IDENTIFY HOACT ON ALL PERSONNEL ASPECTS. 6. IDENTIFY HWAN FACTORS IMPACT. 7. IDENTIFY HWAN FACTORS IMPACT. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 2. SPECIFY ANY INTEROPERBELLITY CHANGE REQUIREMENT. 13. PROVIDE REQUIREMENT TO MO. 14. COORDINATE WITH MO IN ESTABLISHING CHANGE PRIORITIES AND OBJECTIVE IOC DATA 5. MAINTAIN COORDINATION WITH MO DURING DEVELOPMENT 6. MAINTAIN COORDINATION WITH MO DURING DEVELOPMENT 7. OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REYISION OF SOFTWARE PROGRAM. 2. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 3. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 4. NONITOR DEVELOPMENT TEST (0T). 5. PARTICIPATE AS TASKED BY HIGH IN OPERATIONAL TESTING (0T) CONDUCTED BY OTEA. 6. PLAN AND CONDUCT OF MONITOR USER ACCEPTANCE TESTING CONDUCT OFFER SYSTEM OT. 7. PLAN AND CONDUCT OT. 7. PLAN	1. MAINTAIN COMMUNICATIONS WITH USERS. 2. EUNCTION AS USER SURROGATE. 3. GEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ 1. ACTICAL ASPECTS OF SYSTEM EMPLOYMENT. 4. COGNOTANTE WITH HO ON THE SCHEDULE AND METHODOLOGY FOR DÍSTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE IT THE FIFILD.
TRADOC RESPONSIBILITY,	4. ANALYZE FUNCTIONAL IMPACT OF PROPOSED SY°TEM CHANGES.	), DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1. MRITOR, PARTICIPATE 111, OR COHOUCT SYSTEM TESTING AS APPRO-	), MAINTAIN INTERFACE LITH AND PROVIDE: FUNCTIONAL GUIDANCE TO FIELG USERS!
TASK AREA	S. ANALYSIS (CONTINUED)	MODIFICATION 3. SYSTEM	4. SYSTEM. TESTING	S. FIELD SUPPORT

Figure D-33. (continued)

THE CYCLE STREE WHEN CUNCTION IS REQUIRED.  WUMBER OF BASS  WOOD STSTEMS DIVISION,  WAN DERECTORATE  WAN DERECTORATE  WAN DERECTORATE  WAN DERECTORATE  WAN DERECTORATE  WAN DERECTORATE  WAN DIRECTORATE  WAN DERECTORATE  WAN DERECTO		Z Z Z Z Z X X X X X X X X X X X X X X X	X Z Z X X X Z Z X X X X Z Z X X X X X Z X	x x x x x x x x x x x x x x x x x x x	X X X X X X X X X X X X X X X X X X X
THE CYCLE STAGE MHEN- UNCTION IS REQUIRED*	222	, 200	<del></del>	<del></del>	2 00
FUNCTIONS	DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS DETERNINE TRAINING DEVICE REQUIREMENTS. DEVELOP THAINING PLAN FOR HEETING REQUIREMENTS. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING. LITERATURE AND MATERIAS.	5. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE: 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS: 7. VALIDATE VERIEY TRAINING MATERIALS. 8. PARTICIPATE 19 FIELD USER TRAINING AND NET.		- 5 S	THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ICIPATED CONTINGENCIES.  NOTO PERINDICI RECENTATIONS OF BAS TO DETERMINE THUED TACTICAL SUTRAILITY AS CHANGES OCCUR IN ALL POCTRING. AND OPERALIONAL REQUIREMENTS.  T (SOFTWARE
I S N	2. DEVELOP AND E. TAAINING PR. RE-QUIRED BY SYSIEM CHANGE (EXCEPT FOR RE-EXCEPT FOR RE	CONTINE	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLANNING.	3. SUPPORT TO CRISIS/ WARTIME OPERATIONS.	4. ASSESS CONTINUED TACTICAL SUITABLE OF 8AS.  * 1 ~ AINTIME AF CONFIGURAT OF CONFIGURAT OF SUITABLE SOFT SUITABLE SOFT SUITABLE
	TROAM	5. FIELD 5	<u> </u>		16. 01HER

Figure D-33. (concluded)

- (1) Relationship of PDSS functions and the system life cycle. The fourth column contains an entry indicating when each PDSS function will/may have to be performed during the system life cycle. This entry has been developed for each function based on the discussion of the relationship of PDSS and the system life cycle, contained in Chapter 1, Paragraph 1-4.c. Specific entries are further explained by the legend in the figure.
- (2) Relationship of PDSS functions and BAS in this BFA. Entries in the fifth column indicate the number of BAS in this BFA deemed to currently require performance of each PDSS function. This entry varies among the functions because of the unique relationship between each PDSS function and the system life cycle stage a system is in, as discussed in Paragraph (1), above. Entries in the sixth column indicate the number of BAS for which each function is currently being performed adequately. A lower number in column 6 than in column 5 indicates a shortfall in the capability of the baseline system.
- (3) Relationship of PDSS functions and organizational elements. Entries in the seventh through the tenth columns identify organizations at the directorate, division, or separate office levels, that are currently involved in the PDSS effort within this BFA. The entries under each organizational element indicate whether or not that element is adequately performing each of the functions for which it is responsible. An "X" has been entered whenever an element is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function, located to the left, for the relevant currently identified BAS whose stage in the life cycle requires performance of the function. A blank indicates that the function is not being performed adequately by the organizational element identified at the top of the column. An "N" entry indicates that the organizational element is not responsible for performing the PDSS function at this time.
- b. <u>Discussion of Capabilities</u>. Examination of Figure D-33 reveals no significant short falls in the capability of the current Baseline PDSS System to support BAS in the logistics portion of the CSS BFA at this time. However, the current capability does not appear to be adequate to handle increased PDSS requirements associated with new systems or the continued extension of existing systems. The requirement for resources to provide the capability to meet this projected increase in workload is discussed in the following paragraph.
- D-29. RESOURCES. The LOGCEN has many years of experience in providing PDSS to fielded systems and well established procedures for providing this support. Excellent relationships exist with the logistics systems developer, the CSC Support Group, Ft. Lee, and activities of both organizations are closely coordinated to provide the most effective and responsive support possible to the User. This support ranges from emergency customer assistance, to

scheduled installation of system changes designed to improve a system's capability to satisfy important user requirements. These PDSS functions are conducted as integral parts of the total system development and system life cycle management effort for which the LOGCEN is responsible. No system action officers are assigned exclusively to PDSS functions. Instead, they perform PDSS functions along with all other system development and management actions for which they are responsible. Consequently, it has not been possible to identify personnel resources committed solely to PDSS at the LOGCEN. However, with all Management Information Systems Directorate personnel fully committed on present systems, it is clear that additional personnel are needed to handle the projected increase in PDSS requirements. These requirements arise from the scheduled development and deployment of new systems including the CSS Control System, the further extension of existing systems to additional Users, and the need for an organizational element to serve as a focal point for coordinating LOGCEN PDSS activity. An estimate of additional personnel resources needed to satisfy these requirements is shown below.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required <sup>l</sup> Military Civilian Total	33 77 110	33 77 110	33 77 110	35 79 114	35 79 114	35 79 114	35 79 114
Authorized <sup>1</sup> Military Civilian TOTAL	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102
Additional No Military Civilian TOTAL	e <b>eded</b> 3 5 8	3 5 8	3 5 8	5 7 12	5 7 12	5 7 12	5 7 12

Not limited to PDSS personnel; includes all personnel in Management Information Systems Directorate directly involved in systems development and life cycle management.

### SECTION IX. COMBAT SERVICE SUPPORT BFA--US ARMY SOLDIER SUPPORT CENTER

- D-30. SYSTEM DESCRIPTION. The current, TRADOC Baseline System for providing PDSS to the personnel portion of the Combat Service Support (CSS) BFA has its focal point in the US Army Soldier Support Center (SSC), at Fort Benjamin Harrison, Indiana. The principal action-level element for PDSS at SSC is the Management Information Systems Division (MISD), in the Directorate of Doctrine and Combat Development (DDCD), of the US Army Institute of Personnel and Resource Management. The Directorate of Training Developments, of that Institute, is also involved, secondarily, in the Baseline PDSS System, as are TRADOC elements at other installations. Outside of TRADOC, elements of Deputy Chief of Staff, Personnel (DCSPER), Military Personnel Center (MILPERCEN) Computer Systems Command, Health Services Command, and Users are also involved in the Baseline. Figure D-34 shows the organizational structure of the TRADOC elements of the Baseline at SSC. Figure D-35 shows, in less detail, the structure of the total TRADOC Baseline PDSS System for the personnel portion of the CSS BFA.
- D-31. RESPONSIBILITIES AND RELATIONSHIPS. This paragraph reviews the responsibilities, BAS involved, and relationships resulting among the elements within the TRADOC Baseline System for providing PDSS in the personnel portion of the CSS BFA.
- a. Responsibilities. A relatively detailed discussion of the evident responsibilities of SSC and MILPERCEN, as they pertain to PDSS in the personnel portion of the CSS BFA, was provided in Paragraph 2-4.g.(2)(c) and following paragraphs of the First Interim Technical Report, pages 2-56 through 2-62, and 3-32. It was pointed out in that discussion that the relevant charters and responsibilities have recently been undergoing significant changes, that some areas remained ill-defined, and that further changes were probably needed. It was also pointed out in that report that substantial overlap in responsibilities between SSC and MILPERCEN was apparent. Since no significant changes are known to have occurred since that report, that discussion will not be repeated here. Nevertheless, although a lack of formalization is evident, principal PDSS responsibilities within SSC appear to fall within the MISD and other elements of the DDCD, as identified in Figure D-34, above. Responsibility for, at least, training materials pertaining to PDSS should logically fall within the Directorate of Training Development, although no relevant BAS has reached a stage where such responsibility has needed to be exercised, since MILPERCEN has exercised responsibility over Standard Installation Division Personnel Systems (SIDPERS). A table of 64 TRADOC PDSS functions which are generally applicable, dependent on the life cycle stage of the relevant BAS, will be used as a basis for assessing PDSS system capabilities, for this portion of the CSS BFA, in Paragraph D-32, below.
- b. <u>BAS Addressed</u>. In the First Interim Technical Report of this study effort, ten BAS or related categories of activity were identified that could be anticipated to require some degree of PDSS in this portion of the CSS BFA. Because many of those ten are seen primarily to involve monitoring




Figure D-34. TRADOC elements of Baseline PDSS System at SSC




Figure D-35. Overall TRADOC Elements of Baseline PDSS System for personnel portion of CSS BFA

or coordination responsibilities by SSC, that list of ten was consolidated into five categories for this report. Of these five, one is a specific BAS which will require significant PDSS, the New Personnel System or PERMIS Future. Another one of the five which may present a significant PDSS requirement is the Personnel Support Subsystem for the CSS Control System for the Command, Control and Subordinate Systems (CCS<sup>2</sup>) concept. Of the remaining three categories, only Software Conversion for New Hardware, which is in the post-deployment phase, appears to present a significant, current PDSS requirement (and MILPERCEN has retained control of that effort thus far). These five categories are identified in Figure D-36.

- c. Principal Interfaces. Figures D-34 and D-35, above, identified the TRADOC elements involved in the Baseline PDSS System for the SSC portion of the CSS BFA. Figure D-37 combines that TRADOC structure with a summary identification of the non-TRADOC elements involved. Although PDSS interfaces of some sort will exist among most of these elements, those interfaces, through which the major TRADOC portions of the volume of PDSS transactions pass in the current Baseline PDSS System, center around the MISD of the DDCD at SSC. Such principal interfaces are indicated in Figure D-38.
- D-32. SYSTEM CAPABILITIES. An assessment of the capabilities of the current Baseline PDSS System for the personnel portion of the CSS BFA is presented in Figure D-39. This figure summarizes the results of considering each of the five BAS categories (Figure D-36) against each of 64 PDSS functions. The assessment involves a judgement as to whether the Baseline PDSS System is now adequately fulfilling a given function now required by a given BAS category. Such a judgement was made for each function currently required by each BAS category. In Figure D-39, each of six broad task areas, on the left, are broken down into major TRADOC responsibilities, which are then divided into more detailed PDSS functions. To the right of these PDSS functions is a column designating in which of three stages of the BAS life cycle each PDSS function must be initiated. In the next column, a number appears, for each function, indicating the number of BAS categories deemed to currently require performance of the PDSS function to the left. In the next column, a number indicates for how many of those BAS categories requiring it the PDSS function at left is deemed to be adequately performed now by the Baseline PDSS System. Next appear three columns headed by the identity of existing TRADOC elements which perform PDSS functions. An "X" in these columns indicates that a given element is judged to have the capability to adequately perform a needed function; an "N" indicates that a given element does not currently need to perform that function; while a blank indicates that a needed function is not being performed adequately. This figure thus provides a measure of the extent to which the Baseline System is deemed to be fulfilling current PDSS responsibilities. It can be seen in this figure that zeroes appear on the first seven lines, for the number of BAS or BAS groups requiring performance of these functions. These zeroes result from a perception by SSC regarding TRADOC responsibilities for the BAS involved. SSC now conceives MILPERCEN to have, under current regulations and agreements, principal CD responsibilities for most of these systems, especially in those portions of the system life cycle where PDSS functions impose most of their requirements for resources.

## BATTLEFIELD AUTOMATED SYSTEM (BAS) AND STAGE IN LIFE CYCLE

- SOFTWARE CONVERSION FOR NEW HARDWARE (DAS3, ETC.) (POST-DEPLOYMENT)
- 2. PERSONNEL SUPPORT SUBSYSTEM FOR THE CSS CONTROL SYSTEM FOR CCS<sup>2</sup> (CONCEPTUAL)
- 3. NEW PERSONNEL SYSTEM (PERMIS) (CONCEPTUAL)
- 4. INTERFACES WITH TAMMIS (CONCEPTUAL)
- 5. OTHER\* (POST-DEPLOYMENT THROUGH EARLY CONCEPTUAL)
- \* PRIMARILY MONITORING, OVERSIGHT, COORDINATION. SYSTEMS INCLUDED ARE: SIDPERS AND SIDPERS WARTIME AND A RELATED PERSONNEL SOFTWARE PACKAGE FOR DLDED; PWIS; VFDMIS; TAPER AND TAPER WARTIME; AND VTAADS. FOR ADDITIONAL DETAILS, REFERENCE MAY BE MADE TO FIRST INTERIM TECHNICAL REPORT, PP. 2-53 THROUGH 2-55, AND 3-30 THROUGH 3-31.

Figure D-36. Systems requiring PDSS--Soldier Support Center




Figure D- 37. Principal TRADOC and other elements in Baseline PDSS System for personnel portion of CSS BFA

•	MANAGEMENT INFO SYS. DIV., DDCD, SSC	ANALYSIS DIV., DDCD	ADMINISTRATION AND FINANCE, DOCD	MP BR., A 8	C' DEVEL. BR. AC'/J DIV., C'1, CACDA	ان	SYSTEMS DESIGN BR., AHS	FIELD MILITARY SYS. BR., MILPERCEN	IAISON,	IS PMO, USACSC	DID SSC	. 5
MANAGEMENT INFORMATION SYSTEMS DIVISION, DDCD,SSC	K		O	0	3	3	9	0	O	D	<b>9</b> G	0
ANALYSIS DIVISION, DDCD	O	V		T						T		
ADMINISTRATION AND FINANCE DIV., DDCD	Ö		V	T	1	1	T	7		$\top$	_	17
AC <sup>2</sup> MP BRANCH, AUTOM. & COMM. DIV, CDD, LOGCEN	Ü			abla i	5	0	( )	7	0	3	$\top$	
C <sup>2</sup> DEVELOPMENT BRANCE, AC <sup>2</sup> /J DIV, C <sup>3</sup> 1, CACDA	V			S)	1	U	Ö	T	7	T	T	$\Box$
JINTACCS OFFICE, AC <sup>2</sup> /J DIV.	O			7		V		$\neg$			T	
SYSTEMS DESIGN BRANCH, AMS, FT. SAM HOUSTON	0			Ú	Ĭ	7	V	7	1	1	_	0
FIELD MILITARY SYSTEMS BR., FLD ACTIVITIES DIV, PER.MGT.SYS.DIR., MILPERCEN	Ü	П		Ď	1	_		abla i	0	_(	3	T
SSC LIAISON OFFICE, NATIONAL CAPITOL REGION	()			5	7	- 1	-	Ò		T		1
TACMIS PMO, USACSC	Ġ			1	1			٦		T		П
PERS. SYS. DIV., PERS. & FORCE ACTG SYST. DIR., USACSC	()		1	$\dashv$	1	Ť	_	O	_	7	J	П
		$\neg \neg$	-+	-	_	_	_		+		_	~~
DTD, SSC	()		1	- 1		- 1	i	- 1		i		J

Figure D-38. Principal interfaces, Baseline PDSS System, SSC portion of CSS BFA

LIFE CYCLE STAGE WHEN FUNCTION IS REQUISED* NUMBER OF BAS REQUIRING FUNCTION REQUIRING FUNCTION NGT INFO SYS DIV, IN NGT INFO SYS DIV, IN IN DDCD STRUCKLY SUPPORTED TO SE SO	ZZ Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		Z Z Z X X X X X X X X X X X X X X X X X
LIFE CYCLE STAGE WHEN LIFE CYCLE STAGE WHEN CAR TO BE BAS		2 2	EE 2/22 22	丰丰
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRUG. 3. PARTICIPATE IN DESIGNATION OF PUSS CENTER FOR EACH BAS. 1. PROVIDE REPRESENTATION ON EACH BAS SCCO. 2. PROVIDE REPRESENTATION ON CACH BAS SSCOO. 3. PROVIDE REPRESENTATION ON CACH BAS SSCOO. 4. PROVIDE REPRESENTATION ON CACH BAS FSCOO. 5. PROVIDE REPRESENTATION ON AND RECUTIVE LEVEL CCO. 6. PROVIDE REPRESENTATION ON AND RECUTIVE LEVEL CCO. 7. PROVIDE REPRESENTATION ON AND RECUTIVE LEVEL CCO.	- 000 - 0	3. CORRINATE WITH MO IN NOTIFING THE USEN US.  RECEIT AND PLAN OF ACTION OF REQUIRE SOLUTION TO THE FIELD.  5. ESTABLISH, IN COGRODINATION WITH MO, PRIORITY OF CHANGE AND TIME FRAME FOR CHANGE TO BE EFFECTED.  1. RECEIVE REQUIREMENT FROM USEN.  2. EXAMINE BASIS FOR REQUIREMENT.  3. CORRINATE WITH MO RECARBING ACTION TO SATISFY STONEY OF MEDITED REQUIREMENT.  4. INFORM USER OF PLANKED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELUP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR INHACT ON AFFECTED SYSTEMS. Z. DETERNINE AND EXAMINE THPACT ON SYSTEM INTEROPERABLITY BASELINE.
TRADOC RESPONSIBILITY	PARTICIPATE WITH MD IN DEVELOPING AND MAIN- DEVELOPING AND MAIN- STAINING POSS PLANS FOR EACH 8AS. PARTICIPATE WITH MD IN CONFIGURATION MANAGE-HENT.	. MANAGE CD POSS EFFORT.  PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. ANALYZE USER-STATED REQUIREMENTS.	3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS,
A38A X2AT	<u> [xi</u>	1. MANAGEMEN		S. ANALYS

Figure D-39. Baseline requirements and capabilities--CSS BFA, Soldier Support Center (continued on next page)

	TT	Т	П	$\Box$		П	T	1			П	T		П	1				ī		
	++	十	H	$H^-$		H	+	$\dashv$			+	†-	<del> </del>	H	-		H	$\sqcap$	+	$\dashv$	
	-++	+	Н	$\vdash$	-	H	$\dashv$	$\dashv$			+	+	<del> -</del>	H	-		Н	$\vdash$	+	$\dashv$	
	-++	+	H	H-	<del>                                     </del>	H	+	$\dashv$		-	H	+	<del> </del>	H	$\dashv$		H	$\vdash \downarrow$	+	$\dashv$	
		+	H	Н-		Н	4			_	Ц	+	<u> </u>	┦	-		Ц	니	4		
		$\downarrow$	$\sqcup$	Ц.	<b> </b>	Ц	4	_			$\perp$	1	<u> </u>	Ц			Ц	Ц	4		<u> </u>
		$\perp$		Щ		Ц	$\downarrow$	_			Ц	$\perp$		Ц	_		Ц	Ц	1		
	$\perp \downarrow \downarrow$	1	$\perp$	Ш		Ц						l		Ц			Ц	$\square$			
						} }	ij	_				1							1		
		T	T	$\Pi$		П				_	П	Ť		П	_		П		1	$\neg$	
		+		$H^-$	1	H	$\dashv$				H	T	_	Н	_			П	1	$\dashv$	
	-11	+	†	$\vdash$	-	Η	T				H	+	<del> </del>	H	-		H	Η	+		
DEAETOBWER12	Z 2	1	2 2	ZZ	Z	Z	z	Z	Z	7	z	z z	١-,	Z	Z	z		Z	Z	-	7
IN DOCD DIRECTORATE OF TE: INING DEVELOPMENTS		+	<del>}</del>	₩-			-			_ Z		╁	├	<del>:  </del>	_	_	-	<del>i - 1</del>	-+	Z	
*ATC SHOWERT & MEMORY:	ZZ	4	2 Z	₩-	├	Н	7	Z	Z	Z	Н.	×Ζ		1 1	Z	Z	Н	┢- ˈ	Z	Z	Z
MET 1NFO SYS DIV, IN	××	*	1×	×	<u> </u>	14	۲	×		×	×	<u>2</u>  ×	×	17	×	×	×	1	ĭ	×	×
### PERCONSTRUCTION   PRICE   PRICE	27	4	10	20	2	1	2	2	9		4	4	-	너	Ŋ	2	L	2	7	7	
NUMBER OF BAS REQUIRING FUNCTION —	7	9	10	49	2	0	7	. 4	2	-	Į-ŀ	-6	-	H	2	2	-	7	2	2	-
LIFE CYCLE STAGE WHEN HUNCTION IS REQUISED.	2	~	2	2/2	2	2	2	2	2	~	~	<b>√</b> ~	~	~	2	2	<u>س</u>	~	-	<u>.</u>	3
30-23 3 (GRG 331 (		1	Ť	$\Pi$	$\vdash$	П	H					+		П	<u> </u>		1	П	П		
FUNCT 10NS	1 IDENTIFY OPERATIONAL IMPACT. 12 IDENTIFY USER-RESOURCE REQUIREMENT IMPACT.	(3 TOENTIFY TRAINING IMPACT.	15. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS.	1 1	1. DEFINE REQUIREMENT IN APPROPRIATE "	12. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT.	13, PROVIDE REQUIREMENT TO MO.	4. COORDINATE WITH MD IN ESTABLISHING CHANGE PRIORITIES AND OBJECTIVE IDC DATE.	5. MAINTAIN COGRDINATION WITH MO DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	÷	منه	IS MANITON OFVER OPPEN TEST (DT)	₹.	16. PLAN AND CONDUCT OTHER SYSTEM OT.	7. PLAN AND CONDUCT OR MONITOR USER ACCEPTANCE	8. EVALUATE OPERATIONAL SUITABILITY AND FFECTIVENESS.	19. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD	1 1	2. FUNCTION AS USER SURROGATE.	3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ TACTICAL ASPECTS OF SYSTEM EMPLOYMENT.	A COORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY OF FOR SOFTWARE CHANGE PACKAGE IT IN THE FIFTH
TRADOC RESPONSIBILITY)	4. AMALYZE FÜNCT TONAL IMPACT OF PROPOSEQI	SYSTEM CHANGES		•	1. DEVELOP FUNCTIONAL	בושמפב עבלתועכשבשיי				1. MONITOR, PARTICIPATE	TESTING AS APPRO-	PRIATE.						1. MAINTAIN INTERFACE		FUNCTIONAL GUIDANCE	:
TASK AREA	(03	ואר.	TNO	2)	МО	ITA	10	1100	ж	<u> </u>	_			,:	TINC.	231				TR09	uns .
A3GA Y2AT	كسل	SIS	Y JA	NA S			Ų.	3721	3. S	<u> </u>					Wil	275	٠,	<u> </u>	_	97	314 .4

Figure D-39. (continued)

MUNEER OF BEST OF THE TIME OF		Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z Z X
LITE CYCLE STRGE WHEN FUNCTION IS REQUISED WITH FUNCTION RECUISED.	200 0 000		2
FUNCTIONS	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT 2. DEVERBINE TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING DEVICE REQUIREMENTS. 4. DEVELOP RAINING PLAIN FOR MEETING REQUIREMENTS. 4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING. 5. LEVER TRAINING SCENARIOS FOR INSTITUTION AND FILED USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VALIDATE VIEWER TRAINING NATERIALS. 8. PARTICIPARE TRAINING NATERIALS. 8. PARTICIPARE TRAINING NATERIALS.	1. IDENTIFY REQUIREMENTS. 2. SPECIFY IN REQUIREMENTS. 1. COORDINATE WITH MU IN PLANNING FOR REQUIRED. 2. PROVIDE FON "TACTICAL TAILORING" OF FIELDED. 3. SOFTWARE TO CURTINGENCY MISSION. 1. SPECIFY DISSIBLES IN EXPONSE IN FOUNDER TO THE WOST. 2. EXAMINE ALTERATIVE'S FOR PROVIDING THE WOST. 2. EXAMINE ALTERATIVE'S FOR PROVIDING THE WOST. 3. CORRUPTATE WITH THE WILL WARTOWS. 3. CORRUPTATE WITH THE WILL WARTOWS. 3. CORRUPTATE WITH THE WILL WARTOWS. 4. DEVELOP PROCEDURAL WAINT-ANGURES. 5. LEVELOP PROCEDURAL WAINT-ANGURES. 5. THROUGH FORMIT SOFTWARE LIMBRICES. 5. THROUGH FORTOW THE UNANTERS INTO THE SOFTWARE UNANTERS.	SS CONTINUED 1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE LICAL SUITABILITY AS CHANGES OCCUR IN MAS.  • ANYTHE AFTER POSS PLAINING  • ANYTHE SOFTWARE FREEZE POINT (SOFTWARE  CONFIGURATION ESTABLISHED)  • AFTER SEFERE FIELDING  • AFTER PELDING  • AFTER POST POINT (SOFTWARE  CONFIGURATION ESTABLISHED)
TRADOC RESPONSIBILITY	2. DEVELOP AND MANAGE TRAINING PROGRAM RE-1 QUIRED BY SYSTEM CHANGE (EXCEPT FOR NEW EQUIPMENT TRAIN-	1. JOINT AND INTER- NATIONAL HITEROPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLANKING. 3. SUPPORT TO CRISIS/ MARTINE OPERATIONS.;	4. ASSESS CONTINUED TACTICAL SUITABILITY   OF BAS. 2 - AIYTIME AFTER PDSS 2 - AFTER SOFTWARE FREE CONFIGURATION ESTAI
TASK AREA	(CONTINUED)	нзі	10.51

Figure D-39. (concluded)

For these same lines, however, under the organizational element column for SSC's Management Information Systems Division (MISD), Xs have been entered. These Xs are to indicate that MISD does have the capability to perform those seven functions, should it be deemed necessary. In fact, Xs appear in the MISD column for almost all functions, indicating that MISD has, with current resources, an adequate capability to meet its <u>current</u> requirements. This assessment by SSC reflects both MILPERCEN's principal role and also that the BAS involved are limited in number and extent and thereby tend to present a very modest workload. It should be emphasized, however, that requirements upon SSC's MISD may not remain as limited as they are at present. Should any system change involving over \$100,000 be identified by MILPERCEN, according to the MOU of 5-7 August 1980, then MISD would not have adequate capability with current resources.

- D-33. SYSTEM RESOURCE REQUIREMENTS. Resources currently on hand in the Baseline PDSS System and the currently perceived requirement for resources to fulfill Baseline functions and responsibilities in PDSS, are addressed in the following two paragraphs.
- a. <u>Current Resources</u>. TRADOC resources currently assigned or available to perform PDSS functions in the personnel portion of the CSS BFA are reflected in the capability assessment of the Baseline System presented above. The amount of resources currently available is estimated below:

### PERSONNEL:

Management Information System Div, DDCD, SSC Total on hand (3 Sep 80) 18 Estimated Available for PDSS 4

Other SSC Elements
Estimated Available for PDSS

b. Resource Requirements. Preliminary estimates were made at SSC on 3 September 1980 of the personnel resources required for performance of PDSS and related functions, with respect to BAS for which SSC could be envisioned to have either direct or indirect responsibilities. These estimates, for seven BAS categories and fiscal years 80-86, were presented as Figure 3-13 in the First Interim Technical Report of this study effort. Subsequently, in early October, SSC prepared a new set of estimates for both personnel and funding requirements, for use in the next cycle of DA review of Army-wide PDSS requirements. In mid-October, these estimates were further revised by SSC. Based on examination of all of these estimates, Figure D-40 summarizes anticipated personnel requirements and Figure D-41 summarizes anticipated funding requirements. These numbers can be characterized as reflecting SSC's perception of what is required to fulfill SSC's envisioned responsibilities and functions in the general area of PDSS. These numbers, however, may not fall totally within the confines of the current Baseline Consideration Company in Company uncerstood set of functions and system boundaries was not input to the estimation process. Nevertheless, these numbers give some indication of the resources that may be required to fulfill current responsibilities.

BOM SERVICES CO LEAVENWORTH KS.

F/G 9/2
ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE IN POST-DEPLOYMENT SO-ETC(U)
DEC 80 L H CHARITY, J M MCCURDY, P L DUNN
MDA903-80-C-0479
BDMSC/L-80-007-TR
NI AD-A100 484 UNCLASSIFIED C 70C Newson

				FY			
	81	82	83	84	85	86	87
REQUIRED							
MILITARY	3	3	5	8	8	6	6
CIVILIAN	0	0	2	4	2	_2	2
TOTAL	3	3	7	12	10	8	8
AUTHORIZED	(PD	SS PO	RTION	)			
MILITARY	6	6	6	6	6	6	6
CIVILIAN	0	<u>0</u> 6	0	0	0	0	<u>0</u> 6
TOTAL	6	6	6	6	6	6	6
ADDITIONAL NEEDED							
MILITARY	-3	-3	-1	2	2	0	0
CIVILIAN	<u> </u>	0	2	4	2	2	2
TOTAL	-3	-3	1	6	4	2	2

Figure D-40. Personnel required, Baseline PDSS System, SSC portion of CSS BFA  $\star$ 

 $<sup>\</sup>mbox{\scriptsize \star}$  Assuming no change in current SSC/MILPERCEN division of responsibilities.

Constant FY81 K\$

	FY01	FY82	FY83	FY84	FY85	FY86	FY87
DEVELOPMENT (RDT&E)	-	1	1	-	_	1	
PROCUREMENT (PA	_	_	_	_	-	_	_
CONSTRUCTION (MCA)	-	-	-	-		_	
OPERATIONS & MAINTENANCE (OMA)							
CIVILIAN SALARIES	!		63	126	63	63	63
TRAVEL	12	12	30	61	43	34	34
TOTAL	12	12	93	187	106	97	97

Figure D-41. Funding required, Baseline PDSS System, SSC portion of CSS BFA\*

 $\mbox{\scriptsize \star}$  Assuming no change in current SSC/MILPERCEN division of responsibilities.

### SECTION X. MANEUVER BFA

D-34. SYSTEM DESCRIPTION. The US Army Combined Arms Center is designated, by TRADOC Reg. 10-41, as one of three major TRADOC integrating centers. It has the mission of integrating and coordinating materiel and force modernization requirements within the combined arms functional areas of combat, combat support, and command and control. Included in this mission is TRADOC proponency for the Maneuver BFA. Within the Combined Arms Center (CAC), the Combined Arms Combat Development Activity (CACDA) has primary responsibility for this mission and serves as the TRADOC proponent and integrator of combat developments in the Maneuver BFA. CACDA and the other Maneuver-BFA-associated TRADOC centers and schools are shown in Figure D-42. Of the associated centers and schools shown in the figure only the US Army Armor Center and the US Army Aviation Center are proponents for BAS being addressed in this study. The Armor Center is proponent for the Advanced Attack Helicopter, a Category Z BAS, while the Aviation Center is proponent for 10 Category 3 BAS in this BFA. TRADOC System Managers (TSM) involved with BAS in this BFA include:


- The TSM, Advanced Attack Helicopter (AAH), located at the Aviation Center
- The TSM, XM-1 Tank, located at the Armor Center. The fire control system of the XM-1 Tank is a Category 3 BAS. The Combined Arms Center is the proponent for this BAS
- TSM, Position/Navigation, located at CACDA, who has responsibility for the AN/PSN-6 Position Location Navigation Set (LORAN), a Category 3 system in this BFA, as well as responsibility for additional BAS addressed in other BFA, e.g., PLRS, GPS.

Also shown in Figure D-42 are the subordinate elements of CACDA that are involved in the development and life cycle management of BAS in this BFA, in the current Baseline System. As indicated by the figure, functions associated with Maneuver BFA BAS fall into three directorates within CACDA. Responsibilities of each of these organizations are discussed in the paragraphs that follow.

### D-35. RESPONSIBILITIES AND RELATIONSHIPS.

a. Responsibilities. CACDA acts as the TRADOC proponent for integration of all tactical automated systems and coordinates and integrates the tactical data and associated communications system requirements of all combat, combat support, and combat service support systems. With respect to BAS in the Maneuver BFA, three directorates of CACDA have responsibilities as discussed below.

FRECEDING EAGE BLANK-NOT FILEED



- ••• COORDINATION AND TASKING
- --- COMMAND

Figure D-42. Organizations with major responsibilities in the PDSS Baseline System for Maneuver BFA BAS

- (1) <u>Concepts and Doctrinal Management Directorate</u>. This directorate, among other functions, acts as the CAC proponent for the maneuver system at corps, division, and brigade levels. This function is further assigned to the Combined Arms Concepts Division of this directorate.
- (2) <u>Materiel Integration Directorate</u>. This directorate is responsible for reviewing, integrating, and validating all materiel requirements documents developed by TRADOC-associated schools/centers. The Combat Division of this directorate serves as the CAC proponent for materiel combat developments pertaining to armor, infantry, aviation, airborne, and special forces, major components of the Maneuver BFA.
- (3) <u>C3I Directorate</u>. This directorate serves as the TRADOC proponent for the <u>Command Control</u> System, for Battlefield Automation Systems (BAS) Management, and the Force Level and Maneuver Control System. Within this directorate, the Army <u>C2/JINTACCS</u> Division serves as the TRADOC proponent for Force Control and Maneuver Control (FC & MC) systems, and acts as the TRADOC focal point for PDSS. The Methodology and Analysis Division is the TRADOC proponent for BAS management and for coordinating, assessing, and integrating the tactical data and related communications system requirements of combat, combat support, and combat service support organizations.
- b. BAS to be Supported. The Advanced Attack Helicopter is the only Category 1 or 2 BAS to be addressed in this BFA at this time. As mentioned previously, the US Army Armor Center is the proponent for this system. In addition to this Category 2 BAS, there are 13 Category 3 BAS in this BFA which will also require some less extensive Combat Developer participation in the PDSS effort devoted to them. The US Army Aviation Center is the proponent for 10 of these systems, CAC is the proponent for two, and the TSM Position/Navigation is proponent for one. It should also be noted that portions of both SIGMA and PLRS are to support this BFA. However, PDSS for these systems is addressed under the discussion of the Force Level Control and Communications Functional Areas, respectively, since it is in those areas that the greatest requirement for PDSS resources to support these systems will exist.
- c. <u>Principal Interfaces</u>. Interfaces, within and external to TRADOC, must be established and maintained by organizations involved with PDSS for BAS in the Maneuver BFA shown in Figure D-43. Primary responsibility for these interfaces rests with the proponent Combat Developer organization and the TSM for those systems for which a TSM has been established. With respect to the one Category 2 system in this BFA (i.e., the Advanced Attack Helicopter), development is proceeding under the PM Advanced Attack Helicopter, St. Louis. CERCOM, TSARCOM, ARRCOM, and MICOM may each be involved to some extent as the DARCOM readiness command for this system. No PDSS Center has been designated at this time to support this system. The Armor Center, as the proponent, and CACDA, as the integrating center, must coordinate with the system developer, at the appropriate time in the life cycle, in designating a PDSS Center for this system. Other CACDA and Aviation Center interfaces with ARRADCOM, AVRADCOM, and ERADCOM are required in connection with Category 3 BAS in this BFA.




Figure D-43. Principal organizations that must interact in the Maneuver BFA PDSS Baseline System

### D-36. SYSTEM CAPABILITIES.

- a. <u>PDSS Functions</u>. Combat Developer PDSS responsibilites that were identified during Phase I of this study were used as a basis for describing and analyzing the current capabilities of the Maneuver BFA Baseline PDSS System. These responsibilities are shown in Figure D-44. Six task areas are shown in the first column. The second column identifies PDSS responsibilities in each of these general areas. The third column describes the functions that must be performed to fulfill the responsibility shown in the second column. Information shown in the remaining columns is described below.
- (1) Relationship of PDSS functions and the system life cycle. The fourth column contains an entry indicating when each PDSS function will/may have to be performed during the system life cycle. This entry has been developed for each function based on the discussion of the relationship of PDSS and the system life cycle, contained in Chapter 1, Paragraph 1-4.c. Specific entries are further explained by the legend in the figure.
- (2) Relationship of PDSS functions and BAS in this BFA. Entries in the fifth column indicate the number of Category 1 and 2 BAS in this BFA deemed to currently require performance of each PDSS function. This entry varies among the functions because of the unique relationship between each PDSS function and the system life cycle stage a system is in, as discussed in Paragraph (1), above. Entries in the sixth column indicate the number of BAS in this BFA for which each function is currently being performed adequately. In this case the entries reflect the AAH.
- (3) Relationship of PDSS functions and organizational elements. Entries in the seventh through the thirteenth columns identify organizations at the directorate, division, or separate office levels, that are currently involved in the PDSS effort within this BFA. The entries under each organizational element indicate whether or not that element is adequately performing each of the functions for which it is responsible. An "X" has been entered whenever an element is deemed to be satisfactorily fulfilling or participating in fulfilling the PDSS function, located to the left, for the relevant currently identified BAS whose stage in the life cycle requires performance of that function. A blank indicates that the function is not being performed by the organizational element identified at the top of the column. An "N" entry indicates that the organizational element is not responsible for performing the PDSS function at this time.
- b. <u>Discussion of Current Capabilities</u>. A review of Figure D-44 reveals no significant shortfalls in the capabilities to support the AAH at this time.

THANGE RESPONSEILLITY  THANGE OF RESPONSEILLITY  THANGE OF THE CHAPTER WITH NO. IN PRATTICIPATE WIT		#	+	-				1						-				
THADOC RESPONSIBILITY  PRATICIPATE WITH NO IN I. PRATICIPATE WITH WITH NO INVERTED WITH WITH WITH WITH WITH WITH WITH WITH			1	<del>                                      </del>				+				1	+	+				
THADOC RESPONSIBILITY  PRATICIPATE WITH NO IN I. PRATICIPATE WITH WITH NO INVERTED WITH WITH WITH WITH WITH WITH WITH WITH	DIR. CACIDA CONCEPTS AND DOCT-:INAL MGMT DIR. CACIDA							1				-		-				
THANDOC RESPONSIBILLITY  DEVELORISE WITH HE IN IT. PRATICIPATE IN IT. PROVIDE REPRESENTATION OF THE CROP.  1. PRATICIPATE WITH HE IN IT. PROVIDE REPRESENTATION OF POSS CENTER FOR EACH AMALYSIS OF THE CROWN OF THE	WATERIEL THTEGRATION	$\dashv +$		+	$\left  \cdot \cdot \right $		H	+				+-	+	+	-	+		
TAMOG RESPONSIBILITY  PARTICIPATE WITH NO IN 1. PRATICIPATE IN DEVELOPMENT OF THE COMP.  TAKING PASS.  PARTICIPATE WITH NO IN 1. PRATICIPATE IN DEVELOPMENT OF THE COMP.  TAKING PASS.  PARTICIPATE WITH NO IN 1. PROVIDE REPRESENTATION ON EACH BAS COB.  TAKING PASS.  PARTICIPATE WITH NO IN 1. PROVIDE REPRESENTATION ON EACH BAS COB.  TAKING PASS.  TAKING	GRACE	ZZ	z z		z		Z	Z	z	Z	Z	7	z :	z z	Z	z	· z	
TAMOC RESPONSIBILITY  TO PARTICIPATE WITH NO IN 1. PARTICIPATE IN GENCIOPER OF THE CORP.  TO PARTICIPATE WITH NO IN 1. PARTICIPATE IN GENCIOPER OF THE CORP.  TAKING BOSS PASS PASS PASS PASS PASS PASS PASS P	HAA ,MZT		-+-	++	<del> j</del>		1	4	<del>- í</del>				<del></del>	<del></del>	<del></del>	-	i	
TAMALYZE FURER-STATE OF THE MODEL AND THE FUNCTIONS  TAMALYZE FURER-STATE OF THE MODEL AND TESTED OF BETTER THE MODEL AND TESTED OF BETTER THE MODEL AND THE MODELS THE STATE OF THE MODEL AND THE STAND OF THE MODELS THE STAND OF THE STAND O	DIRECTORATE OF TEXTUME DEV. ARMOR CENTER	22		-	+		$\overline{}$	Z	Z	Z	Z	Z	_	_		Z	Z	
TAMALYZE FURER-STATE OF THE MODEL AND THE FUNCTIONS  TAMALYZE FURER-STATE OF THE MODEL AND TESTED OF BETTER THE MODEL AND TESTED OF BETTER THE MODEL AND THE MODELS THE STATE OF THE MODEL AND THE STAND OF THE MODELS THE STAND OF THE STAND O	DIRECTORATE OF COMBA  DIRECTORATE OF COMBA  DIV ARMOR CENTER	<u> </u>	×!	<u> </u>	+	×	X	×	_×	×					-		_×	×
TAMOOC RESPONSIBILITY  PARTICIPATE WITH MO IN 1. PARTICIPATE IN DEVELOPMENT OF THE CRAPT.  TAINING AND WAIN— TAINING AND WAIN— TAINING POSS PLANS FOR 3. PRETENTING ON THE CRAPT.  TAINING POSS PLANS FOR 3. PRETENTING ON EACH BAS SCO.  CONTINUATION WANGE.  PROVIDE REPRESENTATION ON EACH BAS SCO.  CONTINUATION WANGE.  PROVIDE REPRESENTATION ON EACH BAS SCO.  ANALYSE OF PASS EFFORT 1. DETERMINE REQUIREMENTS (PRESONNEL, EQUIPMENT).  ANALYSE USER-STATEO TO BE STABLISHED WINDER THE CCS CONCEPT.  CORROLINATE WITH HO ON DETERMINE TO ADDRESS THE PROBLEM.  CORROLINATE WITH HO ON TROUBLE RECORDS.  AND THE FRAME FOR ACTION HOTIFTH TO ADDRESS THE PROBLEM.  AND THE FRAME FOR ACTION HOTIFTH TO SATISFY ALLIAND SAMINE BASIS FOR REQUIREMENT.  CORROLINATE WITH HO OF REQUIREMENT.  AND THE FRAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE FRAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.	REQUIRING FUNCTION			11	+			7		_			+		-			
TAMOOC RESPONSIBILITY  PARTICIPATE WITH MO IN 1. PARTICIPATE IN DEVELOPMENT OF THE CRAPT.  TAINING AND WAIN— TAINING AND WAIN— TAINING POSS PLANS FOR 3. PRETENTING ON THE CRAPT.  TAINING POSS PLANS FOR 3. PRETENTING ON EACH BAS SCO.  CONTINUATION WANGE.  PROVIDE REPRESENTATION ON EACH BAS SCO.  CONTINUATION WANGE.  PROVIDE REPRESENTATION ON EACH BAS SCO.  ANALYSE OF PASS EFFORT 1. DETERMINE REQUIREMENTS (PRESONNEL, EQUIPMENT).  ANALYSE USER-STATEO TO BE STABLISHED WINDER THE CCS CONCEPT.  CORROLINATE WITH HO ON DETERMINE TO ADDRESS THE PROBLEM.  CORROLINATE WITH HO ON TROUBLE RECORDS.  AND THE FRAME FOR ACTION HOTIFTH TO ADDRESS THE PROBLEM.  AND THE FRAME FOR ACTION HOTIFTH TO SATISFY ALLIAND SAMINE BASIS FOR REQUIREMENT.  CORROLINATE WITH HO OF REQUIREMENT.  AND THE FRAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE FRAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND THE RAME FOR CHANGE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.  AND EXAMINE THE HORSE TO SAMINE THE HORSE TO SYSTEM IN HEROPER.	FUNCTION IS REQUIRED.  NUMBER OF BAS	-1-1		- 26	+			7	2	-		-+	+	┿	┼	Н	- 2	~
TAAGGC RESPONSIB  1. PARTICIPATE NITI DEVELOPING AND 1 TAINING POSS PL. EACH BAS. 2. PARTICIPATE WITH CARFIGURATION W HENT. 1. PERFORM ANALYSI BAS SOFTWARE PRG REPORTS. 2. AMALYZE USER-ST REQUIREMENTS. 3. AMALYZE FUNCTIO		1 44	بلت		4.	<u></u>	1 .			2. COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.	3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	A. COORDINATE WITH MO ON PROVIDING SOLUTION TO THE FIELD S. ESTABLISH, IN COORDINATION WITH MD. PRIORITY OF CHANGE	AND 11ME FRAME FOR CHANGE 10 DE EFFELIED.	I RECEIVE REQUIREMENT FROM USER.	3. COGNOTIVE WITH ME REGARDING ACTION TO SATISFY VAI 104 FO RECONSTRUCTS	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.		Z. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
	TAAOOG RESPONSIBILITY.	PARTICIPATE WITH	TAINING POSS PLA EACH BAS.	PARTICIPATE WITH	MENT.	Ψ			PERFORM ANALYST	REPORTS.				. ANALYZE USER-STATED PETHIOGRAPH	אבקסועבערען פי			CHAINGES ON SYSTEMS.
S. ANALYSIS 1. MANAGEMENT 7. AREA	A38A NZAT	┝╧╴	L	<u>~i_</u>	LN	·i	<u> </u>					<u>~i</u>		SI		8 .S		

Figure D-44. Baseline requirements and capabilities--MANEUVER BFA (continued on next page)

CONCEPTS AND DOCTRINAL MGMT DIR, CACDA**				
C31 DIRECTORATE, CACDA MATERIEL INTEGRATION				
ABANTEN & SOMMA BANDO & SOMMA	777777	Z Z Z Z Z	XXXX XX X XZ	ZZZZ
HAA ,MZT	XXXXXX		× ×× × × × × ×	, , , -, ,
DEV., ARMOR CENTER DIRECTORATE OF TRAINING DEV., ARMOR CENTEP		<del>-                                    </del>	यायय या य	
148.903 30 31480133810	╎ <del>╸╏╏╏</del>			<del>                                      </del>
**************************************				0000
LIFE CYCLE STAGE WHEN	202222	202 2 2	2222 22 2 25	C 6
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT 12. IDENTIFY USER RESOURCE REQUIREMENT IMPACT. 13. IDENTIFY TRAINING IMPACT. 14. IDENTIFY TRAINING IMPACT. 15. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 15. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 16. IDENTIFY HUMAN FACTORS IMPACT. 17. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	11. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 12. SPECIFY ANTEROFFEABILITY CHANGE REQUIREMENT. 13. PROPLIDE REQUIREMENT TO MD. 14. COORDINATE WITH MD IN ESTABLISHING CHANGE 15. MAINTAIN COORDINATION WITH MD DARING DEVELOPMENT 15. MAINTAIN COORDINATION WITH MD DARING DEVELOPMENT 16. CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	11. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM.  12. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA TO ACKLED SYSTEM CHANGE TEST CONDITIONS AND CRITERIA TO THREAT SCENARIOS.  14. MONITOR DEVELOPMENT TEST OF TAKEN TO THE TEST OF TESTING OF TAKEN OF THE TESTING OF TO TONDUCTED BY OFFER.  15. PLAN AND CONDUCT OTHER SYSTEM OF THE TESTING OF TAKEN AND CONDUCT OTHER SYSTEM OF THE TESTING OF THE	11. MAINTAIN COMMUNICATIONS WITH USERS. 22. EUNCTION AS USER SUBROGATE. 33. OBTELOP AND PROVIDE GUIDANCE ON DOCTRINAL. 1 ACTICAL AND PROVIDE SUBSTREE HEPLOYMENT. 44. COORDINATE WITH MO OIL THE SCHEÜULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE.
TRADOC RESPONSIBILITY	4. ANALYZE FUNCTIONAL INPACT OF PROPOSED SYSTEM CHANGES,	). DEVELOP FUNCTIONAL CHANGE REQUIREMENT,	1. MOUITOR, PARTICIPATE III, OR CORDUCT SYSTEM TESTING AS APPRO-	1. MAINTAIN THTEBFACE UITH AND PROVIDE FUNCTIONAL GUIDANCE TO FIELD USERS
A38A A28A	(CONTINUED)	MODIFICATION 3. SYSTEM	4. 5751EM. TESTING!	J. FIELD SUPPORTI

Figure D-44. (continued)

31 DIRECTORATE, CACODA- ALTERET, TATEGRATIAN IR, CACODA- ONCEPIS AND DOCTFLARL SMI DIR, CACODA-				LITIES FOR ALL FT. LYN. REG. 10-1
AMOR & ENGINEER OARD		ZZZZZ	× × × 2 ×	NIER RESPONSIBI
THE CYCLE STAGE RHEN UNCTION IS REQUISED.  HUMBER OF BAS  REQUIRING FUNCTION  RECOUNTER SUPPORTED  RECOUNTER SUPPORTED  RECOUNTER SUPPORTED  RECOUNTER OF COMEA  RECOUNTER OF COMEA  RECOUNTER OF COMEA  RECOUNTER OF COMEA  RECOUNTER OF THE RECOUNTER  RECOUNTER OF THE RECOUNTER OF THE RECOUNTER  RECOUNTER OF THE RECOUNTER OF TH	××× z ×××	Z Z Z Z Z Z Z O O O O	× × × z ×	
ENCTIONS SALES TOTAL PAIN	1. DETERMINE TRAINING/RETRAINING DEVELOPHENT REQUISEMENTS. 2. DEVELOP TRAINING DEVTCE REQUIREMENTS. 3. DEVELOP TRAINING DEVTCE REQUIREMENTS. 4. DEVELOP AND DISTAINED EUPOATED OR NEW TRAINING. 5. DEVELOP TRAINING SCENARIOS. 5. DEVELOP TRAINING SCENARIOS. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VAR LOTTEYNENTS TRAINING MATERIALS. 8. PARTICIPATE IN FIELD USER. 8. PARTICIPATE IN FIELD USER TRAINING AND NET.	2. SPECIFY IN REQUIREMENTS DOCUMENT.  1. COORDINATE WITH MD IN PLANKING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE. 2. PROVIDE FOR "ATCITICAL TAILORNING" OF FIELDED SOFTWARE TO CURTINGENCY MISSION. 3	1. SPECIFY PDSS HESPINSE REQUISEMENTS. 2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE PDSS UNDER VARIOUS SCHARIOS. 3. COORDINATE HITH THE MI IN PLANNING PDSS SUPPORT. 4. DEVELOP PROCEDURAL MORK AROUNDS HIER STRUKTON DOES NOT PERMIT SOFTWARE CHANGES. 5. THROUGH FRONT-FIND ANALYSIS, DESTON FLEXIBILITY INTO THE SOFTWARE TO ALLOW FILLD USER RESPONSE TO ANTICIPATED CUMITINGENCIES.	IONS OF BAS TO DET LITY AS CHANGES OC ATLOMAL, REQUIREMEN
TRADOC RESPONSIBILITY	2. DEVELOP AND MANAGE TALINING PROGRAM RE- QUIREO BY SYSTEM CHANGE (EXCEPT FOR MEN EQUIPMENT TRAIN- ING (NET)).	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLANNING.	3. SUPPORT TO CRISIS/ WARTINE OPERATIONS.	4. ASSESS CONTINUED TACTICAL SUITABILITY OF BAS.  1 INTINE AFYER PD 2 - AFTER SOFTWARE F CONFIGURATION ES 3 - AFTER FIELDING
A38A AZAT	S. FIELD SUPPORT (CONTINUED)		<del></del>	H10 .3

Figure D-44. (concluded)

D-37. RESOURCES. The results of the Phase I effort of this study did not indicate a requirement for Combat Developer PDSS resources in the Maneuver BFA at this time. However, the projected deployment of the AAH does create the need for additional personnel to handle PDSS requirements as shown below. These personnel should be located at either the Armor Center where proponency for the system is assigned or at the Aviation Center where the TSM for this system is located.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	<u>FY 87</u>
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Required							
Military	0	1	1	1	1	1	1
Civilian	0	1	1	1	1	1	1
TOTAL	0	2	2	2	2	2	2
Additional	Needed						
Military	0	1	1	1	1	1	1
Civilian	0	1	1	1	1	1	1
TOTAL	0	2	2	2	2	2	2

This resource estimate for the Maneuver BFA is based on the assumption that personnel at CACDA and at the Aviation Center, currently involved in the development of other (Category 3) BAS in this BFA, will be adequate to handle future system requirements in their areas of responsibility.

# APPENDIX E DESCRIPTION OF THE THEORETICAL SYSTEM

CONTENTS			
SECTION	I.	GENERAL	E-3
SECTION	II.	HQ TRADOC	E-7
SECTION	III.	US ARMY COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY	E-9
SECTION	IV.	FORCE LEVEL CONTROL AND MANEUVER BFA	E-11
SECTION	٧.	COMMUNICATIONS FUNCTIONAL AREA	E-23
SECTION	VI.	FIRE SUPPORT BFA	E-37
SECTION	.IIV	AIR DEFENSE BFA	E-51
SECTION	VIII.	INTELLIGENCE AND ELECTRONIC WARFARE BFA	E-69
SECTION	IX.	COMBAT SERVICE SUPPORT BFAUS ARMY LOGISTICS CENTER	E-81
SECTION	Х.	COMBAT SERVICE SUPPORT BFAUS ARMY SOLDIER SUPPORT CENTER	E-91

Friedbulmi rade brakk-NOr Flinku

#### SECTION I. GENERAL

E-1. INTRODUCTION. This appendix contains a description of a TRADOC Theoretical PDSS System for planning, managing, and performing those functions, associated with PDSS for BAS, that are the responsibility of the combat developer. This system, if implemented, would provide TRADOC the capability to fulfill all currently identified Combat Developer responsibilities in this important functional area, for all BAS projected to be in any life cycle phase requiring PDSS, through 1987. This section contains a general description of the Theoretical System. Subsequent sections of this appendix contain more detailed descriptions of each component of the Theoretical System to include their organization, responsibilities and relationships, and estimates of resources that would be required to implement the system.

### E-2. GENERAL SYSTEM DESCRIPTION.

- a. <u>Structure</u>. This TRADOC Theoretical PDSS System has been conceived under the <u>assumptions</u> listed in Chapter 1, and the design guidelines and other considerations discussed in Chapter 2. The result of this effort is a Theoretical System which provides a PDSS capability, tailored to the needs of HQ TRADOC and each of its functional centers that have or will have PDSS responsibilities by 1987. Figure E-l provides an overview of this Theoretical System, structured in accordance with the BFA concept. (This figure is repeated from Chapter 3 for the readers convenience in referring to it while reviewing this appendix.) The system depicted provides for:
  - PDSS Staff Elements at HQ TRADOC and at the US Army Combined Arms Combat Development Activity (CACDA) to plan, program, and coordinate the system.
  - A Combat Developments System Manager (CDSM) for each Category 1 BAS and for all other BAS as required based on analysis of requirements in each BFA.
  - Combat Developer Support Facility (CDSE), or PDSS augmentation of an existing major software organization, at each TRADOC functional center having a collocated MD PDSS Center.
  - A Combat Developer Support Element (CDSE) at each TRADOC functional center lacking a collocated MD PDSS Center but still having need for a significant PDSS capability.
  - Combat Developer PDSS Liaison offices (CD PDSS LNO) as needed to provide the required level of interaction with Materiel/System Developer PDSS Centers that are geographically separated from the CD location.
  - Combat Developer PDSS Forward Support Teams (CDFST) as needed to: provide CD interface with system Users to assist in the identification, isolation, and reporting of system problems; the development and implementation of functional work around procedures; participate in User training; and provide other support and assistance as required.

Friedening Laik Elikk-NOI Filmen




Figure E-1. Overview of the Theoretical System

This total system and each of its components has been designed to provide TRADOC and subordinate commands a capability to address all CD PDSS requirements foreseen at this time, through 1987.

- b. Operational Concept. The operational concept associated with this Theoretical System does not differ markedly from TRADOC's present concept of operations. In the Theoretical System, it is envisioned that PDSS will continue to be performed as an integral part of the CD's system development and life cycle management functions under the TRADOC combat developments mission. Overall direction and control of the system will be exercised by HQ TRADOC, supported by CACDA functioning as the TRADOC PDSS proponent. PDSS responsibilities for BAS and the resources needed to carry out these responsibilities are allocated to the TRADOC functional centers, in consonance with the BFA Concept and other functional responsibilities of each center. The activity of key centers involved with command and control BAS is closely coordinated under the CCS Concept.
- c. System Components. Each component of the Theoretical System shown in Figure E-1 is discussed in terms of its structure, responsibilities, relationships, and resource requirements in Sections II through X of this appendix.

### SECTION II. HEADQUARTERS TRADOC

- E-3. ROLE. The role and responsibilities of HQ TRADOC in this Theoretical PDSS System are seen to be essentially the same as in the current Baseline System. This role is basically one of establishing policy, allocating responsibility and resources, and exercising command, control, and staff supervision over the total system operation. CACDA works closely with and supports HQ TRADOC in this role by serving as the TRADOC PDSS proponent. Most PDSS requirements and operations are assigned to BFA-level components of this Theoretical System for planning, programming, and execution.
- E-4. ORGANIZATION. As discussed in both Chapters 2 and 3, PDSS is accomplished within TRADOC, as a part of the combat developments mission directed by the Deputy Chief of Staff for Combat Developments (DCSCD). This Theoretical PDSS System is based on continuation of this overall operating concept. For fulfilling the HQ TRADOC role, the system provides for the establishment of a PDSS Staff Element within the Systems Integration Branch of the Telecomunications, Command and Control, and Computer Systems Directorate of DCSCD. This element would provide the focal point for coordination of all TRADOC PDSS requirements and the means through which HQ TRADOC staff supervision can be exercised over this important functional area. The relationships that exist and operating procedures that have been established between the hardware directorates of DCSCD and their associated center(s) and school(s), described in Chapters 2 and 3, would not be changed by the implementation of this Theoretical PDSS System. However, coordination of the total TRADOC PDSS effort would be improved by this system.
- E-5. RESOURCE REQUIREMENTS. Based on evaluation of the currently known workload, it is estimated that four additional staff officers are needed in the Systems Integration Branch to implement this Theoretical System. One of these personnel is needed in FY 81 and one each in FY 82, 84, and 86. It is proposed that two of these staff members be military officers with combat arms backgrounds and secondary specialties in operations research/systems analysis and automatic data processing. The other members should be civilians in the operations research/systems analysis, electronic engineer, and automatic data processing career field. This will provide a desirable blend of knowledge and expertise and should also provide a means of maintaining the long term continuity needed in this functional area.

### SECTION III. COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY

- E-6. ROLE. This section addresses CACDA's special role in the Theoretical PDSS System as the TRADOC PDSS Proponent. CACDA also has a major role in that portion of the Theoretical PDSS System designed to support the Force Level Control Functional Area and the Maneuver BFA, but that role is discussed in Section IV. CACDA's role in the Theoretical PDSS System, as the TRADOC PDSS proponent, is envisioned to be essentially the same as that performed at present by CACDA in the Baseline system except that it is expected to increase significantly in magnitude and scope as more BAS are fielded and the CCS concept becomes a reality. Both of these developments will require increased Combat Developer participation in PDSS in general and in support of the major command and control systems of the CCS concept in particular. This will necessitate that CACDA play a very active role in coordinating and integrating the various elements of TRADOC's PDSS involvement.
- E-7. ORGANIZATION. Within CACDA, the focal point for PDSS in the Baseline System is the JINTACCS Office, Army C2/JINTACCS Division, C3I Directorate. This Theoretical System requires no change in this current assignment of responsibility. However, it does propose a personnel augmentation in the JINTACCS office to provide the capability for handling the anticipated increase in functional requirements. This personnel augmentation is discussed below.
- E-8. RESOURCE REQUIREMENTS. It is estimated that the increased workload associated with fulfilling responsibilities as TRADOC PDSS proponent will require two staff officers in the JINTACCS office. One of these personnel is needed in FY 81 and one in FY 83. These personnel, one military and one civilian, would serve on a dedicated basis to fulfill CACDA's role of assisting HQ TRADOC in planning, coordinating, and integrating all PDSS activity within TRADOC and providing an interface with other commands and agencies on PDSS matters. The civilian member of this two-person staff element should be in the operations research/systems analysis or automatic data processing career field. The military member should be a combat arms officer with a secondary speciality in operations research/systems analysis or automatic data processing. This combination will provide a desirable blend of knowledge and expertise relative to the CD PDSS requirements and will facilitate maintaining the degree of continuity needed in this staff element.

SECTION IV. FORCE LEVEL CONTROL FUNCTIONAL AREA AND MANEUVER BFA E-9. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. Both the Force Level Control Functional Area and the Maneuver BFA are supported by the component of the Theoretical PDSS System discussed in this section.
- b. TRADOC Centers and Schools Involved. TRADOC Centers and Schools involved with this component of the Theoretical System include CACDA, the US Army Aviation Center, and the US Army Armor Center. No requirement has been identified for active involvement in the system by other centers at this time. The structure of this component of the system and its relationship to the current organization of each of the TRADOC centers involved are discussed below.
- c. Organizational Structure of the System. That portion of the Theoretical PDSS System responsible for supporting Force Level Control and the Maneuver BFA is shown in Figure E-2. It consists of:
  - A CDSF and two CDSMs, one for the Force Level and Maneuver Control system and one for Maneuver BFA BAS, subordinate to CACDA at Fort Leavenworth
  - A CDSE at the Aviation Center, Fort Rucker, and a PDSS Liaison Office from that CDSE to be located at Fort Monmouth to facilitate Combat Developer interaction with the ERADCOM and AVRADCOM PDSS Centers
  - A CDSE at the Armor Center, Fort Knox.

Each of these system elements is discussed further in the paragraphs that follow.

### E-10. RESPONSIBILITIES AND RELATIONSHIPS.

a. <u>CACDA</u>. As proponent for Force Level Control and the Maneuver BFA, CACDA has a prominent role in all combat development actions associated with BAS in both of these functional areas. CACDA is proponent for SIGMA, the Force Level and Maneuver Control System, and for coordinating and exercising configuration control over the required interfaces between SIGMA and all other control systems of the CCS concept. CACDA is also proponent for three Category 3 BAS in the Maneuver BFA (as shown in Appendix C) and for coordinating and integrating activity of all TRADOC centers involved with other BAS in this BFA. In addition, the PDSS Concept Plan for BAS, May 1980, provides for the establishment of a PDSS Center at Fort Leavenworth, to be managed by CORADCOM. In view of these and other factors, the TRADOC Theoretical PDSS System design provides for the establishment of a CDSF and two CDSMs at Fort Leavenworth as mentioned above. The CDSF organization and




Figure E-2. Overview of the Theoretical PDSS System--Force Level Control and Maneuver BFA

its relationship to other elements of CACDA are shown in Figure E-3. As shown, the CDSF represents a division level element in the C3I directorate. It is organized along functional lines and consists of a CDSF Chief, two CDSMs, and three branch level elements. Responsibilities and functions of each element are discussed below.

- (1) Chief, CDSF. The Chief, CDSF, Fort Leavenworth, plans, directs, and supervises the operation of the CDSF in accomplishing all responsibilities for PDSS to BAS in the Force Level Control and Maneuver functional areas. In conjunction with the CDSM, Force Level and Maneuver Control System, and CDSM, Maneuver BFA Systems, he establishes priorities and allocates resources to address requirements for support of systems in both areas. He serves as the primary point of contact with the MD-managed PDSS Centers supporting BAS in both of these functional areas. The principal functions performed by the Chief, CDSF, in either a supervisory, coordination, or action role, are shown in Figure E-4. An "X" entry in the column headed Chief, CDSF indicates that he is involved directly with the function shown to the left of the X. An "N" entry indicates that he is not directly involved with the function. These same entries are used to show the functional responsibilities of each of the remaining CDSK elements discussed below.
- (2) <u>CDSM</u>, <u>Force Level and Maneuver Control</u>. The CDSM, Force Level and Maneuver Control System, serves as the CD for software associated with the SIGMA System. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role for SIGMA. He plans, programs, and coordinates those software support tasks which the CDSF must perform in support of SIGMA. He is the principal field user's representative and the primary point of contact with the MD on PDSS matters affecting this system. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure E-4.
- (3) CDSM, Maneuver BFA Systems. The CDSM, Maneuver BFA System, serves as the CD for software associated with systems in the Maneuver BFA. As such, he is responsible for planning, programming, and coordinating those software support tasks which the CDSF must perform in support of the BAS associated with this BFA. He also serves as the principal field user's representative and as the primary point of contact with the MD on PDSS matters concerning these BAS. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure E-4.
- (4) Branch level CDSF elements. As mentioned above, this CDSF is organized functionally with three branches. All CD PDSS functions to be performed by the CDSF for all BAS in both the Force Level Control and Maneuver functional areas are allocated among these branches in a logical manner as discussed below. The names used in this report to identify the branches have been selected to be descriptive of responsibilities of each branch. Specific functions of each branch are shown in Figure E-4.




Figure E-3. Organizational structure, CDSF Fort Leavenworth

							+								-						
CONFIGURATION CONTROL BR.																					
CDSM, FORCE LEVEL AND MARIEUVER CONTROL 2YSTEM COSM, SPECIFIED MARIEUVER BER BAS SYSTEM REQUIREITELS AND TESTING MARIEUVER BER BRANCH TESTING AND TRAINING PLANS, INTEROPERELLITY, A PLANS, INTERNATION CONTROL BR.	Z	X Z	Z	Z	Z	7	X Z Z	X 	X	Z	Z	Z	-	Z Z	Z	z	Z	7	Z	· Z	× Z x
CHIEF, COST COSA, FORCE LEVEL AND MARKEUVER CONTROL SYSTEM CDSA, SPECIFIED MARKEUVER BER BAS	×	XXX	×	-	H	× :	Z X Z	× ×	×××	×	×	×	×	X X Z	×	×	×	×	×	×	×××
LIFE CYCLE STAGE WHEN FUNCTION 15 REQUIRED*	1		1	1	Н		+	_	1	-	2	2	3	~	~	├-	Н	2	-	2	~
FUNCTIONS	II. PARTICIPATE IN DEVELOPMENT OF THE CRMP.	닎	13. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB.	ᅿ	4. PROVIDE REPRESENTATION ON EACH BAS FSCB.  6. PROVIDE PERSENTATION ON AN EXCUTIVE LEYEL CCB	ESIMPLISHED UNDER INE CLS CONCEPT.	<u>.:</u>	2. PLAN AND PROGRAM FOR RESOURCES.		1. IN CONJUNCTION WITH MD. DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.	2. COORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM.	3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	4. COORDINATE WITH MD ON PROVIDING SOLUTION TO THE FIELD.	AND TIME FRAME FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER.	2. EXAMINE BASIS FOR REQUIREMENT.	3. COORDINATE WITH MO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	Z. DETERMINE AND EAMINE IMPACT ON SYSTEM-INTEROPER- ABILITY BASELINE.
TRADOC RESPONSIBILITY		DEVELOPING AND MAIN-	TAINING POSS PLANS FOR EACH BAS.	PARTICIPATE WITH MD IN		MENT.		MANAGE CD PDSS EFFORT,			PERFORI ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.				. ANALYZE USER-STATED	REQUIREMENTS.			IMPACT OF CONCEPTUAL	CIMINAES UN STSTEMS,
A38A X2AT	<u>:</u>	_		نعا		L	I.	MANAGEH G	-	٦.	<u>-</u> -					~	_		SIS	MALY:	<u>.</u> .

Figure E- 4. Assignment of functions, Theoretical System--Force Level Control and Maneuver BFA (continued on next page)

COSM, FORCE LEVEL AND MANEUVER CONTROL 25/2TEM COSM, SPECIFIED MANEUVER BEA BAS SYSTEM REQUIREMENTS AND SYSTEM REQUIREMENTS AND MALYSIS BRANCH RECOUTREMENTS BRANCH RECOUTREMENTS BRANCH RECOUTREMENTS BRANCH CONFIGURATION CONTROL BR. CONFIGURATION CONTROL BR.		ZZ Z Z X X X		ZZ Z Z Z Z Z Z Z
CDSW, SPECIFIED  COSM, FORCE LEVEL AND  COSM, FORCE LEVEL AND  COSM, SPECIFIED  COSM, SPECIFIED  COSM, SPECIFIED	****** ****** zzzzzzz ~~~~~~	<del> </del>	X	×× ×
FUNCTIONS	1 IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REGUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY TRAINING IMPACT. 5. IDENTIFY UPACT ON ALL PERSONNEL ASPECTS. 6. IDENTIFY HUMAN FACTORS IMPACT. 17. IDENTIFY HUMAN FACTORS IMPACT.	11. DEFINE REQUIREMENT IN APPROPRIATE RECUIREMENTS DOCUMENT. 2. SPECIFY ANY THREROPERABILITY CHANGE REQUIREMENT. 3. PROVIDE REQUIREMENT TO MO. 4. COORDINATE WITH MO IN ESTABLISHING CHANGE PROPRINTES AND GABLETTYE TO COARTE. 5. MAINTAIN COORDINATION WITH MO DURING OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	11. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWAKE PROGRAM.  12. DEFELOP SYSTEM CHANGE IEST CONDITIONS AND CRITERIA.  13. PARTICITATE IN DESIGN OF THEAT SCENARIOS.  14. MONITOR DEVELOPMENT TEST (DT).  15. PARTICIPATE AS TASKED BY HQDA IN OPERATIONAL TESTING (DT) CONDUCT TO DIER SYSTEM OT.  17. PLAN AND CONDUCT OTHER SYSTEM OT.  17. PLAN AND CONDUCT OTHER SYSTEM OT.  18. EVALUATE OPERATIONAL SUITABILITY AND EFFECTIVE SYSTEM OT.  19. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	1). MAINTAIN COMMUNICATIONS WITH USERS. 2. FUNCTION AS USER SURROGATE. 3. DEVELOP AND PROVIDE CUIDANCE ON DOCYRINAL/ TACTICAL ASPECTS OF SYSTEM EMPLOYMENT. 4. CORDINATE WITH NO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE EFFEN
TRADOC RESPONSIBILITY	4. AIALYZE FUICTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	). DEVELOP FUNCTIONAL CHANGE REQUIREMENT,	I. MONITOR, PARTICIPATE! III, OR CONDUCT SYSTEM TESTING AS APPRO-  PRIATE.	). MAINTAIN INTERFACE UITH AND PROVIDE! FUNCTIONAL GUIDANCE! TO FIELD USERS J
TASK AREA	S. ANALTSIS (CONTINUED)	NODIFICATION	TESTING,	S. FIELD SUPPORT!

Figure E- 4. (continued)

MANEUVER CONTROL 257TEM MANEUVER BEA BAS SYSTEM REQUIREMENTS BRANCH TESTING AND TRAIL NO REQUIREMENTS BRANCH CONFIGURATION CONTROL BR.	222	Z Z Z Z Z Z X X Z Z	Z ZZ Z Z	Z Z X
CDSM, FORCE LEVEL AND MANEUVER CONTROL SYSTEM	XXX X XXX	×× ××	<del>     </del>	×
CHIEF, CDSF		ZZZZZ	<del> </del>	
LIFE CYCLE STAGE WEN- FUNCTION IS REQUISED*	200 5 200	6 6		3 capa
FUNCTIONS	1. DETERMINE TRAINI::G/RETRAINING DEVELOPMENT 2. DEFECRATES 3. DEFECRATES 4. DEVELOP RAINING DEVICE REQUIREMENTS. 4. DEVELOP PRAINING DEVICE REQUIREMENTS. 4. DEVELOP PRAINING DEVIA FOR HETTING REQUIREMENTS. 5. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 6. VALIDATE WIFF I TRAINING MIGRIALS. 7. VALIDATES WIFF TRAINING MIGRIALS. 8. PARTICIPATE IN FIELD USER TRAINING MIGRIALS.	1. IDENTIFY REQUIREMENTS. 2. SPECIFY IN REQUIREMENTS DOCUMENT. 1. COORDINATE WITH MD IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CUNTINGENCY FORCE. 2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTMARE TO CONTINGENCY MISSION.	1. SPECIFY 2. EXAMINE ATTENIATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE FOR PROVIDING THE MOST SCENARIOS. 3. CORDINATE HITH THE MD IN PLANHING POSS SUPPORT 4. DEVELOP PROCEDURAL WORK-AROUNDS WHEN STRUKTION DOES NOT PERMIT SOFTWARE CHANGES. 5. TRANGOH FORMEND ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE CHANGES. INTO THE SOFTWARE CHANGES.	ILITY! CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABLLITY AS CHANGES OCCUR IN THREAT, DOCTRILLE, AND OPERALIONAL REQUIREMENTS.  **TER POSS PLANING** ** **Element is responsible and capable number Freeze Point (SOFTWARE N **Element is not responsible plug. ***Illing** ***Illi
OMSIBILITY	DEVELOP AND WANAGE TRAINING PROGRAM RE- QUIRED BY SYSTEM CHANGE (EXCEPT FOR NEW EQUIPMENT TRAIN- IT (HET)).	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLAINING.	SUPPORT TO CRISIS/ WARTHE OPERATIONS.	CONTINUED L SULTABL IIYTIME AF FTER SOFT GMF IGURAT
TRADOC RESPONSIBI	2. DEVELOP AN TRAINING POUNED BY CHANGE (CONTINUED)	1. JOIN NATI ABIN 2. SUPP	3. SUPP	4. ASSESS 1 TACTICA 0F 8AS. 1 - A 2 - A 3 - C

Figure E-4. (concluded)

- (a) Plans, Interoperability, and Configuration Control Branch. This branch supports the Chief, CDSF in all actions related to planning, administering, and managing the CDSF operation. It supports both the CDSM, Force Level and Maneuver Control System and the CDSM, Maneuver BFA Systems, in all actions associated with planning PDSS support for BAS in their respective areas during both pre- and post-deployment phases of the system life cycle. The actions include planning for support, in coordination with the responsible MD, during contingencies and crisis/wartime. The branch is also responsible for CD PDSS actions associated with system interoperability and configuration management to include participation with the cognizant TSM and/or CDSM in providing representation on appropriate configuration/control boards. The branch coordinates with the CDSM in authorizing release of system change packages to the field.
- (b) System Requirements and Analysis Branch. This branch is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the CDSM, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by the branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated.
- (c) Testing and Training Requirements Branch. As suggested by its title, responsibilities of this branch fall generally into two functional areas. With respect to testing, the branch is responsible for supporting the CDSM in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to BAS. Accomplishment of these responsibilities involves working closely with the MD, OTEA, the appropriate US Army Test Board, TCATA, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements.
- b. <u>US Army Aviation Center</u>. The Aviation Center is proponent for 10 Category 3 BAS as shown in Appendix C. Although the primary focus of effort during this study was directed to be on Category 1 and 2 systems, the CD PDSS responsibilities and workload associated with these 10 BAS were considered to be of sufficient significance to warrant some attention. PDSS support for eight of these BAS is scheduled to be provided by the AVRADCOM PDSS Center at Fort Monmouth. Support for the other two is to be provided by the ERADCOM PDSS Center, also at Fort Monmouth. To provide the desired CD PDSS capability to interact with Users and the MD in support of these systems, the Theoretical PDSS System proposes the establishment of a small CDSE at the Aviation Center and a CD PDSS Liaison Office at Fort Monmouth as shown in Figure E-2. It is envisioned that the CDSE would be established as a section within the Systems Branch, Materiel Developments Division, Directorate of Combat Developments. Resources associated with these Aviation Center PDSS elements are discussed in Paragraph E-11.

- c. <u>US Army Armor Center</u>. The Armor Center is proponent for one Category 2 BAS, the Advanced Attack Helicopter. No PDSS Center has been designated at this time for supporting this system. However, to accomplish PDSS planning and, eventually, CD PDSS actions for this BAS, the Theoretical TRADOC PDSS System provides for the establishment of a small CDSE at the Armor Center as shown in Figure E-2. This CDSE should be established as a staff element in the Materiel Systems Division of the Directorate of Combat Developments or in the Materiel Systems Division, Directorate of Armor Aviation. Resources associated with this CDSE are discussed in Paragraph E-11.
- E-11. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resouces needed to establish the Theoretical System CD PDSS elements supporting Force Level Control and the Maneuver BFA are shown below.

## a. CDSF, Fort Leavenworth.

(1) <u>Personnel</u>. The following estimate includes four administrative personnel spaces. The "Authorized" spaces reflect an assumption that personnel authorized in the  $C^2$  Development Branch, Army C2/JINTACCS Division, would be assigned to this CDSF.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	6 9 15	7 11 18	9 12 21	11 14 25	11 16 27	11 17 28	11 17 28
Authorized Military Civilian TOTAL	1 1 2	3 1 4	4 1 5	5 2 7	7 3 10	9 3 12	17 4 21
Additional Military Civilian TOTAL	Needed 5 8 13	4 10 14	5 11 16	6 12 18	4 13 17	2 14 16	-6 13 7

A breakout of these personnel requirements (based on FY 86-87 needs) by organizational element are shown below:

ELEMENT	TECH	NICAL	ADMINI	TOTAL	
	MIL	CIV	MIL	CIV	
OFFICE OF THE CHIEF	0	1	0	1	2
CDSM, FORCE LEVEL CONTROL	7	0	0	0	}
CDSM, MANEUVER BFA	7	0	0	0	1
SYSTEM REQUIREMENTS AND ANALYSIS BRANCH	4	4	0	1	9
TESTING AND TRAINING REQUIREMENTS BRANCH	2	4	0	1	7
PLANS, INTEROPERABILITY, AND CONFIGURA-					
TION MANAGEMENT BRANCH	3	4	0	1	8
TOTALS	11	13	0	4	28

- (2) Major Items of Equipment. The Fort Leavenworth CDSF requires interactive access to a computer at the Data Processing Field Office (DPFO), Fort Leavenworth or elsewhere, to conduct simulations and support tests and other analyses conducted by the CDSF. This computer access is also required to facilitate interaction with other CDSFs which support one or more control systems in the CCS<sup>2</sup> concept. Specific equipment required to provide this access and the capability required must be determined through further study.
- (3) <u>Facilities</u>. Physical facility requirements include office space for assigned personnel, a computer terminal area, and a simulation/test/ analysis area that would accommodate 10 to 12 personnel working simultaneously. It would be desirable to collocate this CDSF with the CORADCOM-managed PDSS Center at Fort Leavenworth. If collocation is not feasible, other suitable space should be selected for the CDSF that will facilitate interaction with the PDSS Center as well as other elements of CACDA.
- (4) <u>Funds</u>. An estimate of funds required for the CDSF civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an average annual cost of \$31.6K for one technical level civilian and \$16.0K for each administrative-level civilian.

	_			REQUIRED			
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Civilian							
Personnel	268.8	332.0	348.0	411.2	458.8	474.8	474.8

Funds needed for equipment and physical facilities are dependent upon development of specific requirements and plans addressing these areas.

b. <u>US Army Aviation Center</u>. Estimates of personnel resources needed to establish the CDSE at the Aviation Center and the Aviation Center's CD PDSS LNO at Fort Monmouth are shown below. No other resources, except administrative space for these elements, are required.

# (1) <u>CDSE Personnel</u>.

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military	1	1	1	1	1	1	1
Civilian	i	i	2	2	2	2	ż
TOTAL	2	2	3	3	3	3	3

None of these personnel are currently authorized; all would be new requirements.

## (2) CD PDSS LNO, Fort Monmouth

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	1	1	1	1	1	1	1
Civilian	0	0	0	0	0	0	0
TOTAL	l	1	1	1	1	1	1

This space is not currently authorized; it represents a new requirement. One space is considered sufficient for this office. Office coverage during periods of absence of the person occupying this space can be provided by other CD PDSS LNO personnel at Fort Monmouth, included in the Theoretical PDSS System. The CD PDSS LNO should also share administrative space at Fort Monmouth.

c.  $\underline{\text{US Army Armor Center}}$ . Personnel estimated to be required to establish the CDSE at the Armor Center are shown below. These are new requirements.

	FY 81	FY 82	FY 83	FY 84	<u>FY 85</u>	FY 86	FY 87
Required							
Military	1	1	1	1	1	1	1
Civilian	0	0	1	1	1	1	1
TOTAL	1	1	2	2	2	2	2

#### SECTION V. COMMUNICATIONS FUNCTIONAL AREA

#### E-12. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The component of the TRADOC Theoretical PDSS System described in this section is designed to provide a capability to adequately fulfill all Combat Developer (CD) PDSS responsibilities for battlefield automated systems (BAS) in the Communications Functional Area through 1987.
- b. Organizations Involved. The US Army Signal Center (USASC) is the principal TRADOC organization involved with this component of the Theoretical System. Principal elements of USASC involved with PDSS at the USASC are identified in Figure E-5. Within this structure, the focal point for handling all CD PDSS responsibilities and functional requirements would be the new division level element identified within the Directorate of Combat Developments, the Combat Development Support Element (CDSE).
- c. <u>CDSE Structure</u>. The structure of the USASC CDSE, which is the central element in the Communications Functional Area component of the TRADOC Theoretical PDSS system is shown to the branch level in Figure E-6. As indicated, the CDSE organization consists of:
  - A Chief of the CDSE
  - A CDSM for ground communication systems
  - A CDSM for satellite communication systems
  - A CDSM for position location, navigation, and control systems
  - A CD PDSS LNO at Fort Monmouth
  - A System Requirements and Analysis Branch
  - An Interoperability Branch
  - A Testing and Training Requirements Branch.

E-13. RESPONSIBILITIES AND RELATIONSHIPS. The CDSE depicted in Figure E-6 has overall responsibility for CD PDSS functions associated with all BAS for which the US Army Signal Center is proponent. These BAS include two Category 1 systems and eight Category 2 systems shown in Figure E-7, and seven Category 3 systems identified in Appendix C. In addition, USASC becomes proponent for the AN/MSC-67 Communications Center (COMFAC), a Category 2 BAS, upon its deployment. (The US Army Intelligence Center and School is proponent for COMFAC during its development.) Outlined below are responsibilities related to PDSS for BAS within the communications functional area. The following discussion begins with addressal of the US Army Signal Center, as a whole, and its principal elements. Then, the CDSE and its Fort Gordon elements, designed to fulfill specific PDSS functions, are addressed. TSMs

FRECEDING LACE BLANK-NOT FILEE




Figure E-5. Principal elements involved with the Theoretical PDSS System-Communications Functional Area




Figure E-6. CDSE Structure, Theoretical PDSS System--Communications Functional Area

FUNCTIONAL PROPONENT	BATTLEFIELC AUTOMATED SYSTEM (BAS)
USASC	PLRSPOSITION LOCATION REPORTING SYSTEM (FULL SCALE DEVELOPMENT)
USASC	JTIDSJOINT TACTICAL INFOR- MATION DISTRIBUTION SYSTEM (FULL SCALE DEVELOPMENT)
USASC	PLRS/JTIDS HYBRID (VALIDATION)
USASC	DLDEDDIVISION LEVEL DATA ENTRY DEVICE (CONCEPTUAL)
USASC	AN/TTC-39AUTOMATIC TELE- PHONE CENTRAL OFFICE (FULL SCALE PRODUCTION)
USASC	AN/TYC-39AUTOMATIC MESSAGE SWITCHING CENTER (FULL SCALE PRODUCTION)
USASC	AN/UGC-74A(V)MODULAR RECORD TRAFFIC TERMINAL (MRTT) (FULL SCALE PRODUCTION)
USASC	AN/TSQ-111(V)COMMUNICATION NODAL CONTROL ELEMENT (CNCE) (FULL SCALE DEVELOPMENT)
USASC	AN/TTC-38AUTOMATIC TELE- PHONE CENTRAL OFFICE (FULLY OPERATIONAL)
USASC	AN/MSM-105TEST AND AUTO- MATIC REPAIR FACILITY (LOW RATE INITIAL PRODUCTION)

Figure E-7. Systems requiring PDSS--Communications Functional Area

and other elements are then addressed. The CDSE PDSS Liaison office, to be located at Fort Monmouth, is addressed last. The functions of each CDSE element are also shown in Figure E-8.

- a. <u>US Army Signal Center and Fort Gordon</u>. Included in the responsibilities of USASC & FG are the following:
  - Develops and validates, through coordination with the user, communications-electronics requirements for communications doctrine, equipment and materiel.
  - Acts as the US Army Communications-Electronics User Representative in supporting force development objectives and activities by participating with the US Army Combat Development Community, on studies, analyses, field experiments, tests, and life cycle management and evaluation
  - Participates in the development and conduct of operational test and evaluations for communications-electronics doctrine, communications systems, equipment and material
  - Evaluates the life-cycle assessment of all proponent material and training systems to insure that optimum training, doctrinal and organizational concepts are being used.
- b. <u>Commanding General</u>, <u>USASC & FG</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Signal Center, Fort Gordon
  - Serves as the the Commandant for the USASC training activities.
- c. <u>Concepts and Studies Division (C & S)</u>, <u>Directorate of Combat Developments</u>, <u>USASC</u>. Among this organizational element's many functions, those which may impact upon PDSS are as follows:
  - Provides input to general functional systems requirements and detailed systems requirements for automated communications control systems
  - Assists in determining requirements and preparing proposals for force development testing and experimentation and reviewing results
  - Prepares, coordinates, and reviews international standardization agreements within assigned area of proponency
  - Develops maintenance concepts and reviews the maintenance test package

					Ţ	T	1					Ī		Τ	Τ				
		П		П	7	T	,	Г						1	T		T		-
		П			7			Г	-			$\vdash$		T	Ť		1		_
TESTING AND TRAINING RE-	Z	1	7	7	4	4 7	×	1	Z	Z	Z	Z	2 :	1	42	z	Z	Z	Z
INTEROPERABILITY BRANCH	Z	Н	7	7	-+	2 7	<del> </del>	1			7		<b>z</b> :	1-	_		1	<del></del>	
ANALYSIS BRANCH	×	$\vdash$	z	7	+	4 2			-	_	_	<del></del>	_	1	+	-	1	-	
CDSM, POSITION LOCATION, NAVIGATION, & CONTROL SYS SYSTEM REQUIREMENTS AND SYSTEM REQUIREMENTS AND		士		$\vdash$	7	7 2	<del></del>				Z	×		,   `x	╁		_		
CDSM, SATELLITE COMMUNI- CATION SYSTEMS CREM, POSITION LOCATION-	Z	├-	Ţ	ш	+	<del></del>		┪	Н	_	Z	-		+-	╀	1		-	
CDSM, SATELLITE COMMUNI- CDSM, SATEM CDSM, SATEM		⊢-		_	+	× 2		$\vdash$	Н		⊢-	-	× :	7-	╀	╙	-		<b>-</b>
	Z		Z	H	-+	× 2	<del> </del>		$\vdash$		7		× :	1-	٩×	⊢	-		
CHIEF, COSE	×	-	×	$\vdash$	-+	<b>4</b> ×		×	×		×	-	× ,		+-	_			<del></del>
C-E BOARD	×	1	Z	7	7	7 2		Ľ	Ь.,		Z	Z	2 :	7	Z	Z	2		
MSD-DCD, USASC	×	7	×	4	7	<b>z</b> ×	×	Z	Z	×	×	_	× >	∮×	٩×	×	×	×	×
ZDATA MET	×	×	×	X	7	7 z	×	×	Z	Z	2	Z	4 7	×	٩×	Z	X	×	×
WE UN DAT MET	×	×	×	×	2	<b>4</b> z	×	×	Z	7	Z	2	7 7	4 >	٩×	Z	×	×	×
ZOMT MRT	×	×	×	×	2	Z Z	×	×	z	Z	Z	7	<b>Z</b> 2	×	٩×		_		×
32M\200A M2T	X	X	×	×	4	Z Z		×	z	Z	Z	2	Z 2	۱×	٩×	Z	×	×	
LIFE CYCLE STAGE WHEN FUNCTION 15 REQUIRED*	-	F	_	-	~	<b>-</b>	-	-	-	2	~			╄	+	~	-	. 2	2
FUNCTIONS	. PARTICIPATE IN DEVELOPMENT OF THE CRMP.	DADTIFIBATE IN DESTENATION ON THE CRUG.	BAS.			. PROVIDE REPRESENTATION ON EACH BAS FS.B PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB.	DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES).	. PLAN AND PROGRAM FOR RESOURCES,	. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.	. COORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS PROBLEM.		4. COORDINATE WITH MD ON PROVIDING SOLUTION TO THE FIELD. 5. ESTABLISH, IN COORDINATION WITH MD. PRIORITY OF CHANGE AND THE FRAME FOR CHANGE TO BE EFFECTED.	, RECEIVE REQUIREMENT FROM USER.	. EXAMINE BASIS FOR REQUIREMENT.	. COORDINATE WITH MD REGARDING ACTION TO SATISFY YALIDATED REQUIREMENTS.	. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT	. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPERTABLITY BASELINE.
TRADOC RESPONSIBILITY	1. PARTICIPATE WITH MD IN	DEVELOPING AND MAIN-		2. PARTICIPATE WITH MD IN	CONFIGURATION MANAGE-	MEN!	3. MANAGE CD POSS EFFORT.			1. PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.			2. AUALYZE USER-STATED	REQUIREMENTS.			3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	LIMINES ON STRICKS.
A38A A2AT				• • •	_	18	M 3 DAKAI	<del>.</del> .	.1	=-							213	YJANA	٠,

Assignment of functions, Theoretical System-- Communications Functional Area (continued on next page) Figure E-8.

TRADOC RESPONSTBILLTY]	INPACT OF PROPOSED 2	יומנים מומנוקי			1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	13	# NODIF	1. MONITOR, PARTICIPATE 1.	TESTING AS APPRO-		<u>-</u>	100	<u>-</u>	<b>\$</b> 0	6	1. MAINTAIN INTERFACE	UITH AND PROVIDE	See FUNCTIONAL GUIDANCE 3.		
FUNCTIONS	. TOENTIFY OPERATIONAL IMPACT. TOENTIEY TOER SOURCE REQUIREMENT IMPACT.	JOENTIFY INSTITUTE INFOCT.		. IDENTIFY SYSTEM INTEROPERABILITY IMPACT	DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. SPECIET ANY INTEROPERABILITY CHANGE REQUIREMENT.	PROVIDE REQUIREMENT TO MO.		COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM.	DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA.	, ,		PLAN AND CONDUCT OTHER SYSTEM OF	TESTING	EVALUATE OPERATIONAL SUITABILITY AND	. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	MAINTAIN COMMUNICATIONS WITH USERS.		DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ TACTICAL ASPECTS OF SYSTEM EMPLOYMENT	CORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE	TO THE FIELD.
LIFE CYCLE STAGE WHEN TS REQUIRED* TSM ADDS/MSE		2 Z	N 2	Z '2	Z 2	Z	Z Z	<del> </del> -		22	2 ~	2	-2.	2	12	2	Z	1		Z
ZUMT MZT		<del></del>	77	Z	ZZ	Z	2 2			2	Z	7	7	7	+-	<del>-</del>	₽-	-	1	2
WE UN DAT HET	<del></del>	<del></del>	22	z	7 7	+		<del></del>	-+-	4 2			Z		Ž	_			1	7
SOATA HET	<del>   -</del>		XX ZZ	Z		+-		+	<del>-</del>	4 2		₩	7		<del>-</del> -	-	ļ	├		Z
MSD-DCD, USASC		++	¥4 ××	Z	<del></del>	+		X		47			<u>Z</u>		17	1	-		4	Z
CHIEF, CDSE	-	+4	77	Z		╄-		<del>]</del> -	-	卆	-		×	,	-	_	_		4	×
CDSM, GROUND COMMUNI- CATION SYSTEMS CDSM, SATELLITE COMMUNI-	XX	XX.	×	×	27	2	24 7	Z	-	4 7			×	ı	4×	╁╌	Ż	;	1	Z
CATION SYSTEMS	┝┦┼	++	XX	×		+			_	2 Z	-	-	Z		4 ×	+-	┝	_	4	7 7 7 7
COSA, POSTITUN EDCATOR, SYSTEM REQUIREMENTS AND AVIET SERVICH	<del></del>	++	×z ×x	Z	<u> </u>	_			-	47			7	^		_	+-	╄—	┿-	<u>z</u>
INTEROPERABILITY BRANCH	×Z	47	<b>4</b> 4	×	z'	Z	Z :		7	4 7		1	Z		17	Z	2			Z
TESTING AND TRAINING RE- QUIREMENTS BRANCH	<u> </u>	力	XX	Z	Z 7	Z	Z	1 ×	X	٠ ۱	<b>-</b> ,	X	×	-	12	1 2	z	-	-	7
	$\mathbb{H}$	$\!$	$\parallel$			-		-	+	-	_	H			+	$\vdash$	L	_	┼-	_
		$\prod$								I		$\prod$			I				L	

Figure E- 8. (continued)

	$\vdash$	Ш				I	Ι	Ι					T	_		T	1
<del></del>		Ш			$\prod$	$\int$	I	$oxed{\Box}$			Γ			_			7 1
		Ш					ſ	Г		Γ	Γ						7
DUIRE MENTS BRANCH	X	××	×	X	¥	<b>X</b> :	₹.	4Z	Z	7	Z	Z	Z	Z	2	<del>                                     </del>	zi l
INTEROPERABILITY BRANCH	7	44	7	4	4	7	4	×	Z	_	-		Z	Z		<del> </del>	X
STSTEM REQUIREMENTS AND ANALYSIS BRANCH	Z	44	Z	4	4	4	4	ZZ	Z	_	-		7	×		<del> </del>	X
COSM, POSITION LOCATION, SYS	1 7	44	×	4	4	7	4	ZΖ	Z				z	×	<del></del>	<del></del>	Ž I
CETION SYSTEMS COSM, SATELLITE COMMUNI- CATION SYSTEMS	1	44	×	4	4	4	₹:	ZΖ	Z	Z	×		Z	×	<u> </u>	<del>}</del>	X
COSM, GROUND COMMUNI-	<u> </u>	47	_×	_4	4	4 :	1	Z	Z	Z	×		z	×		<del> </del>	Ž l
CHIEF, CDSE	1-7	43	4	4	4	4	4	42	X	×	2		X	Z	Z		z
C-E BOARD		44	<b>Z</b>	7	4	4,	₫:	ΖZ	1	Z	2		z	Z	7		z I
NSD-DCD, USASC		44	7	4	4	<b>z</b> :	4	Z	Z	Z	Z	Z	4	Z	Z	+	<b>-</b>
TSIA FIRES	<del></del>	44	4	_ 4	4	7 4	$\Phi$	4×	Z	Z	×	Z	4	Z	×	+	
TSM TAC AU SW	-	44	7	4	4	4 3	4	٩×	Z	2	×	Z	4	Z	×	.2	
ZOMT M2T	<u> </u>	44	4	4	4	4 2	Ţ,	×	Z	Z	×	Z	Z	Z	×	7	
TSM ADDS/MSE	<b>Z</b> :	44	_ 2	4	4	4 2	1	×	z	Z	×	Z	7	Z	×	7	
LIFE CYCLE STAGE WHEN-	2	12	~	~	*	4	Ŀ	<u> -</u>			-		-		1	,	a la
	. 1.1	4. DEVELOP TRAINING PLAN FOR MEETING RECOUREMENTS.			1 - 1	B. PARTICIPATE IN FIELD USER TRAINING AND NET.		Z. SPECIFY IN REQUIREMENTS DOCUMENT.	1. COGROINATE WITH MD IN PLANNING FOR REQUIRED PDSS SUPPORT: TO BAS IN THE CONTINGENCY FORCE.	2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	- 1	2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOUS SCENARIOS.	4. DEVELOP PROCEDURAL WORK-AROUNDS WHEN SITUATION	- 1	5. IHROUGH FRONT-END ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONOUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TATIONS AND DESCRIPTION OF THE AT TH	
	TRAINING PROGRAM RE-1						1. JOINT AND INTER-	ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLANNING.		3. SUPPORT TO CRISIS/	MARTINE OPERATIONS.				4. ASSESS CONTINUED TACTICAL SUITABILITY OF BAS.	NYTHE AFTER FTER SOFTWARI ONFIGURATION FTER FIELDING
TASK AREA	1	908 608	4U.Z 13UM1	1870: 1870	1	4									458	10 .8	

Figure E-8. (concluded)

- Maintains cognizance of computer simulation models used by communication system analyses in CE system design, engineering, and evaluation.
- d. <u>Materiel Systems Development Division, Directorate of Combat Developments, USASC.</u> This organization's PDSS responsibilities include:
  - Serves as the USASC Life Cycle Manager (Combat Developer) for all proponent developmental systems and is the principal USASC point of contact for those systems.
  - Maintains an up-to-date status and continuous evaluation of proponent systems and related conceptual, operational, organizational, training, testing and funding actions throughout the development cycle
  - Acts as the USASC action agency for all life cycle development events which are not the functional responsibility of other USASC activities
  - Prepares and keeps current the USASC historical files for each proponent system during its development.
- e. <u>Chief, CDSE</u>. The Chief, CDSE plans, directs, and supervises the operation of the CDSE in accomplishing all CD responsibilities for PDSS to BAS in the Communications Functional Area. He establishes priorities and plans, programs, and allocates resources to address requirements. He serves as the primary point of contact on PDSS matters with other elements of USAICS and TRADOC, and with the Materiel/System Developers of communications BAS. He interacts with other USASC elements who have responsibilities associated with these BAS to include the five TSMs identified in Figure E-5, above, the Communications-Electronic Board, and the Directorate of Training Developments.
- f. CDSM, Ground Communication Systems. This CDSM serves as the CD manager for all PDSS activities associated with ground communication systems. Included in this group are one category 1 system (AN/MSM-105(V)), three Category 2 systems (AN/TTC-39, AN/TYC-39, AN/UGC-74), and two category 3 systems. The CDSM, Ground Communication Systems is the system/software Combat Developer and the principal User's representative for these systems. As such, he is responsible for planning, programming, and coordinating those PDSS functions to be performed by the CDSF in support of his systems. Specific functions with which he is involved in either a management, coordination, or performance role are listed in Figure E-8.

- g. CDSM, Satellite Communication Systems. This CDSM serves as the CD manager for all PDSS activities associated with satellite communication systems. Included in this group are four category 3 systems. The PDSS responsibilities and functions of the CDSM, Satellite Communication Systems are the same as those described previously for the CDSM, Ground Communication Systems except that the systems supported tend to require less PDSS activity. Specific functions of this CDSM are shown in Figure E-8.
- h. CDSM, Position Location, Navigation, and Control Systems. This CDSM serves as the CD manager for all PDSS activities associated with position location, navigation, and control systems. Included in these three groups are one Category 1 system (PLRS/JTIDS Hybrid), four category 2 systems (PLRS, JTIDS, DLDED, AN/TSQ-111(V)), and one category 3 system. The PDSS responsibilities and functions of this CDSM are the same as those described previously for the CDSM, Ground Communication Systems except for variations imposed by differences in system types and quantities. Specific functions of this CDSM are shown in Figure E-8.
- i. <u>System Requirements and Analysis Branch</u>. This branch of the CDSE is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the three CDSMs, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by this branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer assisted, or fully automated. Specific functions included in the responsibilities of the System Requirements and Analysis Branch are shown in Figure E-8.
- j. Interoperability Branch. This branch of the CDSE is responsible for all PDSS actions which deal with the interoperability of communication systems with each other and with other BAS. This branch analyzes the impact of functional changes on the interoperability of each system. It identifies interoperability change requirements which result from either changes to a communication system or to a BAS with which the communication system must interoperate. Functions of this branch are shown in Figure E-8.
- k. Testing and Training Requirements Branch. As suggested by its title, responsibilities of this branch fall generally into two functional areas. With respect to testing, the branch is responsible for supporting the CDSMs in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to communication systems. Accomplishment of these responsibilities involves working closely with the MD, the TRITAC Office, the US Army Communications-Electronics Board, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements. Functions of this branch are shown in Figure E-8.

- l. <u>Tactical Data Systems Office</u>, <u>Directorate of Training Developments</u>, <u>USASC</u>. This office is responsible for the development of training materials which deal with tactical data systems.
- m. Officers Department, Directorate of Training, USASC. The PDSS related activities of this department are concerned primarily with the training of officers in the use of automatic data processing equipment (ADPE).
- n. <u>US Army Communications-Electronics Board</u>. The Communications-Electronics (C-E) Board at Fort Gordon is one of eight US Army test boards and as such is assigned the following missions under TRADOC Regulation 10-41:
  - Plan, conduct, and report on operational and other user tests
  - Participate in other testing as directed
  - Provide advice and guidance on test matters to combat, training, and materiel developers, other services and private industry
  - Conduct other tests and selected specific evaluations as directed by CG TRADOC.
- o. TRADOC System Manager (TSM) for Army Data Distribution System and Mobile Subscriber Equipment (ADDS/MSE). The mission, authority, and responsibilities of the TSM-ADDS/MSE are spelled out in the TRADOC System Manager Charter, Army Data Distribution System and Mobile Subscriber Equipment (ADDS/MSE), dated 16 November 1979. By this charter, his mission is to conduct total system management for ADDS and MSE within TRADOC. In terms of PDSS, this TSM will be responsible for identifying and/or communicating doctrinal changes which necessitate enhancements in the system or which may represent a new requirement thereby requiring major software, firmware, or hardware changes.
- p. TRADOC System Manager (TSM) for Army Tactical Communication Systems (ATACS). The mission, authority, and responsibilities of the TSM-ATACS are spelled out in a TSM Charter dated June 1978. By this charter, his mission is to conduct total system management for Army Tactical Communication Systems within TRADOC. For these systems, TSM-ATACS is ensuring that User requirements are being satisfied in terms of 0&O concepts, hardware, software, training, fielding, and ILS support.
- q. TRADOC System Manager (TSM) for Tactical Automatic Switches (TAC AU SW). The TSM-TAC AU SW, operating under a TSM Charter, is conducting total system management within TRADOC for Tactical Automatic Switches. He is providing User representation for the AN/TTC-39, the AN/TYC-39, and the AN/TSQ-111(V).

- r. TRADOC System Manager (TSM) for Tactical Satellite Communications (TACSATCOM). The TSM-TACSATCOM, operating under a TSM Charter dated 10 September 1978, is conducing total system management within TRADOC for Tactical Satellite Communications. All of the systems for which he currently is providing User representation are Category 3.
- s. TRADOC System Manager (TSM) for Test Measurement Diagnostic Systems (TMDS). The TSM-TMDS was recently designated and does not yet have a formal charter from TRADOC although a draft charter has been approved. TSM-TMDS will conduct total system management within TRADOC for Test Measurement Diagnostic Systems.
- t. TRADOC System Manager (TSM) for Position/Navigation (TSM-POS/NAV). The TSM-POS/NAV is located at Fort Leavenworth. This TSM is responsible for conducting total system management within TRADOC for the NAVSTAR Global Positioning System (GPS), the Position Location Reporting System (PLRS), the Integrated Inertial Navigation System (IINS), the Lightweight Doppler Navigation System (LDNS), the Self-Contained Vehicle Land Navigation System (VLNS), and the Position and Azimuth Gyro, Lightweight (SIAGL). The functions of the TSM are stated in CAC & Fort Leavenworth Reg. 10-1, dated 1 August 1980.
- u. <u>CD PDSS LNO</u>. This office, which will be located at Fort Monmouth, will be responsible for interfacing directly with the CORADCOM PDSS Center at Monmouth which is tasked to provide PDSS for all BAS for which USASC is proponent except the DLDED which will be supported by the Computer Systems Command (CSC) at its Fort Belvoir PDSS Facility. The liaison office will coordinate PDSS requirements and interact with the MD as appropriate in all phases of the PDSS effort.
- E-14. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resources needed to establish the Theoretical System CD PDSS component supporting the Communications Functional Area are shown below.

## a. <u>Personnel</u>.

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	19 13 32	22 13 35	26 15 41	28 16 44	33 18 51	36 20 56	37 20 57
Authorized Military Civilian TOTAL	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	υ 0 0
Additional M Military Civilian TOTAL	leeded 19 13 32	22 13 35	26 15 41	28 16 44	33 18 51	36 20 56	37 20 57

A breakout of these personnel by CDSE element is shown below:

ELEMENT				ISTRATIVE/ HNICIAN CIV	TOTAL
Chief, CDSE	3	1	0	1	5
CDSM, Ground Communications Systems CDSM, Satellite Communications	9	3	Ö	i	13
Systems	4	0	0	1	5
CDSM, Position Location Navigation, and Control Systems	12	6	0	1	19
System Requirements and Analysis	4	•	0	0	_
Branch	4	2	0	Ų	p
Interoperability Branch	3	2	0	0	5
Testing and Training Requirements					
Branch	2	2	0	0	4
TOTALS	37	16	0	4	57

b. Funds. An estimate of funds required for the CDSE civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an estimated average cost of \$31.6K per technical manyear (including 10 percent loading), and \$16.0% per administrative manyear.

		FUNDS REQUIRED (\$000) 81 FY 82 FY 83 FY 84 FY 85 FY 86 FY 87											
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87						
Civilian Personnel	348.4	348.4	411.6	443.2	506.4	569.6	569.6						

#### SECTION VI. FIRE SUPPORT BFA

#### E-15. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The Fire Support BFA is the major contributor of fire support to maneuver forces. Included in this BFA are systems which support missile artillery, artillery fire control, and target acquisition.
- b. TRADOC Centers and Schools Involved. The focal point for providing PDSS to the BAS within the Fire Support BFA is the US Army Field Artillery Center and Fort Sill (USAFACFS).
- c. Organizational Structure of the System. That portion of the Theoretical PDSS System which supports the Fire Support BFA is shown in Figure E-9. It consists of:
  - A CDSF and three CDSMs, one for artillery fire control systems, one for target acquisition systems, and one for missile artillery systems, subordinate to USAFAS at Fort Sill
  - A CD PDSS LNO at Redstone Arsenal to facilitate combat developer interaction with the MICOM PDSS Center
  - A CD PDSS LNO at Picatinny Arsenal to facilitate combat developer interaction with the ARRADCOM PDSS Center
  - A CD ?DSS LNO at Fort Monmouth to facilitate combat developer interaction with the AVRADCOM and ERADCOM PDSS Centers
  - One or more Combat Developer Forward Support Teams (CDFST) to facilitate combat developer interaction with the User in the field wherever TACFIRE is deployed.

Each of these system elements is discussed further in the paragraphs which follow.

#### E-16. RESPONSIBILITIES AND RELATIONSHIPS.

- a. BAS to be Supported. The primary BAS to be supported by the CDSF at Fort Sill are those listed in Figure E-10. In addition to these primary BAS, there are 14 category 3 BAS (as shown in Appendix C) to be supported to a lesser degree.
- b. Responsibilities and Functions to be Performed. Figure E-9 (presented earlier) gave an overview of the Theoretical PDSS System for the Fire Support BFA. Figure E-11 (presented here) gives a more detailed view of those organizational elements which are at Fort Sill. In the paragraphs which follow, the PDSS responsibilities and functions of each organizational element shown in those figures are described in detail.




Figure E-9. Overview of the Theoretical PDSS System-Fire Support BFA

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAFAS	AN/GSG-10(U)TACTICAL FIRE DIRECTION SYSTEM (TACFIRE) (PARTIALLY FIELDED)
USAFAS	AN/GYK-29BATTERY COMPUTER SYSTEM (BCS) (DTII)
USAFAS	PERSHING IITACTICAL MISSILE SYSTEM (DT/OTI)

Figure E-10. Category 1 and 2 systems requiring PDSS - Fire Support BFA




Figure E-11. PDSS organizational structure, USAFACFS

- (1) Fort Sill. Included in the responsibilities of Fort Sill are the following:
  - Provide personnel, equipment, and facilities in support of test and evaluation of military equipment systems and components conducted by US Government agencies
  - Command and exercise staff supervision and provide assistance to Field Artillery School in the areas of troop support, forecasts of personnel and equipment requirements for future instructional and developmental uses, and coordinating the integration of the school support mission with all other units/activities
  - Command and exercise staff supervision and provide assistance to the Field Artillery Board in the areas of troop support for ongoing developmental tests, and coordination of future requirements for personnel and equipment.
- (2) <u>Commanding General, USAFACFS</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Field Artillery Center, Fort Sill
  - Serves as the Commandant of the US Army Field Artillery School.
- (3) <u>US Army Field Artillery School (USAFAS)</u>. The PDSS related responsibilities of USAFAS include:
  - Participate in the review of doctrine, organization, and equipment for which training responsibility has been assigned, including the development of training plans to support new items of materiel, new organizations, or new tactical and technical concepts
  - Review and evaluate new or revised doctrine, tactics, and techniques prepared by other Army agencies or other services, as appropriate
  - Serve as the User proponent throughout the life cycle of Field Artillery system material. Serve as spokesman for the Field Artillery in qualitative interpretations and definitions in support of the material development community
  - Serve through the Commandant as the principal Field Artillery advisor to the Commander, TRADOC.
- (4) <u>Combat Developments Directorate (CD), USAFAS</u>. The PDSS activities of the Combat Developments Directorate, USAFAS include:

- Evaluate the effects of new or revised doctrine, tactics, and techniques upon existing or developmental BAS
- Serve as the User proponent for Field Artillery BAS.
- (5) Chief, CDSF, Fort Sill. The chief of the CDSF at Fort Sill plans, directs, and supervises the operation of the CDSF in accomplishing its PDSS responsibilities for BAS in the Fire Support BFA. In conjunction with the CDSM, Artillery Fire Control, the CDSM, Target Acquisition, and the CDSM, Missile Artillery, he establishes priorities and allocates CDSF resources to address requirements for support of systems in each area. He serves as the primary point of interface with the Chief, TACFIRE/FATDS Software Support Group, with the President, US Army Field Artillery Board, and with the TRADOC System Manager, FATDS. Specific functions of the Chief, CDSF are shown in Figure E-12.
- (6) CDSM, Artillery Fire Control (AFC). This CDSM serves as the CD manager for all PDSS activities associated with artillery fire control systems. Included in this group are one category 1 system (TACFIRE/FATDS), one category 2 system (BCS), and five category 3 systems. The CDSM, AFC is the system/software combat developer and the principal user's representative for these systems. As such, he is responsible for planning, programming, and coordinating those PDSS functions to be performed by the CDSF in support of his systems. Specific functions with which he is involved in either a management, coordination, or performance role are listed in Figure E-12.
- (7) CDSM, Target Acquisition. This CDSM serves as the CD manager for all PDSS associated with target acquisition systems. Included in this group are six category 3 systems. The PDSS responsibilities and functions of the CDSM, Target Acquisition are the same as those described previously for the CDSM, Artillery Fire Control except for variations imposed by differences in system types and quantities. Specific functions of this CDSM are shown in Figure E-12.
- (8) <u>CDSM</u>, <u>Missile Artillery</u>. This CDSM serves as the CD manager for all PDSS associated with missile artillery systems. Included in this group are one category 2 system (Pershing II) and three category 3 systems. The PDSS responsibilities and functions of the CDSM, Missile Artillery are the same as those described previously for the CDSM, artillery Fire Control except that the systems supported tend to contain less software. Specific functions of this CDSM are shown in Figure E-12.
- (9) System Requirements and Analysis Branch. This branch of the CDSF is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the three CDSMs, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses

			Ц	$\perp$			Ц									П		
			$\sqcup$	4	_		Ц	Н			$\sqcup$	-		Ц	_	Ц		<u> </u> [
			Ц	4			Ц	H				┼	L	Ц	_	dash		<b>  </b>
	_			4	_		Н	Н		_		┼	L	Ц		Ц		<u>  </u>
		+	Н	4			Н	Н				+-	-	H		H		
TSM PERSHING II	×	x x	k	77	Z	×	×	1	Z	Z	Z	Z Z	Z	Z	Z	Z	7	Z
SQTA3 M2T	×	××	×	××	×	×	×	7	×	×		× Z	-		Z	X	Z	
G8A1A2U	×	× Z	7	ZZ	Z	×	×	×	z	Z	_	z Z	Z	7	Z	4	Z	Z
TACTICAL SIMULATION BRANCH	X	×Z	4	7 7	Z	×	Z	X	Z	1	Z	4 2	Z	Z	Z	4	Z	
SYSTER REQUIREMENTS AND MALYSIS BRANCH INTEROPERABILITY AND COMSK BRANCH TACTICAL SIMULATION RESECT.	Z	<b>Z</b> Z	7	2 z	Z	×	7	7	Z	Z		<b>Z</b> Z	Z	4	Z		· z	
SYSTEH REQUIREMENTS AND	×	×Ζ	4	42	Z	×	Z	7	×	X		Z Z	Z	×	Z		×	Z
CDSM, MISSILE ARTILLERY	Z	z z	×	××	Z	×	×	×	Z	Z	×.	× 2	×	X			×	×
CDSM, TARGET ACQUISITION	Z	_	M	××	Z	×	×	×	Z	I	×	× 2	×	M	Z	-	×	×
CDSM_ARTILLERY FIRE	Z	2 z	凶	××	z	×	Н	Ľ	Z	Z	×	× _ z	×	×		X	_×	X
CHIEF, CDSS, FORT SILL	×		4	42	×	×	M	M	Z	_X	<del></del>	4 ×	-	4	×	크		Z
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED.	٦.	<u> </u>		2/2	1	<u> </u>			-2	-2	~	7 .2	2	7	~	~	٠,	~
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP.	25.	[_]		4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB ESTABLISHED UNDER THE CCS CONCEPT.	<u>~</u>	2. PLAM AND PROGRAM FOR RESOURCES.	3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.	<ol> <li>COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.</li> </ol>	3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIVE AND PLAN OF ACTION ON TROUBLE REPORTS.	S. ESTABLISH, IN CORRUNATION WITH WO, PROPILEY OF CHANGE AND TIME FRAME FOR CHANGE TO BE EFFECTED	1. RECEIVE REQUIREMENT FROM USER.	Z. EXAMINE BASIS FOR REQUIREMENT.	3. COUNDINATE WITH MD REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS.	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDERTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR INPACT ON AFFECTED SYSTEMS.	Z. DETERNINE AND EXAMINE IMPACT ON SYSTEM INTEROPER-
TRADOC RESPONS <u>IBILITY</u>		DEVELOPING AND MAIN- TAINING POSS PLANS FOR EACH BAS.	PARTICIPATE WITH MO IN	CONFIGURATION MANAGES MENT.		MANGE CO PUSS EFFORT.				REPORTS		;		KE QUI KEMENTS 4			ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	LIMMES UN STOILENS
TASK AREA	خ		اما		 !N?	M30ANA Gi	<u>.</u> .	-	<u>-</u>				~				ATVNY	
TASK ABEA.					AM 3	324441	٠.	٠,				_			3	1.5	~ 14 ts &	•

Assignment of functions, Theoretical System--Fire Support BFA (continued of next page) Figure E-12.

	$\vdash$	╀	L		$\sqcup$	-			4				Н	+	$\downarrow$	-	+		-	L	-	Н		
<u> </u>	$\vdash$	╀	$\vdash$	H	Н	-		Н	-		-		Н	+	+	-	+			H	┝	Н		
	Н	╀	H	-	Н	-		Н	-				Н	+	+	-	+			$\vdash$	┝	Н		
	$\dashv$	+	L	Н	H	4		Н	4				Н	4	+		+	_		-	L	Н		
	H	+	Ļ	L	Н	4		H					$\vdash$	-	- -	-	-	_	<u>.                                    </u>	H	-	Н		
	H.	ļ	1	_	Ц	_	7					7		1	╁	7	╁		-	-	-	H	Z	
TSM PERSHING II		42	+	Η.	Н	Z	_ Z	3	7		-	7	,	_	4	Z	7	Z	7	-	_	4	_	
TSM FATDS	-	<u> </u>	ļ-	٠.	₩	×	×	Н	Z	X	Щ.	1	Y	7	7	-	4	<u>×</u>		+_		Н	X	×
08A7A2U	H	<b>4</b> 2	┿	╌	-	Z	I	3	7	1		×	X	+	<u>Y</u>		¥	×	×	+-		7	7	Z   Z   Z   Z   Z   Z   Z   Z   Z   Z
TACTICAL SIMULATION	┝╼┼	42	+-	<u> </u>	⊢	Z	Z		7	_ 1	_	×		-	4	-4	7	Z		-	_	7		
INTEROPERABILITY AND COMSER BRANCH TACTICAL SIMULATION BRANCH	╌	42	╁╴	┈	Н	×	Z	ľ	Z			Z	4	7	4	4	4	Z	<u>.                                    </u>	;	<b>!</b>	-	Z	
SYSTEM REQUIREMENTS AND ANALYSIS BRANCH	├	<u>*</u>	╀	×	П	Z	×	4	×	1		Z	Z	-+	4		4	1		٠.	-	Z	×	<u></u>
CDSM, MISSILE ARTILLERY	×	*	٩×	×	M	×	Z	4	Z	Z	-	Z	Z		4	_4	4	Z		+	×	M	×	I
CDSM, TARGET ACQUISITION	×	××	1×	×	M	×	Z	3	7		_	Z	↔	_	4		4	1		⊢	×	×	×	7
CDSM, ARTILLERY FIRE CONTROL	<u>  *</u>	٧×	×	×	M	×	Z	3	Z	Z	Z	Z	4	4	4	Z	4	Z	Z	Ľ	×	×	_×	Z
CHIEF, CDSS, FORT SILL	Z	ΖZ	Z	Z	4	Z	Z	Z	×	×	×	×	기	4	4	Z	×	×	1	Z	Z	4	Z	<u>×</u>
FUNCTION 15 REQUIRED.	2	1	1	~	~	_5_	2	~	-2	. 7	?	-2	~	7	1	~	1	۲'	-2.		'n		_E	<u>,~</u>
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT.	A COENTIEV TOATHING IMPACT	4. IDENTIFY LOGISTICAL IMPACT.	5. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS.	1–1	7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.		)		4. COORDINATE WITH MD IN ESTABLISHING CHANGE PRIORITIES AND OBJECTIVE 10C DATE.	6. MAINTAIN COORDINATION WITH MD DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	11. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM.	2. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA.	J	S DADTICTOATE AC TACKED BY HODE IN DOCUMENTAL		6. PLAN AND COMDUCT OF MONTHOS INCO APPENDED			9. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD	I. MAINTAIN COMMUNICATIONS WITH USERS.	1 1	- 1	4. COORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIELD.
TRADOC RESPONSIBILITY	4. AMALYZE FUNCTIONAL						1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.					1. MONITOR, PARTICIPATE	TESTING AS APPRO-	PRIATE.							1. MAINTAIN INTERFACE	_	FUNCTIONAL GUIDANCE TO FIELD USERS, :	
TASK AREA	(0	40E 12	111 111	14. 10:	(A (C	۶.	100	TA:	JC. W	757E 71GO	3 . E						191	13T2 11T2	31	٠,		1.	10°	3. F11 5us

Figure E-12. (continued)

THE CYCLE STAGE WHEN  THE COMPANY OF THE CYCLE STAGE WHEN  THE CYC		The control of the co		T Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	The state of the s	The state of the s	TRADOC RESPONSIBILITY	DEVELOP AND WANGE 1. DETERMINE TRAINING/R TRAINING PROGRAM RE- QUIRED BY SYSTEM 2. DETERMINE TRAINING DI COMMOG (EXCEPT FOR 3. DEVELOP STAINING DIA NEVELOM PORTORIAL MAN OFFER DIA NEVELOM PARAMINE PARAMIN	الم الما الما الما		SUPPORT TO CUNTINGERICY 1. COORDINATE WITH MO IN PLANNING PLANNING. 2. SUPPORT 10 BAS, IN THE CONTACT PROPERTY	MATIME OPERATIONS.  2. EXAMINE ALTERNATIVES FOR PROVIDING THE THEY AND EFFECTIVE POSS UNDER VARIOUS SERVANDES SECRET ON THE TERMATIVE OF THE THEY AND SEFECTIVE POSS UNDER VARIOUS SECRET OF THE OF TH	4. DEVELUP PROCEDURAL WORK AROUND'S DOES NOT PERMIT SOFTWARE CHANGES 5. THROUGH FRONT-END MALYYSTS, DESIGN INTO THE SOFTWARE TO ALLOW FIELD ANTICIPATED CONTINGENCES.	ASSESS CONTINUED  1. CONDUCT PERIODIC REEVALUATIONS OF TACTICAL SUITABILITY AS OF BASANTIME AND OPERATIONAL OF TACTICAL SUITABILITY AS OF BASANTIME AFFED BASE OF THE SUITABILITY AND OPERATIONAL OF TACKED BASE OF THE SUITABILITY AND OPERATIONAL OF TAXABLE AFFED BASE OF TAXABLE AFFED BAS	FREEZE LESTABL. ISI
							·		TALS.  TA	ITS DOCUMENT.			_ P	INE IN	= Element is responsible and capi i = Element is not responsible
X X X Z Z X Z Z Z Z Z Z Z Z Z Z Z Z Z Z	X   X   X   X   X   X   X   X   X   X	X	X	X	X	X	HIEF, CDSS, FORT SILL	ZZZ	z z z z	ZZZ	X×	z z	Z z	Z	able
X X X X X X X X X X X X X X X X X X X	X   X   X   X   X   X   X   X   X   X	X	X	X	X	X				<del></del>		1-1	+	<del></del>	
X X X Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		X   X   X   X   X   X   X   X   X   X		X   X   X   X   X   X   X   X   X   X					<del></del>	<del></del>	+		<del></del>		
<u> </u>	GRYJYSN ZZZ ZZZXZZ Z Z ZZ Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z		S 7 7 7							}
<u> </u>	98434SN 222 222×22 2 2 2 2 2 2 2 2 2 2 2 2 2 2	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	SQTA3 N2T XXX X X Z X X X X X X X X X X X X X X	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	GBA3A2U ZZZ ZZZXXX X ZX ZX Z Z Z Z Z Z Z Z Z Z	TEROPERABILITY AND MSR BRANCH	277		-	Z 1			d ×	
		SOLAN HET XXX X XZXXXX X ZX ZX Z X	SOLAN HET XXX X XZXXXX X ZX ZX Z X	SOLVA HST XXX X ZZXXXX X ZX ZX Z X	SOLAN HET XXX X XZXXXX X ZX ZX Z X	SOLAN HET XXX X XZXXXX X ZX ZX Z X	ACTICAL SIMULATION NOTICAL SIMULATION			┝╾┾╾┿╾╾		+		$\frac{4}{z}$	}

Figure E-12. (concluded)

conducted by this branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated. Specific functions included in the responsibilities of the System Requirements and Analysis Branch are shown in Figure E-12.

- (10) Interoperability and Communications Support Requirements (COMSR) Branch. The responsibilities of this branch focus on two major subject areas. The first area is interoperability. In this area, the branch analyzes the impact of functional changes on the interoperability of the system. It identifies interoperability change requirements which result from either changes to a fire support BAS or changes to another system with which the fire support BAS must interoperate. The second area of responsibility for this branch concerns communications support requirements (COMSR). In this area, the branch establishes and maintains requirements for communications between target acquisition systems and fire control systems and with external systems. It also analyzes the impact of adding new target acquisition or fire control systems to its communications network.
- (11) <u>Tactical Simulation Branch</u>. This branch of the CDSF has responsibility for preparing and conducting all simulations needed by the CD during front-end requirements analysis. Preparation of the simulations may include the design and development of experimental software to test basic concepts, the collection of data, the building of automated data bases, and the generation of scenarios to drive the simulations. Since much of this work requires computer support, this branch has either direct or remote access to computer resources.
- (12) <u>US Army Field Artillery Board (USAFABD)</u>. The PDSS related responsibilities of USAFABD are as follows:
  - Plan, conduct, and report on Operational Test I, Operational Test II, Operational Test III, and any other user type tests of field artillery material
  - Participate in Development Test I, Development Test II, (engineering phase), and Development Test III as directed
  - Provide advice and guidance on test and evaluation matters to materiel developers, materiel producers, other services, and private industry
  - Conduct other tests and evaluations as directed by Commander, TRADOC.

On 10 August 1977, the USAFABD was designated by HQ TRADOC (via TRADOC Msg, ATCD-TM, 101918Z Aug 77, subject: TACFIRE Tape Validation) as the responsible agency for user validation of TACFIRE system master tapes developed by the DARCOM TACFIRE Software Support Center, Fort Sill (TSSG). In accordance with

this tasking, the Software Validation Branch, Test and Technical Support Division, USAFABD, has been performing acceptance testing of new TACFIRE software releases. Depending on requirements, this testing has been or can be OT, DT, or command post exercise oriented. In addition to its testing responsibilities, this organization is also a member of the local Software Configuration Control Board.

- Systems (FATDS). The mission, authority, and responsibilities of the TSM-FATDS are spelled out in the TRADOC System Manager Charter, Field Artillery Tactical Data Systems (FATDS), dated 1 November 79. By this charter, his mission is to "conduct total system management within TRADOC for FATDS to include TACFIRE, Battery Computer System (BCS), Digital Message Device (DMD), and other follow-on system enhancements." One of the responsibilities of the TSM-FATDS which is delineated in that charter is "Managing the TRADOC aspects of post-deployment software support (PDSS) for FATDS and other Field Artillery systems requiring software support." Included in these PDSS duties is co-ordination with other organizations to ensure that plans for training, personnel, logistics, testing, and new doctrine/tactics are timely and fully integrated into the materiel development program.
- (14) TRADOC System Manager, Multiple Launch Rocket System (MLRS) Fire Direction System (FDS). The TSM-MLRS monitors overall management of the MLRS-FDS during production and deployment phases. He acts as User representative in the writing of the Computer Resources Management Plan (CRMP) for MLRS-FDS. He insures User participation in all ECP's. In addition, the TSM-MLRS participates as a principal member on the TACFIRE/MLRS Executive Committee dealing with all aspects of TACFIRE-FDS interoperability.
- (15) TRADOC System Manager, Pershing II Tactical Missile System (PII). The TSM-PII conducts total system management within TRADOC for the Pershing II. Due to the life cycle status of the PII, he currently has no PDSS activities.
- (16) <u>CD PDSS Liaison Office (LNO)</u>. The Theoretical PDSS System for the Fire Support BFA includes three CD PDSS Liaison Offices. Each one is an extension of the CDSF at Fort Sill. These offices facilitate CD-MD interaction on PDSS for the BAS with which they are concerned and provide the principal user representation at the MD PDSS Center where they are located.
- (a) <u>CD PDSS LNO, Redstone Arsenal</u>. This LNO provides the principal user representation to the MICOM PDSS Center for the four missile artillery systems listed in Appendix C.
- (b) <u>CD PDSS LNO, Picatinny Arsenal</u>. This LNO provides the principal user representation to the ARRADCOM PDSS Center for three artillery fire control systems listed in Appendix C.

- (c) <u>CD PDSS LNO</u>, <u>Fort Monmouth</u>. This LNO provides the principal user representation to the <u>ERADCOM PDSS</u> Center for five target acquisition systems and one fire control system and to the <u>AVRADCOM PDSS</u> Center for one target acquisition system as listed in <u>Appendix C</u>.
- (17) Combat Developer Forward Support Team (CDFST) TACFIRE. The CDFST, TACFIRE is subordinate to the CDSF at Fort Sill and has the responsibility for maintaining liaison with and providing PDSS guidance to Users of TACFIRE. The number of such teams at any given time will depend upon the number and geographic dispersion of TACFIRE Users.
- E-17. ESTIMATE OF RESOURCE REQUIREMENTS. Estimates of the resources required to establish the Theoretical PDSS System in support of the Fire Support BFA are presented below.

## a. CDSF, Fort Sill.

(1) <u>Personnel</u>. The personnel estimates presented here are based on the total set of Fire Support BAS listed in Appendix C. The "authorized" spaces shown reflect an assumption that the personnel currently authorized for the Tactical Data Systems Division, Combat Developments Directorate, USAFAS would be assigned to the CDSF, Fort Sill.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	21 14 35	26 15 41	28 15 43	32 16 48	32 16 48	33 16 49	33 16 49
Authorized Military Civilian TOTAL	21 4 25	21 4 25	21 4 25	21 4 25	21 4 25	21 4 25	21 4 25
Additional Military Civilian TOTAL	Needed 0 10 10	5 11 16	7 11 18	11 12 23	11 12 23	12 12 24	12 12 24

A breakout of the personnel requirements by organizational element for FY 87 is shown below.

ELEMENT	MANAG AN TECHN MIL	_	А	ICAL ND ICIANS CIV	TOTAL
Chief, CDSF	3	1	0	1	5
CDSM, Artillery Fire Control	10	3	0	1	14
CDSM, Target Acquisition	6	0	0	1	7
CDSM, Missile Artillery	5	1	0	1	7
Systems Requirements and Analysis Branch	4	2	0		6
Interoperability and COMSR Branch	3	2	0		5
Tactical Simulation Branch	1	2	1	1	5
TOTALS	32	11	1	5	49

- (2) <u>Major Items of Equipment</u>. This CDSF requires either direct or remote access to computer resources in order to perform its functions. In addition, computer access is also required to provide linkage with other CDSFs which support control systems in the CCS<sup>2</sup> concept. Specific items of equipment required to provide this access must be determined through further study.
- (3) <u>Facilities</u>. Physical facility requirements include office space for assigned personnel and floor space for a computer and/or remote computer terminals. It would be desirable to collocate this CDSF with the CORADCOM-managed PDSS Center at Fort Sill. If collocation is not feasible, other suitable space should be selected for the CDSF which will facilitate close interaction with the PDSS Center.
- (4) <u>Funds</u>. An estimate of funds required for the CDSF civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an estimated average cost of \$31.6K per technical man year and \$16.0K per administrative man year.

	FY 81	FY 82		REQUIRED FY 84		DS) FY 86	FY 87
Civilian Personnel	364.4	396.0	396.0	427.6	427.6	427.6	427.6

Funds needed for equipment and facilities are dependent upon development of specific requirements and plans addressing these areas.

b. <u>CD PDSS LNO</u>. Each of the three liaison offices described in Paragraph E-16.b.(16) would have the following personnel requirements:

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	1	1	1	1	1	1	1
Civilian	0	0	0	0	0	0	0
TOTAL	1	7	1	1	1	7	1

The only other requirement for each liaison office is floor space for one desk with appropriate accompanying equipment (e.g., file cabinet, bookcase, etc.).

# c. US Army Field Artillery Board (USAFABD).

(1) <u>Personnel</u>. In order to fulfill its PDSS responsibilities in testing TACFIRE update master tapes, the USAFABD will require the following additional personnel:

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required		-					
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	5	5	5	5	5	5	5
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	ΰ	0	0	0	0	Ō
Additional Needed							
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	j	5	5	5	5	5	5

(2) Major Items of Equipment and Facilities. There is a need for an Instrumented Test Facility for use jointly by USAFABD and the TACFIRE Software Support Group (TSSG). This facility needs to be funded jointly by TRADOC and CORADCOM and could be provided as an expanded capability of the present TSSG (CORADCOM) machine room to reduce expenditures.

(3) <u>Funds</u>. An estimate of funds required for the USAFABD personnel identified above is as follows:

	FUNDS REQUIRED (THOUSANDS)									
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87			
Civilian	62.0	62.0	62.0	62.0	62.0	62.0	62.0			
Personnel	63.2	63.2	63.2	63.2	63.2	63.2	63.2			


### SECTION VII. AIR DEFENSE BFA

#### E-18. SYSTEM DESCRIPTION.


- a. <u>System Purpose and Scope</u>. The Theoretical PDSS System described in this section is intended to be capable of adequately fulfilling all CD PDSS responsibilities and functions, looking forward into at least the late 1980's, for the entire Air Defense BFA. This Theoretical PDSS System has been structured without reference to resource constraints. This system, while somewhat ideal in nature, should nevertheless represent a potentially achievable target, and therefore a useful point of reference for consideration of other system alternatives. This system is basically a TRADOC system, although it must interact with, and is heavily dependent on, many non-TRADOC elements.
- Principal System Features. This Theoretical System for providing PDSS in the Air Defense BFA is centered on what would be a new element, the Combat Developer Support Facility (CDSF), within the existing Directorate of Combat Development (DCD), of the US Army Air Defense School (USAADS), at Fort Bliss, Texas. Based on the existing Combat Systems Software Division (CSSD), the term CDSF, as used broadly in this Theoretical System, would encompass both the concept of an organizational element with overall responsibility for PDSS and the concept of a physical facility in which equipment and personnel resources could be assembled as necessary to address software issues of USAADS. This CDSF is based on the CDSF model in the PDSS Concept Plan for BAS, of May 1980, and serves as the CD facility which is to be the focal point for interaction with MD PDSS Centers such as that maintained at Fort Bliss by MICOM. This CDSF, under the management of the Directorate of Combat Developments, is the center for performance of CD software functions, which differ significantly from MD functions. In this Theoretical System, the CDSF operates in close coordination with 9ther CDSFs. It is closely linked by special communications with the CCS<sup>2</sup> activities at Fort Leavenworth which control and coordinate developments in all Control and Subordinate Systems, one of which is the Air Defense Control System, within the overall Force Level Control System. The CDSF in this Theoretical System for providing PDSS in the Air Defense BFA includes elements whose principal mission is to serve the concepts analysis, requirements definition, planning, and support needs of the existing Directorate of Training Developments at USAADS, in certain areas. Foremost in these areas are software-containing training simulators and devices in the Air Defense BFA. Other TRADOC elements, both at Fort Bliss and at other installations, are active parts of this Theoretical System. Outside of TRADOC, there are elements of DARCOM, the Users of Air Defense systems, the Army Research Institute, and various contractors which are involved in the Theoretical System, either actively or as interface points. For example, a key element is the Raytheon Patriot Software Support Organization at Bedford, Mass., which constitutes the MD PDSS Center for the Patriot Air Defense missile system. Accordingly, the CDSF at Fort Bliss, in this Theoretical System, maintains a liaison element at this Raytheon center to facilitate interchange of information, and coordination and execution of necessary PDSS functions. The CDSF and this liaison element are linked with special communications capabilities. A second liaison element is located at Redstone Arsenal, Alabama, where MICOM maintains its missile Software Support Center, which serves as the MD PDSS Center for I-Hawk, Roland, and limited

portions of Patriot. Other elements of the CDSF have specific responsibilities for maintaining liaison with and providing guidance and support to Users. These elements, called Combat Developer PDSS Forward Support Teams (CDFSTs), provide liaison and/or delivery of forward support to User organizations such as the 32d AADCOM. These CDFSTs also possess special communications capabilities linking them directly with the CDSF at Fort Bliss, and other key elements, as necessary.

- Principal Elements Involved. Principal elements involved in the Theoretical PDSS System for the Air Defense BFA are identified in Figure E-13. This figure also indicates some of the principal interfaces involved, thus providing a type of system overview. Structure within the CDSF is addressed below. Other DARCOM elements are also involved, but are not shown here in Figure E-13. Army combat modeling/simulation capabilities at three separate locations, being developed under the Army Models Improvement Program (AMIP) are included in this figure. These are the battalion-level capability at TRADOC Systems Analysis Agency (TRASANA), White Sands, the corps/division level capability at the Combined Arms Studies and Analysis Activity (CASAA), Fort Leavenworth, and the theater-level capability at the US Army Concepts Analysis Agency, Bethesda. Also shown are the CACDA Scenarios and Wargames Directorate, and the TRADOC general purpose computer center at Fort Leavenworth. All of these modeling/simulation/gaming and computer elements are shown here because they are resources that, at least in theory, should be considered as potential contributors to the overall PDSS mission. It must be understood, however, that most of the analysis of ADA systems software, as needed in performance of PDSS functions, requires high-resolution, high-fidelity system simulations and simulators of a type which do not (and would not be expected to) exist at locations other than USAADS and the Army Materiel Systems Analysis Agency (AMSAA), Aberdeen, MD. Also not shown in Figure E-13 are various testing organizations and user units that may become heavily involved from time to time. Examples are the Air Defense Board, the 11th Airborne Brigade at Fort Bliss, ARMTE at White Sands Missile Range, the Tactical Interoperability Support Element (TISE) and TCATA at Fort Hood, the Joint Test Element and MAINSITE at Fort Huachuca, OTEA, NTC (Fort Irwin), and ad hoc field test activities. In this connection, it should be stressed that test beds and field tests have serious limitations or disadvantages, in many cases, for ADA system testing relevant to software issues. Such limitations and disadvantages include high costs of moving and using field units and creating usefully realistic threat environments, inabilities to capture essential test data and freely reproduce or vary experiments, and timeliness of results. Such means cannot be justified for many software test questions. As a result, USAADS must depend, in large measure, upon simulations and simulators for software testing analyses.
- d. <u>CDSF Structure</u>. The structure of the CDSF which is central to this Theoretical PDSS System is outlined down to the branch level in Figure E-14. This CDSF is seen as a mission-oriented organizational entity subordinate to the Director of Combat Developments, within the US Army Air Defense School. Although this CDSF is seen as a separate organizational entity within the Directorate of



Principal elements, Theoretical PDSS System for Air Defense BFA Figure E-13.



- \* CD PDSS LNO LOCATED AT:
  - (1) RAYTHEON-BEDFORD PDSS CENTER
  - (2) MICOM PDSS CENTER, REDSTONE
- \*\* CDFSTs LOCATED AT MAJOR USER UNITS AS NEEDED

Figure E-14. CDSF structure, Theoretical PDSS System--Air Defense BFA

Combat Developments (DCD), the subordinate portions of the CDSF, which reports through the Chief, Air Defense CDSF, or his deputy, must operate in close co-ordination with other elements of DCD. The basic structure of the CDSF involves six divisions, based primarily on functional lines. These divisions are:

- CDSF Management
- Facility & Systems Support
- Concepts and Analysis
- Air Defense C<sup>2</sup> Systems
- Air Defense Weapons Systems
- Field Support.

Within these six divisions, structure is again based primarily on functional lines, except in the Air Defense  $\mathsf{C}^2$  and Weapons Systems Divisions, where the branch level breakdown is according to principal system, and where the CDSMs for these principal systems serve as branch managers. The content of branches and the responsibilities of the elements within the CDSF are discussed in paragraph  $\mathsf{E}\text{-}19$ , below.

Operating Concept. The operating concept for this Theoretical system involves CD performance of CD functions, but in conjunction with MD performance of MD functions. In fact, the basic mission of this Theoretical System cannot be achieved without a high degree of cooperation among CD, MD, and User elements at many levels, in what is essentially a common process. The nature of this process demands not only coordinated actions, including joint forums, actions, and decisionmaking, but also, to the maximum extent possible, collocated facilities and joint use of facilities and equipment. Items of equipment located in the MD-owned facility may be a vital resource for performance of CD functions, as may be MD use of equipment in a CD-owned facility. In many instances the problem is a common one requiring joint participation/observation and analysis. In many other aspects the MD and CD functions require separate, different types of equipment and analytical tools. Containing the analytical tools, devices, documentation, and technical support personnel necessary to support all USAADS functions related to BAS PDSS, the CDSF is seen as an analytical support facility. In contrast, MD PDSS Centers, such as the MICOM facility at Fort Bliss, are seen as production operations centers which focus on the technical and mechanical details of producing, documenting, and verifying against specifications (at the computer program code level) BAS software products, which are only a part of the total ADA system. The CDSF, however, set in the framework of the total ADA system, focuses on user needs and requirements, system architectures, and ADA system functional requirements, in terms of both how these can be met by and how they can guide development of emerging ADA systems. In its evaluations, the CDSF examines software products only down to the level of the algorithms which the computer code implements.

#### E-19. RESPONSIBILITIES AND RELATIONSHIPS.

- a. <u>CDSF</u>. The overall mission of the Air Defense CDSF is to ensure that all CD PDSS responsibilities and functions are adequately fulfilled for the entire Air Defense BFA. The responsibilities and functions of the elements of this CDSF are outlined below.
- (1) Chief, Air Defense CDSF. The Chief, Air Defense CSDF, reports to the Director, Combat Developments, US Army Air Defense School. The Chief is responsible for carrying out the overall mission of the CDSF, through the resources at his disposal and through fostering a climate of cooperation with the many external elements with which the CDSF must interface. The Chief is also responsible for the resources at his disposal, which include the personnel, equipment, and facilities involved in the six divisions of the CDSF.
- (2) <u>Deputy Chief, Air Defense CDSF</u>. The Deputy Chief, Air Defense CDSF carries the responsibilities delegated to him by the Chief, and is to act for the Chief in his absence or as required.
- (3) <u>CDSF Management Division</u>. The CDSF Management Division provides staff support for the Chief and Deputy Chief and is responsible for a group of functions pertaining largely to management, management policies, and management support of the CDSF. These functions are performed within four branches: Plans and Resources, CDSF Training, Documentation & Standards, and Configuration Management.
- (a) <u>Plans and Resources Branch</u>. The Plans and Resources Branch is the focal point for the determination of CDSF workload requirements, and the preparation and maintenance of plans and policies for acquisition, separation, and effective use of all resources within the CDSF. This function is performed in coordination with superior elements as well as the elements within the CDSF.
- (b) CDSF Training Branch. The CDSF Training Branch participates in determining CDSF personnel requirements, in planning for personnel acquisition and separation, and is responsible for ensuring that all appropriate educational and training avenues are effectively used in achieving and maintaining necessary skills among CDSF personnel. A section within this branch is responsible for serving as a focal point and assisting in analysis and development of man-machine interface technology involved in the BAS under purview of the CDSF.

- (c) <u>Documentation & Standards Branch</u>. The Documentation & Standards Branch maintains the official, central, up-to-date documentation on all software of all systems under the purview of the CDSF, in appropriate form by appropriate means. Also maintained by this branch will be all appropriate official correspondence and standards and regulations pertaining to the systems under CDSF purview. This branch will also maintain a library of other documentation and related materials commonly used within the facility, and will provide an appropriate storage and reproduction capability for all items. The efforts of this branch are not intended to duplicate, unless necessary, the efforts of other elements. For instance, if the MD PDSS Center maintains locally an appropriate, accessible repository of software documentation, there should be no need to duplicate that in the CDSF.
- (d) <u>Configuration Management Branch</u>. The Configuration Management Branch is responsible for ensuring that basic configuration management policies are understood and adhered to throughout the CDSF, and assists in the development of detailed procedures for configuration management of individual BAS under purview of the CDSF. The documentation maintained by the Documentation and Standards Branch is a requisite of this branch.
- (4) <u>Facility and Systems Support Division</u>. The Facility and Systems Support <u>Division</u> is responsible for a group of common benefit functions involving the physical plant, equipment, and related technology and expertise, as well as serving as a common focal point for system test activities.
- (a) <u>Communications Branch</u>. The Communications Branch is responsible for all aspects of acquisition and maintenance of appropriate communications capabilities needed to provide the rapid (and, as needed, secure and reliable) interchange of digital, audio, visual, and graphics data or information among the CDSF, its remote elements, and other key interfacing elements. Among required capabilities may be television conferencing, and high bit rate audio or digital interchanges.
- (b) <u>Facility Support Branch</u>. The Facility Support Branch is responsible for obtaining or providing, for the physical facility and the equipment therein, any support or expertise needed, and not otherwise provided, to permit the efficient conduct of the CDSF mission. This branch will participate in the preparation and maintenance of resource plans for the CDSF.
- (c) Computer Support Branch. The Computer Support Branch is responsible for the planning for and acquisition, maintenance and disposal of all computer resources local to the CDSF plus the arrangement or coordination of all external computer resources utilized by the CDSF. Such resources include computers, peripheral equipment, tapes or other storage devices, terminals and related equipment, key aspects of the physical facility housing such equipment, models, simulations, and support software for CDSF research and analysis activities, plus personnel needed for operation and maintenance of equipment, models/simulations, and other related software, and non-BAS software documentation. This branch will include a Model Development and Maintenance Section, which will assist in the writing and modification/maintenance of needed models/simulations, and a Support Software Branch, which will provide expertise, software utilities, and other items of software which may be needed to support the work of the CDSF.

- (d) System Test Support Branch. The System Test Support Branch provides a common focal point for coordination of necessary CDSF participation in testing of BAS within the purview of the CDSF. This branch maintains schedules and records of all significant testing performed or to be performed on these BAS at all locations, and provides a nucleus of skilled personnel for CDSF participation in planning, observation, and analysis of system tests. This branch also provides advice and assists in tests that may be conducted with CDSF resources.
- (5) Concepts and Analysis Division. The Concepts and Analysis Division provides, under the control of the CDSF but also available as appropriate to support other DCD needs, a broad capability for the intensive, sophisticated, computer-supported, and system-technically-oriented research and analysis necessary to effective fulfillment of the CDSF mission. It is intended that this division possess the expertise, tools, and equipment or access to equipment, necessary to fulfill a variety of key analysis functions inherent to PDSS of complex BAS. This division contains the following seven branches:
  - Technology, Threats, & Scenarios
  - Doctrine and Concepts
  - Modeling and Simulation
  - System/Training Simulators
  - Requirements Analysis
  - Software Analysis
  - Interoperability Analysis.
- (a) Technology, Threats, & Scenarios Branch. The Technology, Threats, & Scenarios Branch is responsible for acquiring, maintaining, and analyzing current information in the areas of technology and threat that could impact on BAS in the Air Defense BFA, to facilitate timely anticipation of impacts on these BAS and their doctrine, software or software requirements. This branch also contains a section equipped to contribute, as needed, to the preparation of detailed scenarios (in narrative and in computer-input-ready form) for various analysis and training purposes.
- (b) <u>Doctrine and Concepts Branch</u>. The Doctrine and Concepts Branch provides a local center of expertise and information on both general Army doctrinal concepts and organization and also the detailed air defense tactical doctrine pertaining to employment and operations of the relevant air defense systems in an integrated air defense environment, such as in NATO. This branch is responsible for coordinating with other centers of

doctrinal/conceptual information and developments in the Army and other Services, to ensure that both established and advanced concepts can readily interplay in the analyses focused in other branches of this division.

- (c) Modeling and Simulation Branch. The Modeling and Simulation Branch provides a center of expertise in the development and exercise of computerized models and simulations and also the analysis of model or simulation results to contribute to the analysis interests of the CDSMs and the other analysis branches in this division. Skills required in this branch will include operations research/systems analysis, computer programming, understanding of the scientific and engineering principles and characteristics of air defense C and weapons systems, and also an understanding of air defense system doctrine and tactics. Personnel in this branch will be sufficient to support the simultaneous analysis requirements of all the BAS in the purview of the CDSF. A section in this branch will be devoted to anticipating analysis requirements and recommending analysis approaches and techniques to the CDSMs and others.
- (d) System/Training Simulators Branch. The System/Training Simulators Branch is responsible for the conception, development and research or analytical use of system simulators and necessary driver equipment. When designed or used for training purposes, such simulators may be called training simulators or training devices. The distrinction between models or simulations on the one hand and simulators on the other hand is that the former are representations of the real system, at a level of abstraction appropriate to the particular analytical objectives; simulators, however, will duplicate as closely as possible either all or selected features of the real BAS. System prototypes may be used for this purpose in some cases. Research/analytical use of simulators permits experiencing, in advance, the types of capabilities and problems which can be encountered when the real system is employed in the field. Such use of simulators is an essential in performance of the CDSF mission. A section in this branch will be a focal point for identifying the requirements for training simulators and their use, as an adjunct to the Directorate of Training Developments.
- (e) Requirements Analysis Branch. The Requirements Analysis Branch is responsible for performing or effecting that analysis necessary to identify the requirements for software in BAS and related simulators, and including support software, as may be appropriate. Such software requirements analysis will pertain to the earliest stages of PDSS planning for a BAS, as well as the later stages, including all significant changes proposed. This branch will also assist in and be the focal point for reduction of identified software requirements to documented forms which can serve effectively to transmit requirements to the MD and others for coordination and implementation. Training software requirements associated with BAS are included in the responsibilities of this branch.
- (f) <u>Software Analysis Branch</u>. The Software Analysis Branch is responsible for performing or effecting necessary detailed examination and analysis of software in or pertaining to BAS and simulators under the purview

of the CDSF. Such detailed examination and analysis of software will have the objective of insuring that the software in question performs correctly the intended tactical functions. This branch will make use of models, simulations, simulators, and manual analysis to achieve this objective. This branch will have the capability to perform such analyses as deemed necessary by the CDSMs, and will be responsible to recommend areas for such analysis to the CDSMs and others. This branch will not supplant or duplicate the "verification and validation" work properly performed by the MD, but will obtain and take full advantage of such work, as necessary. This branch will prepare appropriate records of the software analyses performed.

- (g) Interoperability Analysis Branch. The Interoperability Analysis Branch is responsible for performing or effecting the necessary detailed examination and analysis of interoperability capabilities and limitations of BAS under the purview of the CDSF. This branch will maintain a detailed and up-to-date awareness of the interoperability requirements and characteristics of all BAS with which the CDSF BAS may interface or impact upon. Within this framework, this branch has the principal objective of insuring that potential interface problems are anticipated as early as possible in the BAS development life cycle, that, as BAS design and development proceeds, these interfaces are properly accomodated, and that, at later stages, BAS code properly performs the necessary interface functions and that changes in any of the interoperating systems are continuously monitored and evaluated for impact.
- (6) Air Defense  $C^2$  Systems Division. The Air Defense  $C^2$  Systems Division is the focal point for CDSF activities pertaining to the air defense  $m C^2$  systems functional area. Within this division are CDSMs for AN/TSQ-73 (Missile Minder), SHORAD  $\rm C^2$ , and Air Defense Electronic Warfare System (ADEWS), as well as a branch responsible for other/new air defense systems. The overall responsibilities of CDSMs have been defined in general in Chapter 3 of this report. In this CDSF, each CDSM is a focal point for all CDSF activities pertaining to his particular BAS, and is also the interface point for all external and internal communication regarding that BAS. The CDSM maintains a limited staff who are specialized in their knowledge of that particular BAS. Members of his staff individually are further responsible for key functional areas, including software requirements, configuration control, software analysis, interoperability analysis, testing, training requirements, and field support, for that BAS. The CDSM and his staff call upon the resources of other CDSF divisions to assist in performing necessary analysis and field support functions, and to advise or assist in participation in system testing. The New Systems Branch within this division performs analogously for other or new systems as a group until such stage is reached where assignment of a dedicated CDSM is appropriate.
- (7) Air Defense Weapons Systems Division. The Air Defense Weapons Systems Division is the focal point for CDSF activities pertaining to the air defense weapons system functional area. Within this division are CDSMs for Patriot, DIVAD Gun, I-Hawk, and Roland, with also a branch covering MANPAD and other AD weapons systems. The responsibilities of these CDSMs and the additional branch are analogous to those discussed in the preceding paragraph.

- (8) Field Support Division. The Field Support Division is responfor providing resources, and management and coordination of those resources. for field support and other remote elements, as required to support effectively the overall CDSF mission. The four branches within this division are: Remote Elements Management, Crisis/Wartime Support, CD PDSS LNO Support, and CDFST Support. Resource elements provided by this division will be considered organic to this division, while operational control will normally reside with the CDSM for which the element is functioning at the particular time. Some elements or personnel may acquire specialized knowledge of particular BAS and it may be desirable to preserve that specialization in the interest of efficient interaction with certain users or other elements. Need, travel, and other factors, however, may motivate for diversification of personnel or elements over several BAS. The Remote Elements Management Branch will coordinate with CDSMs and others, and weigh such factors, as appropriate, in the interest of best fulfilling the overall CDSF mission. The Crisis/Wartime Support Branch is responsible for developing, coordinating, and maintaining plans for support under crisis or wartime conditions. The CD PDSS LNO Branch provides essential travel, logistical, and other necessary support, maintains contact with the counterpart facility and serves as coordination point in such matters for CD PDSS LNOs that may be needed. A CD PDSS LNO is known to be needed at the Raytheon PDSS Center (Patriot Software Support Organization) at Bedford, Mass., and the MICOM PDSS Center at Redstone Arsenal. The CDFST Support Branch provides, as appropriate, necessary travel, logistical, and other support, and maintains contact, as appropriate, with served facilities where CDFSTs are required on permanent, semi-permanent, temporary, periodic, or ad hoc visits basis. CD PDSS LNOs and CDFSTs maintain appropriate communication channels (through support by the Communications Branch) with the CDSM, or the CDSM staff, for the particular BAS being addressed. CDSM staff members and others, such as MD representatives, may accompany CDFSTs routinely on visits to Users.
- Other Elements. The responsibilities of the USAADS Directorate of Combat Developments and the Directorate of Training Developments remain, in this Theoretical System, essentially the same as in the Baseline System. At Fort Leavenworth, responsibilities of CACDA are consistent with those enunciated in Sections III and IV, involving the Force Level Control System and the JINTACCS Office. Any contribution, however, which the Scenarios and Wargames Directorate of CACDA can appropriately make to solution of CDSF needs should not be overlooked. Similarly, the resources of the Combined Arms Studies and Analysis Activity (CASAA) at Fort Leavenworth, particularly in the area of corps- and division-level modeling, and future exercise of such models, should be considered. CASAA should be kept aware of CDSF activities and should be available to contribute as appropriate. The same is true of TRASANA resources in battalion-level modeling and model exercise. Since CASAA has a coordinating responsibility for the Army Models Improvement Program, the resources of Concepts Analysis Agency, at Bethesda, in the theater modeling and model exercise area should also be considered for appropriate contributions to CDSF needs. Since theater-through-battalion level models do not possess high enough resolution and fidelity to address the types of analysis issues involved in most ADA software investigations, those models themselves have extremely limited applicability to USAADS PDSS. Exceptions might occur in weighing some effectiveness considerations in a combined arms context, or in very specialized sideanalyses. Some of the personnel resources, however, at these other analytical

facilities do possess skills applicable to USAADS PDSS problems. The resolution level of the types of models developed and maintained at Army Materiel Systems Analysis Agency (AMSAA), Aberdeen Proving Grounds, MD, is more in tune with USAADS needs, but few, if any, AMSAA models are directly applicable, although personnel expertise there remains a potential resource. The limitations of various testing resources, for USAADS software issues, were discussed in Paragraph E-18c, above. Those limitations apply here also.

E-20. SYSTEM CAPABILITIES. The Theoretical PDSS System is designed to be capable of adequately fulfilling all CD PDSS responsibilities into at least the late 1980's for the entire Air Defense BFA. Accordingly, Figure E-15, which lists the 64 TRADOC principal PDSS functions, is used here only to show, by "X" entries, which elements in the Theoretical System are responsible for fulfilling these functions. Since the format of such a matrix could not legibly accommodate all of the CDSF and other elements involved, only the major divisions within the CDSF are identified in column headings. The Directorate of Training Developments is also identified because it carries a key responsibility.

# E-21. SYSTEM RESOURCE REQUIREMENTS.

- Personnel. Personnel needed to staff the Air Defense CDSF for the Theoretical PDSS System have been estimated by the study team. These estimated personnel requirements are based on a consideration of the responsibilities and functions of each of the elements within the CDSF, through branch and section level, and include all field support and other remote personnel of the CDSF. Not included in these estimates are requirements for the Theoretical System within the USAADS Directorate of Training Developments, or other TRADOC elements, since those requirements are seen to be negligible if CDSF requirements are fulfilled. The estimates were made without reference to any resource constraints. The estimates were, however, subjected to review-for-reasonableness and some adjustments in initial figures were made. The estimates are based on fulfilling the identified functions and responsibilities delineated above. The estimates are total requirements without consideration of the issue of in-house and contractual components. The resulting requirements figures are shown by fiscal year in the top portion of Figure E-16. These requirements are seen to grow from a total of 114 in 1981 to a total of 199 in 1987. The authorized numbers in the middle of that figure assume that the existing Combat Systems Software Division of DCD is incorporated in the CDSF. A breakout of these personnel requirements estimates, for the FY 1986/87 time frame is shown, by CDSF division, in Figure E-17.
- b. <u>Civilian Personnel Costs</u>. The costs of the civilian personnel portion of the estimated personnel requirements are further estimated, in constant FY 81 K dollars, based on an assumed cost of \$31.6K per technical/managerial and \$16.0K per clerical/technician man-year, including 10% overhead loading, as shown below:

	CONSTANT FY 81 \$000											
	FY 81	FY 82	FY 84	FY 84	FY 85	FY 86	FY 87					
CIVILIAN PERSONNEL	<del></del>											
COSTS	1156.4	1320.0	1539.9	2200.1	2587.2	2673.0	2786.8					

			+	+	+		<u>-</u>						+	_	-					
				1	1		_						$\dagger$	_	T	T				
				1	I								T							
	_		1	1	$\downarrow$			Ц							L	L				
			4	4	ļ			Ц					ļ		L					
Singu jorgana			4	$\downarrow$	$\perp$			Ц					$\downarrow$							
DIRECTORATE OF TR: JUING DEVELOPMENTS			$\perp$	_	$\perp$								$\perp$							
CDFST, CDSF, DCD			4	-	$\downarrow$	<u> </u>		Ц					$\perp$		×	_		×		
CD bD22 FM02		4	+	4	+	_		Ц			×	×	4			Ļ	×			
111 ELD SPT D1V, CESF,		-	4	4	╀			X							<u> </u> _		_			
CD2F, DCD	×		<u> </u>	-	××	}		M	Ц	×	×	<del>i  </del>	<u> </u>	_×	-	H	<del> </del>	Н	×	X
AD C SYSTEMS DIV,	×	X	×	4	××	×		ľ	Н	<u>×</u>	×	×	<del>*</del>	×	×	ľ	×	×	×	×
FACIL: & SYST SPT DIV, CDSF, DCD CONCEPTS & RNALYSIS DIV, CDSF, DCD		+	+	+	+	-	×	H	H	×		$\vdash \dashv$	+	-	-	$\vdash$	ļ	$\vdash$	×	×
1000		+	┧	+	+	-	×	X				H	+		$\vdash$	+		H		-
LIFE CYCLE STAGE WHEN FUNCTION IS REOUTED* CDSF MGT DIV, CDS:	-	-	×	-	7 ~	-	<del>-</del> -		٦	- 2	2	-	+	~	2	2	~~	2	2	- 2
LIFE CYCLE STAGE WHEN		+	$\dashv$	$\dagger$	+	-		Н	H			H	ال		<del>ا</del> ا	$\vdash$	<u> </u>	-		-
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP.	<u> </u>	BAS.		13. PROVIDE REPRESENTATION ON EACH BAS SSCB.	4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB ESTABLISHED UNDER THE CCS <sup>2</sup> CONCEPT.	<u>-</u>	2. PLAN AND PROGRAM FOR RESOURCES,			2. COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.	3. COORDINATE WITH MO IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	4. COORDINATE WITH MO ON PROVIDING SOLUTION TO THE FIELD. 15. ESTABLISH, IN COOMDINATION WITH MO. PRIORITY OF CHANGE	AND TIME FRAME FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER.	2. EXAMINE BASIS FOR REQUIREMENT,	3. COORDINATE WITH MD RECAROING ACTION TO SATISFY VALIDATED REDITMENTS	4. INFORM USER OF PLAYHED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP PUTENTIAL CONCEPTUAL CIANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	Z. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
TRADOC RESPONSIBILITY		DEVELOPING AND MAIN- TAINING PDSS PLANS FOR			CONFIGURATION MANAGE-		MANAGE CD POSS EFFORT.			PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.				ANALYZE USER-STATED	REQUIREMENTS.			ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	CHANGES ON SYSTEMS.
TASK AREA	┝╧		{	<u>~i</u>		I N	M35AAA		ı	<u>-i</u>					<u>نہ ا</u>			515	MALY:	1 .5
TASK APICA	<u> </u>					Tu.	**************************************	_								_		313	V IAUA	

Figure E-15. Assignment of functions, Theoretical System-- Air Defense BFA (continued on next page)

		<del>                                     </del>		
DIRECTORATE OF TEATHING DEVELOPMENTS				
CDF51, CDSF, DCD 1				X   X
CD PDSS LNOs		× ×		
DCD LIEFD 261 DIA' CD2: DCD				XX XX
CDSF, DCD	<del>                                    </del>			<del>                                     </del>
CONCEPTS & AMALYSIS DIV.  COST. DED  COST. DED  COST. DED  AD WPNS SYST DIV. COSF.  DED  ETEL SEL SEL SEL SIV.	××××××	AXI T		
DCD FACIL: & SYST SPT DIV. CDSF, DCD	<del>-                                     </del>	<del>                                     </del>	** * ** * *	
CDSF MGT DIV, CDSF.	××			
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED*	~~~~~~	200 0 0	2000 20 0 20	
FUNCTIONS	1. IOENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IOENTIFY TRAINING IMPACT. 5. IOENTIFY HANDON ALL PERSONNEL ASPECTS. 5. IDENTIFY HUMAN FACTON ALL PERSONNEL ASPECTS. 7. IDENTIFY HUMAN FACTONS IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE  2. SECTOR AND INTEROPERABILITY CHANGE REQUIREMENT. 13. ROLVIDE REQUIREMENT TO NO. 4. COORDINATE WITH MO IN ESTABLISHING CHANGE PRIORITIES AND OBJECTIVE TOC OATE. 5. MAINTAIN CONTICTION WITH MO DURING DEVELOPMENT 5. MAINTAIN CONTICTION WITH MO DURING DEVELOPMENT 5. MAINTAIN CONTICTION WITH MO DURING DEVELOPMENT	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTHARE PROGRAM. 2. DEVELOP SYSTEM CHANGE OF SOFTHARE PROGRAM. 2. DEVELOP SYSTEM CHANGE OF SOFTHARE PROGRAM. 13. PARTICIPATE IN DESIGN OF THREAT SCENARIOS. 14. MONITOR DEVELOPMENT TEST (DT). 15. PARTICIPATE AS TASKED BY HODA IN OPERATIONAL TESTING (QT) COMOUCTED BY OTEA. 15. PLAN AND CONDUCT DIHER SYSTEM OT. 16. PLAN AND CONDUCT OF MONITOR USER ACCEPTANCE ISSUENCE OF ALLING. 16. PLAN AND CONDUCT OF MONITOR USER ACCEPTANCE ISSUENCE OF MALUATE OPERATIONAL SUITABILITY AND EFFECTIVE SYSTEM OT. 16. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	1. MAINTAIN COMMUNICATIONS HITH USERS. 2. FUNCTION AS USER SURROGATE. 3. OEVELOP AND PROVIDE GUIGANCE ON DOCTRINAL/ TACTICEA ASPECTS OF SYSTEM EMPLOYMENT. 4. COORDINATE WITH MO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIFT
TRADOC RESPONSIBILITY,	4. MINLYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	1. OEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1. MOHITOR, PARTICIPATE 114, OR CONDUCT SYSTEM 16511NG AS APPRO- PRIATE.	1. MAINTAIN INTERFACE UITH AND PROVIDE, FUNCTIONAL GUIDANCE TO FIELD USERS.
TASK AREA	CONTINUED)	3, SYSTEM MODIFICATION	4. STSIEM TESTING	S. FIELD SUPPORT.

Figure E-15. (continued)

CD PDSS LNDS CDFST, CDSF, DCD DIRECTORATE OF TRYINING DEVELOPHENTS			×××	×					×	×	X		×		×	×	
COST. 6 SYST SPT SIV.  COST. 0CD  COST. DCD  COST. DCD  COST. DCD  AD WAYS SYST DIV.  COST. DCD  CO	×	┝╼┾	× ×	×	   x'   x'   x'	┢	++	×	×		XX		×		<del></del>	!	1
COST. 6 SYST SPT SIV.  COST. DCD  CONSEPTS 6 ANALYSIS DIV.  CONSEPTS 6 ANALYSIS DIV.	×	×		×	*	-	<b>x</b> !	× .		×	×	×		×	×	×	
LIFE CYCLE STAGE Y-EN FUNCTION 15 REGULESP COSF MET DIV, COSF,	2	2	3 6	2	~~	3			3	3	  -		-	~			
FUNCTIONS	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS.	2. DETERMINE TRAINING DEVICE REQUIREMENTS.	4. DEVELOP AND DISTRIBUTE UPDATED OR HEW TRAINING LITERATURE AND MATERIALS.			8. PARTICIPATE IN FIELD USER TRAINING AND NET.	1. IDENTIFY REQUIREMENTS.		1. COORDINATE WITH MD IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.	2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	1. SPECIFY PLISS RESPONSE REQUIREMENTS.	<ol> <li>EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFICTIVE POSS UNDER VARIOUS SCENARIOS.</li> </ol>	3. COORDINATE WITH THE MO IN PLANNING POSS SUPPORT.	4. DEVELUP PROCEDURAL WORK-AROUNDS WIEM SITUATION DOES NOT PERMIT SOFTWARE CHANGES.	5. THROUGH FRONT-END ANALYSIS, UCSION FLEXIBILITY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABLELLY AS CHANGES OCCUR IN THERAT OFFICIENTE AND OFFIATIONAL OF OUTBERFITS	* ANTTINE AFTER POSS PLAMING • AFTER SOFTWARE FREEZE FOINT (SOFTWARE COMFIGURATION ESTABLISHED) • AFTER FIELDING
TRADOC RESPONSIBILITY	DEVELOP AND MAN TRAINING PROGRA	QUINED BY SYSTEM	NEW EQUIPMENT TRAIN- ING (NET)).				. JOINT AND INTER-	ABILITY REQUIREMENTS.	. SUPPORT TO CONTINGENCY PLAINING.			WARTINE OPERATIONS.				1 = =	• 1 • AIYTINE AFTER POSS PUANTITI 2 • AFTER SOFTWARE FREEZE FOUN COMFIGURATION ESTABLISHED) 3 • AFTER FIELDING
A3K AREA	-2		(03U	NTING	)) [[]	٠,	<u>-</u>	l	~				_			нго . б <del>-</del> -	

Figure E-15. (concluded)

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
REQUIRED							
MILITARY	70	77	84	90	94	95	96
CIVILIAN	44	50	58	82	96	99	103
TOTAL	114	127	142	172	190	194	199
AUTHORIZED							
MILITARY	12	12	12	12	12	12	12
CIVILIAN	2	2	2	2	2	2	2
TOTAL	14	14	14	14	14	14	14
ADDITIONAL NEEDED							
MILITARY	58	65	72	78	82	83	84
CIVILIAN	42	48	56	30	94	97	101
TOTAL	100	113	128	158	176	180	185

Figure E-16. Personnel required, Theoretical PDSS System, ADA BFA

		RIAL AND NICAL	CLERIC TECHN	TOTAL	
OFFICE OF THE CHIEF	MIL	CIV	MIL	CIV	
OFFICE OF THE CHIEF	2	0	1	1	4
CDSF MANAGEMENT DIVISION	9	16	4	7	36
FACILITY AND SYSTEMS SUPPORT DIVISION	7	11	7	7	32
CONCEPTS AND ANALYSIS DIVISION	N 18	26	5	8	57
AIR DEFENSE C <sup>2</sup> SYSTEMS DIVISION	10	6	1	1	18
AIR DEFENSE WEAPONS SYSTEMS DIVISION	10	7	1	1	19
FIELD SUPPORT DIVISION	14	7	7	5	33
TOTALS	70	73	26	30	199

Figure E-17. CDSF 1987 personnel requirements breakdown, Theoretical PDSS System, Air Defense BFA

## SECTION VIII. INTELLIGENCE AND ELECTRONIC WARFARE BFA

#### E-22. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The Intelligence and Electronic Warfare BFA is supported by the component of the TRADOC Theoretical PDSS System discussed in this section.
- b. TRADOC Centers and Schools Involved. The US Army Intelligence Center and School is the primary TRADOC organization involved with this component of the Theoretical System. However, close coordination is required with the Force Level Control and Maneuver BFA component of the Theoretical System, discussed in Section IV, to ensure appropriate interface and interaction under the CCS concept.
- c. <u>Organizational Structure of the System</u>. An overview of that portion of the Theoretical System designed for supporting the Intelligence and Electronic Warfare BFA is shown in Figure E-18. This component consists of:
  - A CDSF at USAICS
  - A CDSM for ASAS who also serves as Chief of the CDSF
  - A CDSM for other BAS in this BFA
  - A CD PDSS LNO from the USAICS CDSF to ERADCOM, Fort Monmouth, to facilitate the required degree of interaction with the ERADCOM PDSS Center at that installation
  - A Combat Developer PDSS Forward Support Team (CDFST) at each deployed US Corps.
- E-23. RESPONSIBILITIES AND RELATIONSHIPS. USAICS is proponent for the Intelligence and EW BFA and for most of the BAS in this BFA that are addressed in this study. These BAS include the ASAS and seven Category 2 systems shown in Figure E-19, and 10 Category 3 systems which are identified in Appendix C. The Intelligence and EW BFA component of the TRADOC Theoretical PDSS System illustrated in Figure E-18, has been designed to provide USAICS a capability to accomplish all CD PDSS actions associated with these BAS. Figure E-20 shows the organization of this Theoretical System component in greater detail and illustrates its relationship to other elements of USAICS and TRADOC. As shown, the CDSF represents a division level element of the Directorate of Combat Developments. It is organized functionally rather than by system, although some system orientation will be necessary among individual members of the CDSF to provide specific system expertise as required. The size and structure of the CDSF is based on the assumptions that:
  - Primary responsibility for CD actions associated with the development of Intelligence and EW BFA BAS, prior to their deployment will remain with the Materiel Division, Directorate of Combat Developments. PDSS for these systems is the responsibility of the CDSF




Figure E-18. Overview of the Theoretical PDSS System-- Intelligence and EW BFA

	INTELLIGENCE/EW BFA
FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAICS	ASASALL SOURCE ANALYSIS SYSTEM (CONCEPTUAL PHASE)
USAICS	AN/MSC-67COMMUNICATIONS CENTER (COMFAC) * (VALIDATION PHASE)
USAICS	AN/TSQ-114TRAILBLAZER (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALQ-151QUICKFIX (INITIAL PRODUCTION)
USAICS	AN/TSQ-105GUARDRAIL V (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALG-133QUICKLOOK II (PRODUCTION AND DEPLOYMENT)
USAICS	SOTASSTAND-OFF TARGET ACQUISITION SYSTEM (FULL-SCALE DEVELOPMENT)
USAICS	TCAC(D)TECHNICAL CONTROL AND ANALYSIS CENTER (DIVISION) **
* USASC T AT THE T	O BECOME PROPONENT IME SYSTEM IS FIELDED
	EVELOPED UNDER IAW AR 105-37

Figure E- 19. Intelligence and Electronic Warfare Category 1 and 2 BAS




Figure E-20. Organization structure, CDSF, Fort Huachuca

- ERADCOM-managed PDSS Centers will be established at Fort Huachuca and Fort Monmouth as provided in the PDSS Concept Plan for BAS
- The Simulation Systems Management Office of the Computer Systems Management Office will acquire a capability to provide automated support to simulations and analyses conducted by the CDSF to examine functional problems associated with deployed BAS and the effects of potential or proposed system changes
- The Directorate of Training Developments will have the capability to handle, in coordination with the CDSF, training development requirements resulting from CD PDSS actions involving intelligence and EW BAS
- The US Army Intelligence and Security Board will have the capability to support the CDSF in addressing testing requirements resulting from PDSS actions involving intelligence and EW BAS.

Responsibilities and functions to be performed by each element of the CDSF are discussed below.

- a. Chief, CDSF and CDSM, ASAS. One person holds both of these positions. As Chief, CDSF, he plans, directs, and supervises the operation of the CDSF in accomplishing all CD responsibilities for PDSS to BAS in the Intelligence and Electronic Warfare BFA. He establishes priorities and plans, programs, and allocates resources to address requirements. He serves as the primary point of contact on PDSS matters with other elements of USAICS and TRADOC, and with the ERADCOM-managed PDSS Centers at both Fort Huachuca and Fort Monmouth. He interacts with other USAICS elements who support the CDSF in various areas. These include:
  - The Directorate of Training Developments on training requirements resulting from PDSS
  - The US Army Intelligence and Security Board on system testing required as a result of PDSS actions
  - The Simulation Systems Management Office of the Computer Systems Management Office in arranging automated support to simulations and the various analyses conducted by the CDSF
  - The TSMs for ASAS, corps systems, division systems, and SOTAS on matters within the scope of their respective charters.

He exercises staff supervision over the CD PDSS LNO at Fort Monmouth. He provides guidance and assistance to each CDFST. In his role as CDSM, ASAS, he serves as the CD for software associated with this system. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role. He is the principal field user's representative and the primary point of contact with the MD on PDSS matters affecting this system. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure E-21.

	_ ] ]								
TSMS (CORPS, DIVISION, SATOS)	×х	× 444 ×	XXX	7 7 7 7 7	<b>Z</b>	Z Z			
ARMY INTELLIGENCE AND SECURITY BOARD TSMS (CORPS, DIVISION,	zΖ	2 2 2 2 Z	222	z z zz z					
TOTAL OF THE STANDARD !		ZZZZZ		Z Z ZZ Z	<del> </del>	××			
TRAINING DEVELOPMENTS		Z Z Z Z		2 2 2 2 2					
CD PDSS FORWARD SUPPLIES FOR THE PRAINING DEVELOPMENTS TRAINING DEVELOPMENTS TRAINING DEVELOPMENTS TOWNS TO THE TOWN TOWNS TO THE TOWN TO THE TO		Z Z Z Z	ZZZ	x x xx 2		z z			
CD 6D22 FN0		z 4 z 4 z		* * * * *	<del></del>				
	<del></del>	A ZAA Z		2	<del>         </del>				
REQUIREMENTS BR.		4 4 4 4 Z		2	<del></del>				
ACACA SACRETISED INTEL COSM, SPECIFIED INTEL A EN SYSTEMS ANALYSIS BRANCH TESTING & TRAINING TESTING & TRAINING FROUTREMENTS BR FROUTREMENTS BR FRANCH FRANC		<del>++++</del> -		<del></del>		<del></del> 1			
A EW SYSTEMS SYSTEM ROMIS. AND		<del></del>			<del>                                     </del>				
		╌┼╌┼╌┞╌	<del>  -</del>	× × × × ×		× ×			
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED.	××	4 4 Z Z X		X X X X X	<del>                                      </del>	× ×			
LIFE CYCLE STAGE WHEN THINKTION IS REQUIRED*		1-1-1	1	<del></del>	22 22				
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CAMG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH	1-141-4-	- 2	1. IN CONJUNCTION WITH MD, DETERMINE JF SOURCE OF PROBLEM 15 FUNCTIONAL OR TECHNICAL. 2. CORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM. 3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS. 4. COORDINATE WITH MD ON PROVIDING SOLUTION 10 THE EELD. 5. ESTABLISH, IN COORDINATION WITH MD. PRIORITY OF CHANGE 5. ESTABLISH, IN COORDINATION WITH MD. PRIORITY OF CHANGE 5. MO THE FEELD.	1. RECEIVE REQUIREMENT FROM USER. CORNOLINATE WITH HOR REGARDING ACTION TO SATISFY CORNOLINATE WITH HOR REGARDING ACTION TO SATISFY ALL IDATED REQUIREMENTS. THERRY USER OF PLANNED DISPOSITION OF REQUIREMENT.	IFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES "MINE THEIR IMPACT ON AFFECTED SYSTEMS, YINE AND EXAMINE IMPACT ON SYSTEM INTEROPERABILITY BASELINE.			
TRADOC RESPONSIBILITY	,	ENLI BAS. PARTICIPATE NITH HO IN CONFIGURATION HAVAGE- HENT.	MANAGE CD PDSS EFFORT.	PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. AMALYTE USER-STATED REQUIREMENTS.	. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS.			
A3AA A6AT	<del></del> -	_ <u>l~i</u>	1. MANAGEME	l <i>÷</i>		S' PAPLYS			
4344 ¥24T	2220000								

Figure E-21. Assignment of functions, Theoretical System--Intelligence and EW BFA (continued on next page)

				-	$\prod$	Ţ	1							H		7						F	F		
				1	-	+	+							Н		-		Н		_	$\vdash$	H	┞	-	
		Н		1		t	1			_			<u> </u>	H	Н			Н			t	$\vdash$	t	-	
Trucy and have						I	1																		
AND SECURITY BOARS, DIVISION, 12MS (CORPS, DIVISION, 2ATOR)	×	Н	X	X	-	<u> </u>	+	×	X	×	$\vdash$	×	_	_	X	٠,	×	Н	×	>	╆	×	_		1
COMPUTER SYSTEMS MANAGEMENT OFFICE MANY TNTELLIGENCE	Z		V	Z	Z	2/2 >\	-+	Z	Z	Z	-	Z	×	Н	X Z	Ž		Н	Z	-	1	╆	┰	+-	
DIRECTORATE OF TRAINING DEVELOPMENTS COMPUTER SYSTEMS	Z	Н	X		_,	7 2	4	z	Z	Z	_		Z	-	Z	7	z	$\vdash$	Z	7	╄	-	┺		z
CD PDSS FORWARD SUPPORT TEAM SUPPORT TEAM	Z	$\vdash$	-	7	4	ZZ	-	Z	7	Z		_		_	2	Z	Z	-	Z		+	7	+		
CD DD22 FMO	Z	Z	Z	Z	4	<b>4</b> 2	2	Z	Z	×			Z	z	Z	Z	Z	-	Z	┞——	Z	2		. 7	
COWFIG. CONTROL E. FLATING & TMTEMOPEWILTY, B. SYSTEM ROWIS. MIC. SYST	×	-	Н	4	7	-	4	Z	X	_			Z	-	Z	4	Z	Н	Z		+-	Z	-		
ANALYSIS BRANCH TESTING & TRAINING	Z	Н	Н	Н	X	╅	Z	Z ×	Z	Z		_	-	₩	X	X	×		×	⊢	+-	⊢	+		
PARTEM BOMIS. AIC.	×	$\vdash$	X	X	<u>ر</u>	\ \ \ \	Z		X	┝	×	<del></del>	Z	-	X	Z	Z	z	Z	<del>                                     </del>	✝	1	+		<del></del> I
SAZA SAZA SAZA TELETER STEEL	×	Н	Н	×	Н	+	×	×	Н	┝	×		├──	Н	×	×		×	×		+-	$\vdash$	+-	<del>!</del>	
LIFE CYCLE STAGE WHEN FUNCTION IS REOURED* CHIEF, CDSF AND CDSM SAZA CROSS SPECIFIED WIFE	2	~	7	2	~	٦,	~	~	2	2	2	~	2	~	2	2	2	2	~	~	┰	-	+	-	
FUNCTIONS	,	2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT.	3, IDENTIFY TRAINING IMPACT.	4. IDENTIFY LOGISTICAL IMPACT.		6 IOENTIFY HUMAN FACTORS IMPACT.	f. IUCALIFE SISIRA INTEROFERABLETTI INFACT.		2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT.	13. PROVIDE REQUIREMENT TO MD.	1. 1	5. MAINTAIN COORDINATION WITH MD DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SUFTWAKE PROGRAM.	2. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA.	1		5. PARTICIPATE AS TASKED BY MQDA IN OPERATIONAL TESTING (QT) CONDUCTED BY OTEA.	1	7. PLAN AND CONDUCT OR MONITOR USER ACCEPTANCE  1. TESTING	8. EVALUATE OPERATIONAL SUITABILITY AND	9. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	D. MAINTAIN COMMUNICATIONS WITH USERS.	2. FUNCTION AS USER SURROGATE.	3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ TACTICAL ASPECTS OF SYSTEM EMPLOYMENT.	4. COORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIFIN
TRADOC RESPONSIBILITY,	4. ANALYZE FUNCTIONAL	IMPACT OF PROPOSED	SYSTEM CHANGES.		-			1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.					1. MONITOR, PARTICIPATE	TESTING AS APPRO-	PRIATE.							MAINTAIN INTERESTE	LITH AND PROVID	FUNCTIONAL GUIDANCE	
A38A X2AT	(	03	IN S I S	Y.	CON	<b>A</b>	z	NOI	ΤA	) C	YSTE	2 .E							HTL:	215	٠,			0.1 TRO9	31.7 . <b>2</b> Sup

Figure E-21, (continued)

LIFE CYCLE STRGE WHEN  LIMETION IS REQUISED:  ASAS  COSSN, SPECIFIED INTEL  SYSTEM ROWIS, AND  SYSTEM ROWIS, AND  TESTING & TREAMINE.  CONFIGE, CONTROL BE.  COPPUTER SYSTEMS  COPPUTER SYSTEMS  TRAILING DEVELOPMENTS  COPPUTER SYSTEMS  TRAILING DEVELOPMENTS  TRAILING DEVELOPMENTS  COPPUTER SYSTEMS  TRAILING DEVELOPMENTS  TOPPOST FORWARD  TRAILING DEVELOPMENTS  TOPPOST FORWARD  TRAILING DEVELOPMENTS  COPPUTER SYSTEMS  TRAILING DEVELOPMENTS  TRAILING DEVELOPMENTS  TRAILING DEVELOPMENTS  TRAILING DEVELOPMENTS  TOPPOST FORWARD  TRAILING DEVELOPMENTS  TOPPOST FORWARD  TOPPOST FORWARD	××× ×zZ	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z ×× Z Z Z Z Z Z Z Z Z Z Z X × X X X X X	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	X XX Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z × Z Z Z X Z Z X Z Z X Z Z X X X X X X	Z Z Z Z Z
FUNCTIONS	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS. 2. DETERMINE TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING PLAN FOR MEETING REQUIREMENTS. 4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING	S. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. WALL LÜMFEVERFFF TRAINING WATERIANS. 8. PARTICIPATE IN FIELD USER TRAINING WATERIANS.	1. IDENTIFY REQUIREMENTS 2. SPECIFY IN REQUIREMENTS DOCUMENT.	1. COORDINATE WITH MD IN PLANKING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.  2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.		4. DEVELOP PROCEDURAL MONK-AROUNDS WHEN STIVATION DOES HOT PERMIT SOFTWARE CHANGES.  5. THROUGH FRONT-END ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	11. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE 11.ITY. CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN THERA. DOSTRINE. AND OPERATIONAL REQUIREMENTS. 3 X FIER POSS PLANNING  X = Element is responsible and capable TWARE FREEZE POINT (SOFTWARE  N = Element is not responsible
TRADOC RESPONSIBILLITY	~;	E (CONTINUE	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLAINTING.	3. SUPPORT TO CRISIS/ WARTIME OPERATIONS.		TACTICAL SUITABLLITY CONT F BAS OF BAS OF THE AFFER POSS PLAINTIN A ANYTHE AFFER POSS PLAINTIN CONT CONT CONFIGURATION ESTABLISHED)

Figure E-21. (concluded)

- b. <u>CDSM</u>, <u>Specified Intel/EW Systems</u>. This CDSM has responsibility for all Intelligence and EW BFA BAS addressed in this study except the ASAS. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role for these BAS. This includes planning and coordinating the activity of the CDSF in supporting these systems. He is the primary point of contact with the MD on PDSS matters involving any of these systems. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure E-21.
- c. Branch level CDSF elements. As mentioned above, this CDSF is organized functionally with three branches. All CD PDSS functions to be performed by the CDSF for all BAS in the Intelligence and Electronic Warfare BFA are allocated among these branches in a logical manner as discussed below. The names used in this report to identify the branches have been selected to be descriptive of responsibilities of each branch. These responsibilities are discussed below. Specific functions are shown in Figure E-21.
- (1) Plans, Interoperability, and Configuration Control Branch. This branch supports the Chief, CDSF in all actions related to planning, administering, and managing the CDSF operation. It supports both CDSM in all actions associated with planning PDSS support for BAS in their respective areas during both pre- and post-deployment phases of the system life cycle. The actions include planning for support, in coordination with the responsible MD, during contingencies and crisis/wartime. The branch is also responsible for CD PDSS actions associated with system interoperability and configuration management to include participation with the cognizant TSM and/or CDSM in providing representation on appropriate configuration/control boards. The branch coordinates with the CDSM in authorizing release of system change packages to the field.
- (2) System Requirements and Analysis Branch. This branch is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the CDSM, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by the branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated.
- (3) Testing and Training Requirements Branch. As suggested by its title, responsibilities of this branch fall generally into two functional areas. With respect to testing, the branch is responsible for supporting the CDSM in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to BAS. Accomplishment of these responsibilities involves working closely with the MD, OTEA, the US Army Intelligence and Security Board, TCATA, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements.

- d. <u>CD PDSS LNO</u>. This office, which will be located at Fort Monmouth, will be responsible for interfacing directly with the ERADCOM PDSS Center at Monmouth which provides PDSS for all Intelligence and EW BFA BAS except ASAS. The office will coordinate PDSS requirements and interact with the MD as appropriate in all phases of the PDSS effort.
- e. Combat Developer Field Support Team. This Theoretical PDSS System provides for the establishment of a CDFST to be located with each deployed US Army corps. It is envisioned that these teams would be located permanently with the corps they support. They could either be assigned to the CDSF and attached to the CEWI Group of the supported corps or assigned as an organic element of the CEWI Group. These teams would:
  - Provide on-site technical assistance to Users in identifying, isolating, and examining system problems
  - Provide technical expertise in reporting the problem and discussing it with the USAICS CDSF facility and with MD Contact Teams or Direct Support/General Support elements
  - Assist in developing work-around procedures pending problem resolution
  - Assist in on-site staff and operator training and retaining.

E-24. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resources needed to establish the Theoretical System CD PDSS component supporting the Intelligence and Electronic Warfare BFA are shown below.

a.	Personnel.						
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	6	9	12	16	18	18	18
Civilian	3	5	7	9	10	10	10
TOTAL	9	14	19	25	28	28	28
Authorized	i						
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Additional	Needed						
Military	6	9	12	16	18	18	18
Civilian	3	5	7	9	10	10	10
TOTAL	9	14	19	25	28	28	28

A breakout of these personnel by CDSF element is shown below:

			RSONNE	<del>-</del>	
ELEMENT	TECH! MIL	CIV	ADMIN MIL	ISTRATIVE	TOTAL
OFFICE OF THE CHIEF, CDSF AND CDSM, ASAS	1	0	0	1	2
CDSM, SPECIFIED INTEL/EW SYSTEMS	1	0	0	0	1
SYSTEM REQUIREMENTS AND ANALYSIS BRANCH	3	3	0	1	7
TESTING AND TRAINING REQUIREMENTS BRANCH	2	2	0	0	4
PLANS, INTEROPERABILITY, AND CONFIGURATION					
CONTROL BRANCH	2	2	0	1	5
CD PDSS LNO	1	0	0	0	1
CDSFT					
#1	4	0	0	0	0
#2 TOTAL	4 18	7	0	$\frac{0}{3}$	<del>0</del> 28

- b. Major Items of Equipment. This CDSF requires interactive access to the computer (to be acquired) at the Computer Systems Management Office to conduct simulations and support tests and other analyses conducted by elements of the CDSF. Computer access is also required to provide linkage with the CDSF, Fort Leavenworth and other CDSFs which support one or more control systems in the CCS<sup>2</sup> concept. Specific equipment required to provide this access and the capability required must be determined through further study.
- c. <u>Facilities</u>. Physical facility requirements include office space for assigned personnel, a computer terminal area, and a simulation/test/analysis area that would accommodate 6 to 8 personnel working simultaneously. It would be desirable to collocate this CDSF with the ERADCOM-managed PDSS Center at Fort Huachuca. If collocation is not feasible, other suitable space should be selected for the CDSF that will facilitate interaction with the PDSS Center as well as other elements of USAICS.
- d. <u>Funds</u>. In estimate of funds required for the CDSF civilian personnel requirem as identified above is shown below. This estimate is in FY 81 constant dollars.

	FUNDS REQUIRED (\$000)							
	FY 81	FY 82	FY 83	FY 84	FY 85	FÝ 86	FY 87	
Civilian Personnel	79.2	142.4	205.6	253.2	269.2	269.2	269.2	

Funds needed for equipment and physical facilities are dependent upon development of specific requirements and plans addressing these areas.

SECTION IX. COMBAT SERVICE SUPPORT BFA--US ARMY LOGISTICS CENTER E-25. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The component of the TRADOC Theoretical PDSS System described in this section is designed to provide an improved PDSS capability for that part of the Combat Service Support BFA for which the US Army Logistics Center (LOGCEN) is responsible.
- b. TRADOC Centers and Schools Involved. The LOGCEN and the US Army Ordnance Center and School, over which the LOGCEN exercises an integrating center role, are directly involved with this component of the Theoretical PDSS System. In addition, close coordination is required between this Theoretical System component and other components of the system supporting the Combined Arms Center and the Soldier Support Center described in Sections IV and X, respectively. This coordination is required for a number of reasons but in particular to ensure appropriate interface and interaction among these organizations in managing the command and control systems under the CCS Concept. No requirement exists for a PDSS capability, at other centers and schools (Missile and Munitions, Transportation, and Quartermaster) associated with the LOGCEN in the CCS BFA at this time.
- c. Organizational Structure of the System. An overview of that portion of the Theoretical System addressed in this section is shown in Figure E-22. As shown, this component consists of:
  - A CD PDSS Staff Element at the LOGCEN
  - A CDSM for each logistics system addressed in this study
  - An augmentation to the Management Information Systems Directorate for handing PDSS functions
  - A CDSE at the Ordnance Center.

This system and each of its elements is discussed in further detail in the paragraphs that follow.

E-26. RESPONSIBILITIES AND RELATIONSHIPS.

## a. LOGCEN.

(1) <u>System Responsibilities</u>. The LOGCEN is the TRADOC proponent for all logistics systems addressed in this study. These systems are shown in Figure E-23. Included among these systems is the CSS Control System for which the LOGCEN has been tasked to take the lead role in developing the requirements and functional design, under the CCS Concept. (The Soldier Support Center and Academy of Health Sciences have been tasked to develop their respective inputs to this CCS Control System design effort.) The LOGCEN's responsibilities for these systems include actions associated with all aspects of the Combat Developer's role in all phases of the system life




Figure E-22. Overview of the Theoretical PDSS System-CSS BFA--logistics area

FUNCT I ONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
LOGCEN/ DCSLOG	DSU/GSUDIRECT SUPPORT UNIT GENERAL SUPPORT UNIT (OPERATION)
USAŠC	DLDED (DEFINITION/DESIGN)
LOGCEN/ DCSLOG	SAMSSTANDARD ARMY MAIN- TENANCE SYSTEM (CONCEPT DEVELOPMENT)
LOGCEN/ DCSLOG	DLOGSDIVISION LOGISTICS SYSTEM (MAINTENANCE)
LOGCEN/ DCSLOG	MRMMAINTENANCE REPORTING AND MANAGEMENT (OPERATIO:.)
LOGCEN/ DCSLOG	SAAS-3STANDARD ARMY AMMUNITION SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	SAILSABX STANDARD ARMY INTERMEDIATE LEVEL SUPPLY (OPERATION)
LOGCEN/ DCSLOG	DS4DIRECT SUPPORT STANDARD SUPPLY SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	PHOENIX (OPERATION)
LOGCEN	CSS CONTROL SYSTEM FOR CCS2 (CONCEPT DEVELOPMENT
LOGCEN/ DCSLOG	DASPSDA STANDARD PORT SYSTEM (OPERATION)
LOGCEN/ DCSLOG	DASPS-EDA STANDARD PORT SYSTEM ENHANCED (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	TOPSTRANSPORTATION OPERATIONAL PERSONNEL PROPERTY STANDARD SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	DAIMSDA MOVEMENT MANAGEMENT SYSTEM SUBSYSTEM 1: CMM CARGO MOVEMENT MODULE (SYSTEM DEVELOPMENT/ MAINTENANCE) SUBSYSTEM 2: MPM MOVEMENT PLANNING MODULE (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	DAS-3DECENTRALIZED AUTOMATED SERVICE SUPPORT SYSTEM (DEPLOYMENT)

Figure E-23. Logistics systems

cycle including PDSS. While the LOGCEN has been involved for many years in performing CD PDSS functions for logistics systems already deployed, the projected deployment of new systems and the further extension of some currently fielded systems requires that the current PDSS capability be improved. The Theoretical PDSS System illustrated in Figure E-22, has been designed to provide the needed enhancement in the LOGCEN's current PDSS capability.

- (2) Theoretical System design and responsibilities of organizational elements. A principal objective in designing this proposed enhancement to the PDSS capability at the LOGCEN was that it should require minimum change to the existing organizational structure and to the long-standing and effective operating procedures at the LOGCEN. The Theoretical System shown in Figure E-22 resulted from this design effort. The elements of this Theoretical System and their relationship to the existing organizational structure are shown in more detail in Figure E-24. This structure and the responsibilities and functions of each element are discussed in the following paragraphs.
- (a) <u>CD PDSS Staff Element</u>. This staff element represents the focal point for coordination of all PDSS requirements and activities at the LOGCEN. It is organized as a separate office in the Management Informamation Systems Directorate. The head of this staff element would serve as the primary point of contact on PDSS matters with other elements of the LOGCEN, other organizations of TRADOC, and with the CSC-managed PDSS Center at Fort Lee. He coordinates PDSS requirements and actions among the operating elements of the Management Information Systems Directorate (MISD) and the concepts and Doctrine Directorate. He supports these organizations administratively in accomplishing PDSS actions on systems for which they are responsible. The establishment of this PDSS Staff Element as a separate office will relieve the Management Support Division MISD, of its PDSS responsibilities and permit it to concentrate on other essential functions. Specific functions of this staff element are shown in Figure E-25.
- (b) CDSM for each logistics system. At present, selected staff officers within the Field Systems and Supply Systems Divisions are designated as Project Officers for automated logistics systems. In keeping with the objective, stated above, of minimizing changes to current organization and operating procedures, this Theoretical System provides for designating these same project officers the CDSM for the system(s) for which they are currently responsible. In this role, these officers serve as the CD for PDSS associated with their respective system(s). They are responsible for managing and performing or coordinating the performance of all software-related actions within the CD PDSS role. Each CDSM is the principal field User's representative and the primary point of contact with the MD on PDSS matters affecting his system. Specific functions for which each CDSM is responsible in either a management, coordination, or performance role are shown in Figure E-25.




Figure E-24 . Elements of the Theoretical PDSS System--LOGCEN

				++++	1
				11 11	
	<del>-}}-}-}-</del>			┼╀╌┼┼	
	<del></del>		<del>-                                     </del>	++++	
	╌╁┼╌┼┼┼┼╌┼		<del></del>	++-++	
				++-++	
	<del></del>			<del>                                      </del>	-   -
FIELD SYSTEMS DIVISION, MIS DIRECTORATE MIS DIRECTORATE MIS DIRECTORATE DIVISION, DIVINORATE DIVIONATION & COMP.WICK-TIONS DIV. CAD DIV.	ZZ X ZZZ X	×ZZ	z 2 z z z	ZZ ZZ	z ×
SUPPLY SYSTEMS DIVISION,	77 ×××× 2	<u> </u>	x x xx x	XX XX	_ × _ ×
FIELD SYSTEMS DIVISION,	ZZ XXXX Z	XXX	× × × ×	XX XX	××
PDSS STAFF ELEMENT	77 × 777 ×	×××	2 Z ×× Z	XZ XX	Z Z
LIFE CYCLE STAGE EHEN FUNCTION IS REGULTED*	<del>-11-1111-1</del>				
FUNCT 10MS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PARTICIPATE IN DESIGNATION OF THE CRMG. 3. PARTICIPATE IN DESIGNATION OF THE CRMG. BAS. 1. PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SCB. 3. PROVIDE REPRESENTATION ON EACH BAS SCB. 4. PROVIDE REPRESENTATION ON EACH BAS SCB. 4. PROVIDE REPRESENTATION ON ACH BAS FSCB. 4. PROVIDE REPRESENTATION ON ACH BAS FSCB. ESTABLISHED UNDER THE CCS CONCEPT.	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES).  2. PLAN AND PROGRAM FOR RESOURCES, SACUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MO, DETERMINE IF SOURCE OF PROBLEM IS EURCITONAL OR TECHNICAL.  2. COORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM.  3. COORDINATE WITH MO IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.  4. COORDINATE WITH MO IN PROVIDING SOLUTION TO THE FIELD.  5. ESTABLISM. IN COORDINATION WITH MO, PRIORITY OF CHANGE AND TIME FRAME FOR CHANGE TO BE EFFECTED.	1, RECEIVE REQUIREMENT FROM USER.  2. EXAMINE BASIS FOR REQUIREMENT.  3. CONDINATE BASIS FOR REQUIREMENT.  WALIDATED REQUIREMENTS.  4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	I, IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS. Z. DEFERNINE AND EXAMINE IMPACT ON SYSTEM INTEROPERABILITY BASELINE.
TRADOC RESPONSIBILITY	PARTICIPATE WITH MD 1H DEVELOPTIG AND MAIN- TAINING POSS PLANS FOR EACH BAS. PARTICIPATE WITH MD IN CONFIGURATION MANAGE- MENT.		PERFORI AMALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. ANALYZE USER-STATED REQUIREHENTS.	3. ANALYZE FUNCTIONAL IMPACT OF CUNCEPTUAL CHANGES ON SYSTEMS.
TASK AREA	i di una	M3DAHAM . F	<del></del>		Z. ANALYS

Figure E-25. Assignment of functions, Theoretical System--CSS BFA, Logistics Center (continued on next page)

FIELD SYSTEMS DIVISION, MIS DIRECTORATE MIS DIRECTORATE DIVISION ALCOMENTAL DIVIDING A COMMUNICA-TIONS DIV. CAD DIR.	2	Z Z Z Z Z X X X X X X X X X X X X X X X	Z Z Z Z Z Z Z Z Z Z Z Z X X X X X X X X	xx x x
LIFE CYCLE STAGE WHEN FUNCTION 15 REOURED* PDSS STAFF ELEMENT  THEN STAFF ELEMENT  THEN STAFF ELEMENT	Z Z Z Z Z Z Z Z ~~~~~~~	Z Z Z Z ×	Z Z Z Z Z Z Z X	×× z ×
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY LOGISTICAL IMPACT. 5. IDENTIFY LOGISTICAL IMPACT. 6. IDENTIFY HAGISTICAL IMPACT. 7. IDENTIFY HUMAN FACTORS IMPACT. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	1. OEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 2. SPECIFY MAY THEROPERALLITY CHANGE REQUIREMENT. 13. PROVIDE REQUIREMENT TO MO 4. COORDINATE WITH MO IN ESTABLISHING CHANGE PRIORITIES AND GABECTIFY TO CANTE. 5. MAINTAIN COORDINATION WITH MO DURING OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM. 2. DAVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 3. DAVECTOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 4. MONITOR DEVELOPMENT TEST (DT). 5. PARTICIPATE AS TASKED BY HODA IN OPERATIONAL TESTING (DT). 6. PLAN AND CONDUCTED BY OTEN. 7. PLAN AND CONDUCT OFFER SYSTEM OT. 7. PLAN AND CONDUCT OFFER SYSTEM OT. 8. EYNALME OPERATIONAL SUITABILITY AND EFFECTIVE SYSTEM OT. 9. FRECTIVE SS. 9. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	II. MAINTAIN COMMUNICATIONS MITH USERS.  2. FUNCTION AS USER SURROCATE.  3. DEVELOP AND PROVIDE CUIDANCE ON DOCTRINAL/ TACTION ASSECTED OF SYSTEM EMPLOYMENT.  4. COORDINATE WITH HO GH THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE 1 TO THE FIELD.
TRADOC RESPONSIBILITY,	4. AJALYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	1. DEVELOP FUNCTIONAL CHANGE REQUIRENENT.	1. MORITOR, PARTICIPATE III, OR COHOUCT SYSTEM YESTING AS APPRO- PRIATE.	1. MAINTAIN INTERFACE LITH AND PROVIDE FUNCTIONAL GUIDANCE TO FIELD USERS:
TASK AREA	S. ANALYSIS (CONTINUED)	3. SYSTEM MODIFICATION	4. System Testing	0.1317 .c.

Figure E-25. (continued)

TIONS DIV. CAD DIE.			Z Z Z Z ×	2
SUPPLY SYSTEMS DIVISION, - AUTOMATION & COMMUNICA-	××× ×××	×ZZ × ×	<del> </del>	×
FIELD SYSTEMS DIVISION, M15 DIRECTORATE	× × × × × ×	× z z × ×	× ×× ×	×
PDSS STAFF ELEMENT		×ZZ ××	× ×× Z Z	× i g
LITE CYCLE STAGE WHEN	202 E 202			e g
FUNCTIONS	1. DETENDINE TRAINING/RETRAINING DEVELOPHENT 2. DETENDINE TRAINING DEVICE REQUIREMENTS. 3. DEVELOP TRAINING DEVICE REQUIREMENTS. 4. DEVELOP TRAINING PLAN FOR MEETING REQUIREMENTS. 5. LITERALIUE AND MISTRIBUTE UPDATED OR NEW TRAINING SEQUENCE TRAINING SCHARLOS FOR INSTITUTION AND FIELD USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VAI DARF VEREN FRAINING MATEORALS.	4. PRRICIPATE IN FILLO USEN TRAINING AND NET.  1. IDENTIFY REQUIREMENTS.  2. SPECIFY IN REQUIREMENTS DOCUMENT.  1. COGROINATE WITH MO IN PLANNING FOR REQUIRED  PDSS SUPPORT IO BAS IN THE CONTINGENCY FORCE.  2. PROVIDE FOR "TACTICAL TALLORING" OF FIELDED  SOFTWARE TO CONTINGENCY MISSION.	1. SPECIFY POSS RESPONSE REQUIREMENTS. 2. EXAMINE ALIERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOUS SCENARIOS. 3. COORDINATE MITH THE MOIN-AROUNDS WHEN STUDATION 4. DEVELOP PROCEDURAL WORK-AROUNDS WHEN STUDATION DOES NOT PERMIT SOFTWARE CHANGES. 5. THROUGH FROMIT-END ANALYSIS, DESIGN FIEX BILLTY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. COMDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE 1LITY, CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN FRER POSS PLANINIO. THARE FREEZE POINT (SOFTHARE X = Element is responsible and capable LINK STABLISHED)  110N ESTABLISHED)  1 COMDUCT PERIODIC CONTINUE X = Element is not responsible LOING
TRADOC RESPONSIBILITY	2. DEVELOP AND WANAGE TRAINING PROGRAM RE- QUIRED BY SYSTEM CHANGE (EXCEPT FOR NEW EQUIPMENT TRAIN- ING (MET)).	1. JOINT AND INTER- NATIONAL INTERPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLAIMING.	3. SUPPORT TO CRISIS/ WARTINE OPERATIONS,	4. ASSESS CONTINUED TACTICAL SUITABILITY, S. P. AATTINE AFTER POSS PLANNING 2 - AFTER SOFTWARE FREEZE POINT (SOFTWARE CONFIGURATION ESTABLISHED) 3 - AFTER FIELDING
TASK AREA	TIELD SUPPURT (CONTINUED)	. ,	<del></del>	HTO .8

Figure E-25. (concluded)

- Systems Divisions. This Theoretical System provides that CD PDSS actions will continue to be accomplished by system personnel in each of these MISD divisions, as they are at the present time. They would be accomplished under the control and supervision of the CDSM for each system. To provide an improved capability to handle the increased PDSS requirements associated with new systems projected for fielding and systems currently fielded but being extended to additional users, this Theoretical System provides for a personnel augmentation to each operating division of MISD. It is envisioned that these personnel would be integrated into the existing branch structure of these divisions and assigned responsibility for PDSS functions. The functions to be performed are shown in Figure E-25. No requirement for a personnel augmentation to the Concepts and Doctrine Directorate for handling PDSS actions is foreseen or provided for in this Theoretical System. Except for PDSS planning during system design, it is assumed that PDSS for all systems will be the responsibility of MISD.
- b. <u>US Army Ordnance Center and School</u>. The Ordnance Center is proponent for two <u>Category 3 BAS</u>, the <u>Biological Detector</u> (XM-19-XM-2) and the Chemical Agent Alarm Remote Sensing (XM-21). PDSS for these two BAS is to be provided by the ARRADCOM PDSS Center at Picatinny Arsenal. Although the primary focus of effort in this study is on <u>Category 1 and 2 BAS</u>, it is considered that the importance of these two systems justifies the establishment of a CD PDSS capability at the Ordnance Center. This Theoretical PDSS System provides for a two-person CDSE at the Ordnance Center to satisfy this requirement.

E-27. RESOURCES. Time-phased estimates of resource needed to establish this Theoretical PDSS System component for support of the logistics portion of the CSS BFA are shown below.

# a. LOGCEN.

## (1) Personnel.

Required <sup>1</sup>	FY 81	FY 82	<u>FY 83</u>	FY 84	FY 85	FY 86	FY 87
Military Civilian TOTAL	33 78 111	33 78 111	34 79 113	36 83 119	36 83 119	38 85 123	38 85 123
Authorized <sup>l</sup> Military Civilian TOTAL	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102	30 72 102
Additional Ne Military Civilian TOTAL	eeded 3 6 9	3 6 9	4 7 11	6 11 17	6 11 17	8 13 21	8 13 21

<sup>1.</sup> Not limited to PDSS personnel; includes all personnel in MISD directly involved in systems development and life cycle management.

A breakout of these additional personnel requirements by organizational element is shown below:

ELEMENT	TECHNI	ICAL	PERSON ADMINI	NEL STRATIVE	TOTAL
	MIL	CIV	MIL	CIV	
CD PDSS STAFF ELEMENT	2	2	0	7	5
FIELD SYSTEMS DIVISION	4	6	0	0	10
SUPPLY SYSTEMS DIVISION	2	4	0	0	6
TOTAL	8	12	0	7	21

- (2) <u>Facilities</u>. Physical facility requirements include office space for the five member CD PDSS Staff Element and the PDSS personnel augmentations to the Supply Systems and Field Systems Divisions.
- (3) <u>Major Equipment</u>. A terminal is needed to the TRADOC Data Processing Field Office computer at Fort Leavenworth to facilitate interaction with the CACDA CDSF in designing, managing, and exercising configuration control over the major command and control BAS under the  $CCS^2$  Concept.
- (4) <u>Funds</u>. An estimate of funds required for the additional civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars and is based on an average cost of \$31.6 K for technical-level personnel and \$16.0 K for administrative personnel.

	FUNDS REQUIRED (\$000)							
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87	
Civilian								
Personne1	189.6	189.6	221.2	332.0	332.0	395.2	395.2	

b. Ordnance Center. For the CDSE proposed for the Ordnance Center, it is estimated that two persons are needed, one military and one civilian. This will permit a desirable blend of expertise and provide for long term continuity in this functional area.

SECTION X. COMBAT SERVICE SUPPORT BFA--US ARMY SOLDIER SUPPORT CENTER E-28. SYSTEM DESCRIPTION.

- a. <u>System Purpose and Scope</u>. The Theoretical PDSS System described in this section is intended to adequately fulfill all Combat Developer PDSS functions for the Soldier Support Center, into at least the late 1980's. This Theoretical PDSS System has been structured without reference to resource constraints. While somewhat ideal in nature, this system should nevertheless represent a potentially achievable target, and therefore a useful point of reference for consideration of other system alternatives. This system is basically a TRADOC system, although it must interact with, and is heavily dependent on, non-TRADOC elements.
- Principal System Elements and Features. This Theoretical System for providing PDSS in the Soldier Support Center portion of the Combat Service Support BFA is centered on a new element. This element, a Combat Developer Support Element (CDSE), would assume all PDSS responsibilities of the existing Management Information Systems Division within the Directorate of Doctrine and Combat Developments at Fort Benjamin Harrison, Indiana. The new element (CDSE) would also be subordinate to that directorate, in the US Army Institute of Personnel and Resource Management. The new element is termed a CDSE, rather than a Combat Developer Support Facility, since it is not anticipated that any Materiel Developer (MD) PDSS Center will be located at Fort Benjamin Harrison. Such a PDSS Center will instead be located at US Army Computer Systems Command facilities at Fort Belvoir, VA. Accordingly, a Combat Developer PDSS Liaison Office (CD PDSS LNO) from the CDSE at Soldier Support Center will be located at the Fort Belvoir PDSS Center of the MD, in this Theoretical System. This Liaison Office will interface and coordinate interaction with both the TACMIS Project Office (MD for DLDED, DAS3, and related systems) and the Personnel Systems Division, Personnel and Force Accounting Directorate (MD for SIDPERS, VFDMIS, etc.), of Computer Systems Command. A second Liaison Office (CD PDSS LNO) from the CDSE at Soldiar Support Center will be located at the US Army Military Personnel Center (MILPERCEN) facilities in Alexandria, VA. This Liaison Office (a similar element already exists) will coordinate interaction with the Field Military Systems Branch, Field Activities Division, Personnel Management Systems Directorate, MILPERCEN. The Field Military Systems Branch is the proponent agency for SIDPERS and has responsibility for its functional design, development, implementation, and maintenance, for all changes which are anticipated not to exceed a cost of \$100K. The Theoretical PDSS System for the Soldier Support Center portion of the CSS BFA is organized to permit additional liaison offices to be established as necessary, and for growth to occur in the CDSE and its remote elements in the event that Soldier Support Center responsibilities for PDSS should increase. Such increases may occur as a result of potential charter adjustments vis-a-vis MILPERCEN, or through events which may evolve within the existing charters. Relationships between the CDSE at Soldier Support Center and the CDSM for Force Level and Maneuver Control at CACDA, Fort Leavenworth, and with the AC^MP Branch within the Automation and Communications Division of the Concepts and Doctrine Directorate

at the Logistics Center, are seen to require special communications capabilities, but not remote liaison offices. Normal communications and travel are seen as adequate for relationships between the CDSE and the Systems Design Branch of the Academy of Health Sciences, and other interfacing elements. A need is not seen for the CDSE to dispatch Combat Developer PDSS Forward Support Teams (CDFSTs) to User units, unless the responsibilities of Soldier Support Center are considerably broadened. Normal communications and occasional travel of selected members of the CDSE staff should suffice. The principal elements and interfaces involved in the Theoretical PDSS System are outlined in Figure E-26, which also provides a type of system overview.

c. CDSE Structure. The structure of the CDSE which is central to this Theoretical PDSS System is outlined in Figure E-27. This is a relatively simple and rudimentary structure which reflects the rather limited PDSS responsibilities currently borne by the Soldier Support Center (SSC). This structure does provide, however, a nucleus which could be expanded rapidly in response to any significant increase in SSC PDSS responsibilities. The structure consists of a Chief, Soldier Support CDSE, reporting to the Directorate of Doctrine and Combat Development. Under the Chief are three functionally-oriented branches-CDSE Management, Facility Support and Analysis, and CD PDSS LNO Support--which are primarily embryonic elements in which planning and anticipating possible future needs is a principal current function. The CDSM, Personnel Systems is also Deputy Chief of the CDSE, but is largely free of such administrative burdens and concentrates on operating what is essentally a fourth branch. Within this branch are focal points for PDSS activities relating to four BAS or BAS groups in which Soldier Support Center currently has a limited degree of responsibility. The first of these, Software Conversion, involves a degree of CD participation, from a PDSS viewpoint, in conversion of several fielded personnel software elements to operate on new hardware. The second item, CCS<sup>2</sup> Subsystem, involves PDSS aspects of development of the Personnel Subsystem for the CSS Control System for the CCS<sup>2</sup> concept under the Force Level Control System, whose CDSM is at Fort Leavenworth. The third item, New Personnel System, involves PDSS aspects of a system being conceived to replace SIDPERS. The New Personnel System will interface with the Theater Army Medical Management Information System (TAMMIS), which is in the conceptual stage. The fourth and last item, other systems, involves monitoring and coordinating responsibilities pertaining to several BAS, including SIDPERS, SIDPERS Wartime, a related Personnel Software Package for DLDED, the Prisoners of War Information System (PWIS), VFDMIS, TAPER and TAPER Wartime, VTAADS, and OESS. Any changes to SIDPERS software which are anticipated to cost over \$100K would be a responsibility of SSC under this fourth item. The functions of the elements of this structure are discussed further in the next paragraph.




Figure E-26. Principal Elements, Theoretical PDSS System for SSC

BDM SERVICES CO LEAVENWORTH KS

ASSESSMENT OF THE COMBAT DEVELOPER'S ROLE IN POST-DEPLOYMENT SO-ETC(U)

DEC 80 L H CHARITY, J M MCCURDY, P L DUNN

MDA903-80-C-0479

NI

NI AD-A100 484 UNCLASSIFIED

4 % 5




Figure E-27. CDSE structure, Theoretical PDSS System for Soldier Support Center

## E-29. RESPONSIBILITIES AND RELATIONSHIPS.

- a. <u>CDSE</u>. The overall mission of the Soldier Support CDSE is to insure that all CD PDSS responsibilities which are assigned to Soldier Support Center are adequately fulfilled for the personnel and administration portion of the Combat Service Support (CSS) BFA. The responsibilities and functions of the elements of this CDSE are outlined below.
- (1) Chief, Soldier Support CDSE. The Chief, Soldier Support CDSE, is the principal administrator of PDSS functions at Soldier Support Center. He reports to the Director, Doctrine and Combat Developments, US Army Institute of Personnel and Resource Management. The Chief is responsible for carrying out the overall mission of the CDSE, using the resources at his disposal, and through close cooperation with the various external elements with which the CDSE interfaces.
- (2) <u>CDSM</u>, <u>Personnel Systems</u>. The CDSM, Personnel Systems is the focal point and principal interface for all substantive TRADOC PDSS actions relating to BAS for which Soldier Support Center is assigned or allocated PDSS responsibilities. Because of the currently limited nature of those responsibilities, a single CDSM is designated, and he also serves as deputy to the Chief, Soldier Support CDSE. The office of the CDSM provides a nucleus that can be expanded with additional CDSMs, if future responsibilities require expansion. The CDSM, Personnel Systems has a small staff organized in four sections on the basis of BAS or groups of BAS, as appropriate. The CDSM and his staff are assisted, as appropriate, by the resources of the other CDSE branches, in performing CD PDSS functions which may be required by the BAS under the monitorship or purview of the Soldier Support CDSE.
- (3) <u>CDSE Management Branch</u>. The CDSE Management Branch assists the Chief and the CDSM in planning and managing the CDSE. This branch is responsible for anticipating the workload of the CDSE, and for recommending, developing, coordinating, and maintaining appropriate plans for the necessary resources, to include training. This branch also is responsible for maintaining necessary documentation and records, recommending and developing CDSE policies, and helping to insure that CDSE operations are in concert with other PDSS operations and policies throughout TRADOC and the Army.
- (4) <u>Facility Support and Analysis Branch</u>. The Facility Support and Analysis Branch is responsible for anticipating and planning for meeting the facility, equipment, and related support needs of the CDSE, including any needs that may arise for computer support, modeling, simulation, testing or analysis of BAS software. This branch will support or effect support of any special communications capabilities needed by the CDSE.
- (5) <u>CD PDSS LNO Support Branch</u>. The CD PDSS LNO Support Branch is responsible for supporting and providing Combat Developer PDSS liaison teams or offices as needed to accomplish effectively the mission of the CDSE. Combat Developer PDSS liaison offices (CD PDSS LNO) are currently seen as needed at both MILPERCEN, Alexandria, VA, and at US Army Computer Systems Command, in the vicinity of Fort Belvoir, VA.

E-30. SYSTEM CAPABILITIES. The Theoretical PDSS System for Soldier Support Center is designed to adequately fulfill all Combat Developer PDSS responsibilities that can be foreseen at this time, into at least the late 1980's. System capabilities are based on currently perceived responsibilities, whose extent is subject to potential change. Therefore, the system is designed with a capability for expansion to meet new responsibilities, should the need arise. Figure E-28 lists the 64 TRADOC principal PDSS functions and indicates, by means of the "X" entries, which of the principal elements in the Theoretical System are responsible for performing those functions.

### E-31. SYSTEM RESOURCE REQUIREMENTS.

- a. <u>Personnel</u>. An estimate has been made by the study team of the personnel needed to staff the Theoretical PDSS System for Soldier Support Center. This estimate is based upon the currently perceived PDSS responsibilities of the Soldier Support Center and a consideration of each of the system structural elements discussed in the preceding paragraphs. The estimated personnel requirements were derived without reference to any resource constraints, but were subjected to review-for-reasonableness, and some adjustments were made to initial figures. The resulting numbers are shown in Figure E-29. A breakout of the 1986/7 numbers, by CDSE element, is provided in Figure E-30.
- b. <u>Civilian Personnel Costs</u>. Costs of the civilian personnel portion of the estimated personnel requirements are futher estimated, in constant FY 81 K dollars, based on an assumed cost of \$31.6K per managerial/technical man year and \$16.0K per clerical/technician man-year, including 10% overhead loading. These cost estimates are:

Civilian	FY 81	FY 82	FY 83	(\$000) FY 84	FY 85	FY 86	FY 87
Personnel Costs	316.8	316.8	316.8	316.8	316.8	316.8	316.8

ING DEVELOPMENT (DTD) DIRECTORATE OF TRAIN- THO SUPPORT BRANCH FACILITY SUPPORT AND	××	XXX	×	× × × ×	<b>4</b> × ,	· · · · · · · · · · · · · · · · · · ·
COSE MANAGEMENT BRANCH			×××	╂╼╼┤╼╌┠╼╌╁┾┈╸	X	
CDSM, PERSONNEL SYSTEMS	XX X	<del>╿╼╿╼┞╾╾</del> ╸	<del>├─────────</del>	<del>}</del>	<u> 1222 22</u>	4 × ×
CHIEF, CDSE	X		X X	<del>├──<del></del>├──<del></del></del>	100 00	2 2
LIFE CYCLE STAGE WHEN FUNCTION 15 REQUIRED*	17	1-11-		<del>}'-}-'-</del>	120 20	7 ~
FUNCTIONS	11. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 73. PROVIDE REPRESENTATION ON THE CRUG. 73. PARTICIPATE IN DESIGNATION OF PDSS CENTER FOR EACH BAS.	1). PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS FSCB. 4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB. ESTABLISHED UNDER THE CCS CONCEPT.	1). DETERNINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES). 2. PLAN AND PROGRAM FOR RESOURCES, 3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL, OR TECHNICAL, 2. COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM. 3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS, 4. COORDINATE WITH MD ON REQUIDING SOLUTION TO THE FIELD. 5. ESTABLISM, IN COORDINATION WITH MP, PRIORITY OF CHANGE AND THE FRAME FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. CORDINATE WITH WO RECARDING ACTION TO SATISFY VALLDATED REQUIREMENTS. 4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. TUENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXMINE THEIR IMPACT ON AFFECTED SYSTEMS, D Z. DETENTIME AND EXMINE IMPACT ON SYSTEM INTERDPER- ABILITY BASELINE.
TRADOC RESPONSIBILITY	). PARTICIPATE WITH HO IN DEVELOPING AND MAIN- TAINING POSS PLANS FOR EACH BAS.	C. PARTICIPATE WITH NO IN CONFIGURATION MANAGE. HENT.	. MANAGE CD POSS EFFORT	. Pebodel analysis of Bas software problem Reports. 4	2. ANALYZE USER-STATEO, REQUIREMENTS;	3. ANALYZE FUNCTIONAL INPACT OF CONCEPTUAL CHANGES ON SYSTEMS
TASK AREA			M3DANAH . T			S. ANALYS

Figure E-28. Assignment of functions, Theoretical System--Soldier Support Center (continued on next page)

	╂╫┼┼┼	<del>                                     </del>	<del>┞┈╏╏╏╏</del>	╁╁╁╾┼╾╴┃
	╂╫┼┼┼	<del>                                     </del>	<del>┞═┠╂┞</del> ╶╂╂┈╂┈╂	
	<del>┡╶╏╏╏╏╏</del>	<del>┞┈┠╏</del> ┼	<del>╏╸╏╏╏╸╏╏╸╏</del>	<del>                                     </del>
	+++++	<del>                                     </del>	<del>┤┤┤┤</del>	<del>                                     </del>
	<del>╒</del> ┼┼┼┼┼	<del>├─┼┼</del>	<del>╏╸╏╏╏╸</del>	<del>╎╎╎╸┝╶╸</del> ╽
	<del>╒╏╏╏</del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	╂┼┼┼┼┼	<del>{-{{}-</del> -	<del>                                     </del>	<del>      -   -  </del>
<del></del>	╂┼┼┼┼┼	<del>                                     </del>	<del>┤┈╎╎</del> ┤┼┈┼	<del>                                     </del>
DIRECTORATE OF TRAIN- ING DEVELOPMENT (DTD)		<del>                                     </del>	<del>╏┈╏╏╏╏</del>	<del>                                     </del>
LNO SUPPORT BRANCH				<del>           </del>
FACILITY SUPPORT AND AMALYSIS BRANCH	<del> </del>	4 44		
CDSE MANAGEMENT BRANCH				
COSM, PERSONNEL SYSTEMS	XXXXXX	××× × × × × × × × × × × × × × × ×	XXXXXXX	××
CHIEF, CDSE		××	×	
FUNCTION IS REQUIRED.	2000000	200 20	2000 20 0 20	- E E
FUNCT TONS?	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY LOGISTICAL IMPACT. 5. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 6. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE  REQUIREMENTS DOCUMENT.  2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT.  3. PROVIDE REQUIREMENT TO NO.  14. CORDINATE WITH NO IN ESTABLISHING CHANGE  PROSPICES AND OBJECTIVE TOC DATE.  S. MINTAIN COMMITTION WITH NO DURING DEVELOPMENT  OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	11. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH 1SSUE/REVISION OF SOFTWARE PROGRAM. 12. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 13. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 14. MONITOR DEVELOPMENT TEST (OT). 15. PARTICIPATE AS TASKED BY HODA IN OPERATIONAL 1ESTING (OT) CONDUCT ON HODA IN OPERATIONAL 1ESTING (OT) CONDUCT ON FOR SYSTEM OT 1ESTING 1ES	1). MAINTAIN COMMUNICATIONS WITH USERS. 2. FUNCTION AS USER SURROGATE. 3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ 1. TACTICAL ASPECTS OF SYSTEM EMPLOYMENT. 4. COORDINATE WITH MO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIELD. A
TRADOC RESPONSIBILITY	4. AIALYZE FUNCTIONAL INPACT OF PROPOSED SYSTEM CHANGES. <sup>C</sup>	1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1. MONITOR, PARTICIPATE 114, OR CONDUCT SYSTEM TESTING AS APPRO- PRIATE: d	1. MAINTAIN INTERFACE UITH AND PROVIDEL FUNCTIONAL GUIDANCE, TO FIELD USERS!
	S. ANALYSIS (CONTINUED)	3. SYSTEM HODIFICATION	A SYSTEM. TESTING!	5. FIELD: SUPPORT!

Figure E-28. (continued)

TRADOC RESPONSIBILITY,	DEVELOP AND MANAGE]  1. OE  ANAINING SORORAM RE.]  REG  ANAINING SORORAM  ANAINING SORORAM  ANAINING (NET)),  SORORAM  ANAINING (NET)  ANAININ	JOINT AND INTER- NATIONAL INTEROPER- 2. SPE ABILITY REQUIREMENTS. SUPPORT TO CONTINGENCY: 7. COC PLANNING. 2. PAGE SOF	SUPPORT TO CRISTS/ 1. SEE MARTINE OPERATIONS. a 2. EM. TIN SEE 3. COO 4. DEV 5. THR SMT	ASSESS CONTINUED TACTOR TACTICAL SUITABILITY) CONTINUED TACTOR PROFILE AND THREAT DOCURING THREAT DOCURING THREAT DOCURING THREAT DOCURING CONFIGURATION ESTABLISHED) TAKTER FIELDING
FUNCTIONS	DETERMINE TRAINING/RETRAIRING DEVELOPHENT REQUIREMENTS.  DEVELOP THAINING DEVICE REQUIREMENTS.  DEVELOP TRAINING DEVICE REQUIREMENTS.  DEVELOP AND DISTRIBUTE UPDATED O'R NEW TRAINING.  LIEBATURE AND MATERIALS.  DEVELOP TRAINING SCENARIOS FOR INSTITUTION  ANI, FIELD USE.  DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS.  VALIDATE/VENTY TRAINING MATERIALS.  MALCHELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS.  ANI COMEL/VENTY TRAINING MATERIALS.	SPECIFY IN REQUIREMENTS. SPECIFY IN REQUIREMENTS COORDINATE WITH MO IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE. SOFTWARE TO CONTINGENCY MISSION, A	THE MOST ATOUS ATOUS STEATION FLEXIBILITY SER RESPONSE TO	CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE  CONTINUED TACTICAL SUITABILLITY AS CHANGES OCCUR IN  THREAT. DOCTRINE. AND OPERATIONAL REQUIREMENTS.  RING.  CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN  THREAT. DOCTRINE. AND OPERATIONAL REQUIREMENTS.  RING.  CONTINUED TACTICAL SUITABILITY OF BY PROPER STOR STORY OF BY PERFORMED.  CONTINUED TACTICAL STORY OF BY PROPER STORY OF BY PERFORMED.
HIEF, CDSE WEDWIRED*	2 222 5 222	X X		\$ \$100.1 1.60 FS.1
DSM, PERSONNEL SYSTEMS	<del>╏╸┩╸┠╶</del> ┡	XX X X	<del> </del>	<b>X</b> 30 50 50 50 50 50 50 50 50 50 50 50 50 50
ACILITY SUPPORT AND MALYSIS BRANCH		<del>                                      </del>	×	
NO SUPPORT BRANCH RECTORATE OF TRAIN- NG DEVELOPMENT (DTD)				
	1-++-		++	<del></del>
	<del></del>			+-
	┼╾┼┼┼┼┼	,,, , ,		+

Figure E-28. (concluded)

DEOUTRES	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED MILITARY CIVILIAN TOTAL	12 <u>4</u> 16	12 <u>4</u> 16	12 4 16	12 <u>4</u> 16	12 <u>4</u> 16	12 4 15	12 4 16
AUTHORIZED MILITARY CIVILIAN TOTAL	6 <u>0</u> 6	60	6 <u>0</u> 6	6 <u>0</u> 6	6 <u>0</u> 6	6 <u>0</u> 6	e 0 e
ADDITIONAL NEEDED MILITARY CIVILIAN TOTAL	6 4 10	6 4 10	6 <u>4</u> 10	6 <u>4</u> 10	6 4 10	6 - <u>¢</u> 10	6 <u>4</u> 10

Figure E-29. Personnel required, Theoretical PDSS System, Soldier Support Center

ASST CDSM, PERSONNEL SYSTEMS		RIAL AND NICAL CIV		CAL AND NICIAN CIV	TOTAL
CCS <sup>2</sup> SUBSYSTEM TEAM PERMIS	]	į.	1		2
OTHER SYSTEMS SECTION	•	1	i		2
FACILITY SUPPORT AND ANALYSIS BRANCH		1	1		2
CD PDSS LNO	2	1			3
ANALYSIS DIVISION AUGMENTATION	2				2
DIRECTORATE OF TRAINING DEV. AUG.	1				1
TOTALS	8	4	4	0	16

Figure E-30. CDSE personnel requirements breakdown, Theoretical PDSS System, Soldier Support Center

## APPENDIX F

# DESCRIPTION OF THE HYBRID SYSTEM

## **CONTENTS**

			Page
SECTION	I.	GENERAL	F-3
SECTION	II.	HQ TRADOC	F-7
SECTION	III.	US ARMY COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY	F-9
SECTION	IV.	FORCE LEVEL CONTROL AND MANEUVER BFA	F-13
SECTION	٧.	COMMUNICATIONS FUNCTIONAL AREA	F-25
SECTION	VI.	FIRE SUPPORT BFA	F-37
SECTION	VII.	AIR DEFENSE BFA	F-51
SECTION	VIII.	INTELLIGENCE AND ELECTRONIC WARFARE BFA	F-69
SECTION	IX.	COMBAT SERVICE SUPPORT BFAUS ARMY LOGISITICS CENTER	F-81
SECTION	х.	COMBAT SERVICE SUPPORT BFAUS ARMY SOLDIER SUPPORT CENTER	F-91

#### SECTION I. GENERAL

F-1. INTRODUCTION. This appendix contains a description of a Hybrid PDSS System designed to provide TRADOC a capability for planning, managing, and performing those functions, associated with PDSS for BAS, that are the responsibility of the combat developer. This system, if implemented, would provide TRADOC the capability to fulfill on a prioritized basis, Combat Developer responsibilities in this important functional areas, for BAS projected to be in any life cycle phase requireing PDSS, through 1987. This section contains a general description of the Hybrid System. Subsequent sections of this appendix contain more detained descriptions of each component of the Hybrid System to include their organization, responsibilities and relationships, and estimates of resources that would be required to implement the system.

## F-2. GENERAL SYSTEM DESCRIPTION.

- a. <u>Structure</u>. This TRADOC Hybrid PDSS System has been derived primarily from a comparative analysis of the TRADOC Baseline and Theoretical PDSS Systems. The assumptions listed in Chapter 1, and the design guidelines and other considerations discussed in Chapter 2 were also applied to the design of this system. The result of this effort is a Hybrid System which provides a PDSS capability, tailored to the needs of HQ TRADOC and each of its functional centers that have PDSS responsibilities. Figure F-1 provides an overview of this Hybrid System, structured in accordance with the BFA concept. (This figure is repeated from Chapter 5 for the readers convenience in referring to it while reviewing this appendix.) The system depicted provides for:
  - PDSS Staff Elements at HQ TRADOC and at the US Army Combined Arms Combat Development Activity (CACDA) to plan, program, and coordinate the system
  - Two resource coordination branch-level staff elements in CACDA to ensure the fullest and most effective use possible of existing TRADOC analytical and test and evaluation resources to support CD PDSS requirements
  - A Combat Developments System Manager (CDSM) for each Category 1 BAS and for all other BAS as required based on analysis of requirements in each BFA
  - Four Combat Developer Support Factilities (CDSF) and other CD PDSS elements, as appropriate, at TRADOC Functional Centers having proponency for one or more Category 1 command or control BAS under the CCS<sup>2</sup> concept, and having a collocated MD-managed PDSS Center
  - Three Combat Developer Support Elements (CDSE) at all other TRADOC functional centers having substantial requirements for a PDSS capability (e.g., proponency for one or more Category 2 or 3 BAS)
  - Six Combat Developer PDSS Liaison Offices (CD PDSS LNO) needed to provide the required level of interaction with Materiel/System Developer PDSS Centers that are geographically separated from the CD location




Figure F-1. Overview of the Hybrid System

- Combat Developer PDSS Forward Support Team (CDFST) where they are essential to: provide CD interface with system Users to assist in the identification, isolation, and reporting of system problems; the development and implementation of functional work around procedures; participate in User training; and provide other support and assistance as required.
- b. Operational Concept. The operational concept associated with this Hybrid System is similar to TRADOC's present concept of operations. In the Hybrid System, it is envisioned that PDSS will continue to be performed as an integral part of the CD's system development and life cycle management functions under the TRADOC combat developments mission. Overall direction and control of the system will be exercised by HQ TRADOC, supported by CACDA functioning as the TRADOC PDSS proponent. PDSS responsibilities for BAS and the resources needed to carry out these responsibilities are allocated to the TRADOC functional centers, in consonance with the BFA Concept and other functional responsibilities of each center. The activity of key centers involved with command and control BAS is closely coordinated under the CCS Concept. These centers will be linked by state-of-the-art communications to facilitate this interaction and coordination of effort.
- c. System Components. Each component of the Hybrid System shown in Figure F-I is discussed in terms of its structure, responsibilities, relationships, and resource requirements in Sections II through X of this appendix.

## SECTION II. HEADQUARTERS TRADOC

- F-3. ROLE. The role and responsibilities of HQ TRADOC in this Hybrid PDSS System are seen to be essentially the same as in the current Baseline System. This role is basically one of establishing policy, assigning responsibility, allocating resources, and exercising command, control, and staff supervision over the total system operation. CACDA works closely with and supports HQ TRADOC in this role by serving as the TRADOC PDSS proponent. This CACDA role is discussed in Section III. Most PDSS requirements and operations are assigned to BFA-level components of this Hybrid System for planning, programming, and execution.
- F-4. ORGANIZATION. As discussed previously, PDSS is accomplished within TRADOC, as a part of the combat developments mission directed by the Deputy Chief of Staff for Combat Developments (DCSCD). This Hybrid PDSS System is based on continuation of this overall operating concept. For fulfilling the HQ TRADOC role, the system concept provides for the establishment of a PDSS Staff Element within the Systems Integration Branch of the Telecommunications, Command and Control, and Computer Systems Directorate of DCSCD. This element would provide the focal point for coordination of all TRADOC PDSS requirements, and the means through which HQ TRADOC staff supervision can be exercised over this important functional area. The relationships that exist and operating procedures that have been established between the hardware directorates of DCSCD and their associated center(s) and school(s), described in Chapters 2 and 3, would not be changed by the implementation of this Hybrid PDSS System.
- F-5. RESOURCE REQUIREMENTS. Based on evaluation of the currently known workload, it is estimated that four additional staff officers are needed in the Systems Integration Branch to implement this Hybrid System. One of these personnel is needed in FY 81 and one each in FY 82, 84, and 86. It is proposed that two of these staff members be military officers with combat arms backgrounds and secondary specialties in operations research/systems analysis and automatic data processing. The other members should be civilians in operations research/systems analysis and the automatic data processing career fields. This will provide a desirable blend of knowledge and expertise and should also provide a means of maintaining the long term continuity needed in this functional area.

#### SECTION III. COMBINED ARMS COMBAT DEVELOPMENT ACTIVITY

F-6. ROLE. This section addresses CACDA's special role in the Hybrid PDSS System as the TRADOC PDSS Proponent. CACDA also has a major role in that portion of the Hybrid PDSS System designed to support the Force Level Control Functional Area and the Maneuver BFA, but that role is discussed in Section IV. CACDA's role in the Hybrid PDSS System, as the TRADOC PDSS proponent, is envisioned to be a more active and prominent one than that performed at present by CACDA in the Baseline system. It is also expected to increase significantly in magnitude and scope as more BAS are fielded and the CCS<sup>2</sup> concept becomes a reality. Both of these developments will require increased Combat Developer participation in PDSS in general and in support of the major command and control systems of the CCS<sup>2</sup> concept in particular. This will necessitate that CACDA play a very active role in coordinating and integrating the various elements of TRADOC's PDSS involvement.

F-7. ORGANIZATION AND RESPONSIBILITIES. Within CACDA, the focal point for PDSS in the Baseline System is the JINTACCS Office, Army C2/JINTACCS Division, C3I Directorate. This Hybrid System provides for the continuation of this current assignment of responsibility. In addition, it provides for the establishment of two branch-level organizational elements--a BAS PDSS Analysis Resources Coordination Branch and a BAS PDSS Test and Evaluation Resources Coordination Branch. These branches would have responsibilities for coordinating the tasking and use of TRADOC-wide (1) analytical resources, and (2) test and evaluation resources, respectively, to address CD PDSS requirements. The objective of this effort would be to maintain a total force viewpoint and ensure the full and effective use of all existing resources that could contribute to satisfying requirements in these two functional areas. This should, in turn, result in realization of an improved capability with fewer resources than would otherwise be needed if each Hybrid PDSS System component operated entirely independently. The specific responsibilities and functions of the JINTACCS Office and these branches and alternatives for organization of the branches are discussed below.

## a. Responsibilities.

- (1) <u>JINTACCS Office</u>. The JINTACCS Office will serve as the focal point within CACDA for overall integration and coordination of PDSS activities for which CACDA is the TRADOC proponent and principal integrating center. Specific PDSS responsibilities of the JINTACCS Office will include the following:
  - Coordinate closely and exchange information freely, on PDSS matters, with the Battlefield Systems Integration Branch, of the Directorate of Telecommunications, Command and Control, and Computer Systems (TC4S) of TRADOC HQ, which branch provides a principal interface on PDSS matters with HQDA and other major commands

FRECEDIANS LAND BLANK-NOT ETTAFFILM

- Coordinate and integrate, as appropriate, PDSS requirements and activity of the TRADOC centers and schools
- In conjunction with the Battlefield Systems Integration Branch of HQ TRADOC, establish and maintain interfaces with DA staff elements and system/materiel developer elements on PDSS matters which cut across BFA lines
- Maintain records of past and current studies and management decisions pertaining to TRADOC's PDSS organization, activities, and plans
- Conduct a continuing functional evaluation of the TRADOC PDSS System, to include its requirements, organization, and effectiveness, and coordinate the adjustment of that system to accommodate changing situations and requirements.
- (2) BAS PDSS Analysis Resources Coordination Branch. This branch is responsible for coordinating, through appropriate command and control channels, the tasking and use of all TRADOC resources with a capability to contribute to the analysis of CD PDSS requirements for BAS in all BFA, in order to make the fullest and most effective use possible of available resources. This branch also coordinates requests to organizations external to TRADOC, for analytical support in addressing CD PDSS actions. Principal functions to be performed include:
  - Developing a familiarity with all BAS and maintaining a total force effectiveness and TRADOC-wide perspective regarding PDSS needs
  - Developing a knowledge of the capabilities of all analytical resources (e.g., personnel, simulations, computer support) throughout TRADOC and external to TRADOC with a potential for supporting TRADOC PDSS requirements
  - Establishing contact with CDSMs throughout TRADOC and maintaining an awareness of their analytical support needs
  - Making recommendations and assisting CDSMs in planning and scheduling the use of analytical resources to satisfy CD PDSS needs
  - Coordinating and consolidating the analytical needs for individual BAS so that resources are efficiently and effectively used to support total TRADOC requirements in this area
  - Coordinating the matrix management of PDSS personnel among TRADOC functional centers and schools and other TRADOC analytical organizations so that teams are formed at the appropriate times and places with the necessary skills and manpower to analyze BAS PDSS problems most effectively
  - Recommending priorities and assisting in the resolution of conflicts in needs for analytical resources among the BFAs.

- (3) BAS PDSS Test & Evaluation Resources Coordination Branch. This branch is responsible for coordinating, through appropriate command and control channels, the tasking and use of all TRADOC resources with a capability to contribute to satisfying test and evaluation requirements associated with CD PDSS actions, in order to make the fullest and most effective use possible of available resources. This branch also coordinates requests to organizations external to TRADOC with potential for supporting test and evaluation requirements associated with CD PDSS actions. Principal functions to be performed include:
  - Developing a familiarity with all BAS and maintaining a total force effectiveness and TRADOC-wide perspective regarding PDSS test and evaluation needs
  - Developing a knowledge of the capabilities of all test and evaluation resources throughout TRADOC and those external to TRADOC with potential for supporting CD PDSS test and evaluation requirements
  - Maintaining a thorough knowledge of all regulatory policies applicable to test and evaluation of BAS. Participating, and, as appropriate, taking the lead role in resolving conflicts and differences in interpretation of the meaning of applicable regulatory policies
  - Establishing contact with CDSMs throughout TRADOC and maintaining an awareness of their test and evaluation needs
  - Making recommendations and assisting CDSMs in planning and scheduling the use of test and evaluation resources to satisfy CD PDSS needs
  - Coordinating and consolidating the test and evaluation needs for individual BAS so that resources are efficiently and effectively used to support total TRADOC requirements in this area
  - Recommending priorities and assisting in the resolution of conflicts in needs for test and evaluation support among the BFAs.
- b.  $\underline{\text{Organization}}$ . There are several logical alternatives for the location of these two branch elements in the CACDA organizational structure. Among these are:
  - Locate both branches in the Army C2/JINTACCS Division. This would centralize all of CACDA's TRADOC-wide PDSS responsibilities within this division
  - Locate the BAS PDSS Analysis Resources Coordination Branch in either the Army C2/JINTACCS Division or the Methodology and Analysis Division of the C3I Directorate. Locate the BAS PDSS Test & Evaluation Resources Coordination Branch in the Test Development and Evaluation Directorate. These options would align these branches functionally with other CACDA elements having related functions

 Locate both branches in the proposed Force Level Control and Maneuver BFA CDSF organization at CACDA. This would further centralize PDSS activity but would involve the CDSF in TRADOC-wide PDSS responsibilities beyond those relevant to only Force Level Control or the Maneuver BFA.

Of these alternatives, the first appears to be the most desirable, but this matter should be addressed further during implementation planning.

## F-8. RESOURCE REQUIREMENTS.

- a. <u>JINTACCS Office</u>. It is estimated that the increased workload associated with fulfilling responsibilities as TRADOC PDSS proponent will require two staff officers in the JINTACCS office. One of these personnel is needed in FY 81 and one in FY 83. These personnel, one military and one civilian, would serve on a dedicated basis to fulfill CACDA's role of assisting HQ TRADOC in planning, coordinating, and integrating all PDSS activity within TRADOC and providing an interface with other commands and agencies on PDSS matters. The civilian member of this two-person staff element should be in the operations research/systems analysis or automatic data processing career field. The military member should be a combat arms officer with a secondary speciality in operations research/systems analysis or automatic data processing. This combination will provide a desirable blend of knowledge and expertise relative to the CD PDSS requirements and will facilitate maintaining the degree of continuity needed in this staff element.
- b. <u>BAS PDSS Analysis Resources Coordination Branch and Test and Evaluation Resources Coordination Branch</u>. Based on the responsibilities and principal functions of these branches described above, it is proposed that they each be formed initially with a total of five personnel, structured as follows:

BRANCH	TECHN MIL		RSONNEL ADMINIS MIL	TRATIVE	TOTAL
BAS PDSS Analysis Resources Co- ordination Branch	2	2		1	5
BAS PDSS Test and Evaluation Resources Coordination Branch TOTAL	2 4	2 4		1 2	<u>5</u> 10

This proposed structure would provide each of these branches the same blend of knowledge and expertise and long term continuity as discussed in Paragraph a. above.

SECTION IV. FORCE LEVEL CONTROL FUNCTIONAL AREA AND MANEUVER BFA F-9. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. Both the Force Level Control Functional Area and the Maneuver BFA are supported by the component of the Hybrid PDSS System discussed in this section.
- b. TRADOC Centers and Schools Involved. TRADOC Centers and Schools involved with this component of the Hybrid System include CACDA, the US Army Aviation Center, and the US Army Armor Center. No requirement has been identified for active involvement in the system by other centers at this time. The structure of this component of the system and its relationship to the current organization of each of the TRADOC centers involved are discussed below.
- c. <u>Organizational Structure of the System</u>. That portion of the Hybrid PDSS System responsible for supporting Force Level Control and the Maneuver BFA is shown in Figure F-2. It consists of:
  - A CDSF and two CDSMs, one for the Force Level and Maneuver Control system and one for Maneuver BFA BAS, subordinate to CACDA at Fort Leavenworth
  - Three CD PDSS LNOs located as follows:

Fort Monmouth to facilitate Combat Developer interaction with the ERADCOM, CORADCOM, and AVRADCOM PDSS Centers at that installation

Picatinny Arsenal to facilitate interaction with the ARRADCOM PDSS Center

Redstone Arsenal to facilitate interaction with the MICOM PDSS Center

A CDSE at the Aviation Center, Fort Rucker.

Each of these system elements is discussed further in the paragraphs that follow.

- F-10. RESPONSIBILITIES AND RELATIONSHIPS.
- a. <u>CACDA</u>. As proponent for Force Level Control and the Maneuver BFA, CACDA has a prominent role in all combat development actions associated with BAS in both of these functional areas. CACDA is proponent for SIGMA, the Force Level and Maneuver Control System, and for coordinating and exercising configuration control over the required interfaces between SIGMA and all other control systems of the CCS<sup>2</sup> concept. CACDA is also proponent for three Category 3 BAS in the Maneuver BFA (as shown in Appendix C). CACDA is also responsible for coordinating and integrating activity of all TRADOC centers involved with other BAS in this BFA. To provide a capability to




Figure F-2 . Overview of the Hybrid PDSS System-Force Level Control and Maneuver BFA

fulfill the PDSS role inherent in these responsibilities, this Hybrid PDSS System design provides for the establishment of a CDSF and two CDSMs at Fort Leavenworth and CD PDSS LNOs at three locations as mentioned above. The CDSF organization and its relationship to other elements of CACDA are shown in Figure F-3. Not visable in this structure are the two proposed branch-level resource coordination elements discussed in Section III. As shown, the CDSF represents a division level element in the C3I directorate. It is organized along functional lines and consists of a CDSF Chief, two CDSMs, three branch level elements, and three CD PDSS LNOs. Responsibilities and functions of each element are discussed below.

- (1) Chief, CDSF. The Chief, CDSF, Fort Leavenworth, plans, directs, and supervises the operation of the CDSF in accomplishing all responsibilities for PDSS to BAS in the Force Level Control and Maneuver Functional Areas. In conjunction with the CDSM, Force Level and Maneuver Control System, and CDSM, Maneuver BFA Systems, he establishes priorities and allocates resources to address requirements for support of systems in both areas. He serves as the primary point of contact with the MD-managed PDSS Centers supporting BAS in both of these functional areas. He also supervises the three CD PDSS LNOs shown in Figure F-3 in the accomplishment of their responsibilities. The principal functions performed by the Chief CDSF, in either a supervisory, coordination, or action role, are shown in Figure F-4. An X entry in the column headed Chief, CDSF, indicates that he is involved directly with the function shown to the left of the X. An N entry indicates that he is not directly involved with the function. These same entries are used to show the functional responsibilities of each of the remaining CDSF elements discussed below.
- (2) CDSM, Force Level and Maneuver Control. The CDSM, Force Level and Maneuver Control System, serves as the CD for software associated with the SIGMA System. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role for SIGMA. He plans, programs, and coordinates those software support tasks which the CDSF must perform in support of SIGMA. He is the principal field user's representative and the primary point of contact with the MD on PDSS matters affecting this system. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure F-4.
- (3) CDSM, Specified Maneuver BFA Systems. The CDSM, Maneuver BFA System, serves as the CD for software associated with systems in the Maneuver BFA. As such, he is responsible for planning, programming, and coordinating those software support tasks which the CDSF must perform in support of the BAS associated with this BFA. He also serves as the principal field user's representative and as the primary point of contact with the MD on PDSS matters concerning these BAS. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure F-4.




Figure F-3. Organizational structure, CDSF Fort Leavenworth

	•																			
	2	4	Z			Z	Z	2	Z	7	×	×	× :	4 7	Z	7	Z	Z		4
PLANS, INTEROPERAEILITY, & CONFIGURATION CONTROL BR.	×	×	· ×	X	χþ	X	X	×	X	7	Z	7		4 7	-			· Z		
TESTING AND TRAINING REOUIREMENTS BRANCH	Z	Z	Z	Z	Z		Z	Z	7	Z	Z	7	7	2 2	Z	7	Z	Z	2	7
TATER REQUIREMENTS AND TAMES AND TAMES AND TAMES AND TRAINING THE THE TAMES AND TAMES	_ Z	4	_ Z	Z	zįz		Z	Z	Z	×	×	X		4>	٩×	^	×	×	>	4
CDSM, SPECIFIED	×	M	×	_	χİ,	Z	×		×	×	×	×	× :	<b>∮</b> >	×	×	×	×		
CDSM, FORCE LEVEL AND MANEUVER CONTROL SYSTEM	×	X	×	_	Ϋ́	I	×	×	×	×	×	×		4×	×	×	×	×	) X	٤
CHIEF, COSE	×	K	: <b>x</b>	Z	<b>z</b>  2	Z	×	×	×	Z	Z	Z		4 2	Z	Z	Z	Z		_
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED.	-	Ц	_		7	1 -				~	~		٠ ٦	4.	~	~	~	2	. ~	1
FUNCTIONS	:	7	3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.		<u></u>	4. PROVIDE REPRESSINIATION ON ANY EXECUTIVE LEYEL CCB ESTABLISHED UNDER THE CCS CONCEPT.	1. DETERMINE REQUIREMENTS: (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, 1	2. PLAN AND PROGRAM FOR RESOURCES.	3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MO. DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL	C. COUNDINGLE WITH MU UM ACTION REQUIRED TO ADURESS THE PROBLEM.	3. COORDINATE WITH MD IN NOTIFFING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	4. CUGNOJINATE WITH MO ON PROVIDING SOLUTION TO THE FIELD. 5. ESTABLISH, IN COORQINATION WITH MO. PRIORITY OF CHANGE AND TIME FRAME FOR CHANGE TO AE FEFFETE	I. RECEIVE REDUIREMENT FROM USER.	2. EXAMINE BASIS FOR REQUIREMENT.	3. COORDINATE WITH MD REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS	4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. 10ENTIFY AND OBVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	Z. DETERMINE AND EXAMINE IMPACT ON SYSTEM-INTEROPER- ABILITY BASELINE.	
TRADOC RESPONSIBILITY,	1. PARTICIPATE WITH HD IN	DEVELOPING AND MAIN-	TAINTHG POSS PLANS FOR EACH BAS.	2. PARTICIPATE WITH HO IN	CONFIGURATION MANAGE-		). MANGE CO POSS EFFORT.			BAS SOFTWARE PROBLEM	REPORTS.			2. ANALYZE USER-STATED				3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	CHANGES ON STSTEMS,	
A3RA MEA						ĮN;	MANGEN	H	ī					• • •	_		SIS	YJVM	.5	1
								_	_											

Figure F-4. Assignment of functions, Hybrid System--Force Level Control and Maneuver BFA (continued on next page)

विवयययय वैद्येष अ	× 2222 22 2 22 22 2 2
Z Z Z X Z Z Z Z CONFIGURATION CONTOL BR.	4 4444 44 A 4444 X X
PUNDAN STANDING NEW TAND TAND TO THE BROWN THE BEAUTY TO THE PROPERTY OF THE P	z xxxx xx x x x z z z z z
HJNANG CICTJANA	× ×××
X X X X X X X X X X X X X X X X X X X	x xxxx xx x xxxx x x
C X XXXXX KDRCE LEVEL AND RANEUVER CONTROL SYSTEM	x xxxx xx x xxxx x x
ZZZZZ ZZZZZ CHIEF, CDSF	z zzzz zz z zz×× z ×
C C C C C C C C C C C C C C C C C C C	2 222 2 2 2 2 2 E E
FUNCTIONS:  1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY HANNING IMPACT. 4. IDENTIFY SER-RESOURCE REQUIREMENT IMPACT. 5. IDENTIFY HANNING IMPACT. 6. IDENTIFY HAND MALE PERSONNEL ASPECTS. 6. IDENTIFY HAND MALE PERSONNEL ASPECTS. 7. IDENTIFY HAND MALE PERSONNEL ASPECTS. 7. IDENTIFY SYSTEM IN PAPAPAPATITY IMPACT. 7. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT. 7. PRIDRITTES AND OBJECTIVE TOC DATE. 7. PRIDRITTES AND OBJECTIVE TOC DATE. 7. PRINTING CORDINATION WITH MO DURING DEVELOPMENT. 7. PRINTING CORDINATION WITH MO DATE. 7. PRINTING CORDINATION OF REQUIRED.	
TAADOC RESPONSIBILITY)  4. AMALYZE FUNCTIÖNAN  IMPAST OF PROPOSEDI  SYSTEM CHANGES J  CHANGE REQUIREMENT.	1. HOULTOR, PARTICIPATE 111, OR COHOUCT SYSTEM 11, OR COHOUCT SYSTEM 12, PRIATE. A APRO-1 15, 15, 15, 15, 15, 15, 15, 15, 15, 15
MODIFICATION (CONTINUED) 145K AREA	S FIELD 4. STSTEM SUPPORTI

Figure F- 4. (continued)

LIFE CYCLE STAGE GIEN  CMIEF, CDSF  COSM, FORCE LEVEL AND  HANGEVER CONTROL SYSTEM  COSM, SPECIFIED  SYSTEM REQUIREMENS  SYSTEM  SYSTEM  COSM, SORTION  CONTROLLED  CONTROLLED  SYSTEM   242	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Z ZX Z Z Z ZZ Z Z X XX X X	Z Z X X	
FUNCTIONS	1. DETERMINE TRAINING/RETRAINING DEVELOPHENT REQUIREMENTS. 2. DETERMINE TRAINING DEVTER REQUIREMENTS. 3. DEVELOP AND DISTRIBUTE UPDATED OR HEW TRAINING 4. DEVELOP AND DISTRIBUTE UPDATED OR HEW TRAINING LITERATURE AND WITERIALS. 5. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD INSE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VALLOMELY PRAINING MAIRING AND NET. 8. PARTICIPATE IN FIELD USER TRAINING AND NET.	1. IOENTIFY REQUIREMENTS DOCUMENT. 2. SPECIFY IN REQUIREMENTS DOCUMENT. 1. COORDINATE WITH HO IN PLANNING FOR REQUIRED POSS SUPPORT TO DAS, IN THE CONTINGENCY FORCE. 2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	1. SPECIFY POSS RESPONSE REQUIREMENTS. 2. EXMINE ALTERNATIVES FOR PROVIDING THE MOST THELY AND EFFECTIVE POSS UNDER VARIOUS SCENARIOS. 3. COONDITATE MITH THE MD IN PLANNING POSS SUPPORT. 4. DEVELOP PROCEDURAL WORK-AROUNOS WHEN SITUATION OOES NOT PERMIT SOFTWARE CHANGES. 5. THROUGH FROMIT FOR THARE CHANGES. 1. INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	ITY CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN THEAL. DOCTRINE. AND OPERATIONAL REQUIREMENTS.  RR POSS PLANNING ARE FREEZE POINT (SOFTWARE X = Element is responsible and capable by ESTABLISHED)  N = Element is not responsible
TRADOC RESPONSIBILITY	2. DEVELOP AND WANGE.  VICONTINUED PROGRAM RE- CHANGE (BY STYSTEM CHANGE (BY STYSTEM CHANGE (BY STYSTEM CHANGE (BY STYSTEM ING (NET)).	1. JOINT AND INTER- NATIONAL INTEROPER- ABILITY REQUIREMENTS. 2. SUPPORT TO CONTINGENCY PLAINING.	3. SUPPORT TO CRISIS/ MARTINE OPERATIONS,	ASSESS CONTINUED TACTICAL SUITABLLITY OF BAS  1 BASITIME AFTER POSS 2 BAFTER SOFTWARE FRE CONFIGURATION ESTA 3 AFTER FIELDING

Figure F-4. (concluded)

- (4) <u>Branch level CDSF elements</u>. As mentioned above, this CDSF is organized functionally with three branches. All CD PDSS functions to be performed by the CDSF for all BAS in both the Force Level Control and Maneuver functional areas are allocated among these branches in a logical manner as discussed below. The names used in this report to identify the branches have been selected to be descriptive of responsibilities of each branch. Specific functions of each branch are shown in Figure F-4.
- (a) Plans, Interoperability, and Configuration Control Branch. This branch supports the Chief, CDSF in all actions related to planning, administering, and managing the CDSF operation. It supports both the CDSM, Force Level and Maneuver Control System and the CDSM, Maneuver BFA Systems, in all actions associated with planning PDSS support for BAS in their respective areas during both pre- and post-deployment phases of the system life cycle. The actions include planning for support, in coordination with the responsible MD, during contingencies and crisis/wartime. The branch is also responsible for CD PDSS actions associated with system interoperability and configuration management to include participation with the cognizant TSM and/or CDSM in providing representation on appropriate configuration/control boards. The branch coordinates with the CDSM in authorizing release of system change packages to the field.
- (b) <u>System Requirements and Analysis Branch</u>. This branch is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the CDSM, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by the branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated.
- (c) <u>Testing and Training Requirements Branch</u>. As suggested by its title, responsibilities of this branch fall generally into two functional areas. With respect to testing, the branch is responsible for supporting the CDSM in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to BAS. Accomplishment of these responsibilities involves working closely with the MD, OTEA, the appropriate US Army Test Board, TCATA, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements.
- (5) <u>CD PDSS LNOs</u>. The Hybrid PDSS System provides for establishing three CD PDSS LNOs from the CDSF, Fort Leavenworth, to Fort Monmouth, Picatinny Arsenal, and Redstone Arsenal to provide a CD PDSS interface with MD PDSS

Centers at each of those locations as shown in Paragraph F-9.c., above. Each of these LNOs is an on-site CD representative, responsible for interacting with the MD PDSS center(s) at the installation where he is located, on all aspects of PDSS for all BAS supported at each center, regardless of the BFA(s) involved. To fulfill this responsibility, each LNO must:

- Develop a familiarity with all BAS supported at each MD PDSS Center with which he interfaces
- Establish and maintain contact with the CDSM for each of these BAS
- Be knowledgeable of all recent, on-going, and pending changes to these BAS including the basis of the action, the status of the action, its significance and importance, and the CD's position/ interests with respect to the action
- Be aware of the MD's position/interests with respect to the action and plans associated with the action.

In this role, each LNO provides CD representation and facilities an MD-CD dialog at the action level that does not exist at present.

- b. <u>US Army Aviation Center</u>. The Aviation Center is proponent for 10 Category 3 BAS as shown in Appendix C. Although the primary focus of effort during this study was directed to be on Category 1 and 2 systems, the CD PDSS responsibilities and workload associated with these 10 BAS were considered to be of sufficient significance to warrant some attention. PDSS support for eight of these BAS is scheduled to be provided by the AVRADCOM PDSS Center at Fort Monmouth. Support for the other two is to be provided by the ERADCOM PDSS Center, also at Fort Monmouth. To provide the desired CD PDSS capability to interact with Users and the MD in support of these systems, the Hybrid PDSS System proposes the establishment of a small CDSE at the Aviation Center as shown in Figure F-2. It is envisioned that the CDSE would be established as a section within the Systems Branch, Materiel Developments Division, Directorate of Combat Developments. This CDSE will be supported by the CD PDSS LNO, discussed in Paragraph F-10.a.(5), in its interaction with the AVRADCOM and ERADCOM PDSS Centers. Resources associated with this Aviation Center PDSS element are discussed in Paragraph F-11.
- c. <u>US Army Armor Center</u>. The Armor Center is proponent for one Category 2 BAS, the Advanced Attack Helicopter. No PDSS Center has been designated at this time for supporting this system. A CDSE may eventually be needed at the Armor Center for this system. However, for the present, system Action Officers should be able to accomplish required PDSS planning for this BAS in coordination with the TSM for the system, located at the US Army Aviation Center.

E-11. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resouces needed to establish the Hybrid System CD PDSS elements supporting Force Level Control and the Maneuver BFA are shown below.

### a. CDSF, Fort Leavenworth.

(1) <u>Personnel</u>. The following estimate includes four administrative personnel spaces. The "Authorized" spaces reflect an assumption that personnel authorized in the  $C^2$  Development Branch, Army C2/JINTACCS Division, would be assigned to this CDSF.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	9 9 18	10 11 21	12 12 24	14 14 28	14 16 30	14 17 31	14 17 31
Authorized Military Civilian TOTAL	1 1 2	3 1 4	4 1 5	5 2 7	7 3 10	9 3 12	17 4 21
Additional Military Civilian TOTAL	Needed 8 8 16	7 10 17	8 11 19	9 12 21	7 13 20	5 14 19	-3 13 10

A breakout of these personnel requirements (based on FY 86-87 needs) by organizational element are shown below:

ELEMENT	TECHNICAL		ADMINISTRATIVE		TOTAL	
	MIL	CIV	MIL	CIV		
OFFICE OF THE CHIEF	0	1	0	1	2	
CDSM, FORCE LEVEL CONTROL	]	0	0	0	1	
CDSM, MANEUVER BFA	1	0	0	0	1	
SYSTEM REQUIREMENTS AND ANALYSIS BRANCH	4	4	0	1	9	
TESTING AND TRAINING REQUIREMENTS BRANCH	2	4	0	1	7	
PLANS, INTEROPERABILITY, AND CONFIGURA-						
TION MANAGEMENT BRANCH	3	4	0	1	8	
CD PDSS LNO	3	0	0	0	0	
TOTALS	14	13	0	4	31	

(2) Major Items of Equipment. The Fort Leavenworth CDSF requires interactive access to a computer at the Data Processing Field Office (DPFO), Fort Leavenworth or elsewhere, to conduct simulations and support tests and other analyses conducted by the CDSF. This computer access is also required to facilitate CDSFs which support one or more control systems in the CCS concept. Specific equipment required to provide this access and the capability required must be determined through further study.

- (3) <u>Facilities</u>. Physical facility requirements include office space for assigned personnel, a computer terminal area, and a simulation/test/ analysis area that would accommodate 10 to 12 personnel working simultaneously. It would be desirable to collocate this CDSF with the CORADCOM-managed PDSS Center at Fort Leavenworth. If collocation is not feasible, other suitable space should be selected for the CDSF that will facilitate interaction with the PDSS Center as well as other elements of CACDA.
- (4) <u>Funds</u>. An estimate of funds required for the CDSF civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an average annual cost of \$31.6K for one technical level civilian and \$16.0K for each administrative-level civilian.

				REQUIRED			
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
CIVILIAN							
PERSONNEL	268.8	332.0	348.0	411.2	458.8	474.8	474.8

Funds needed for equipment and physical facilities are dependent upon development of specific requirements and plans addressing these areas.

b. <u>US Army Aviation Center</u>. Estimates of personnel resources needed to establish the CDSE at the Aviation Center are shown below. No other resources, except administrative space for these elements, are required.

	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	1	1	1	1	1	1	1
Civilian	1	1	1	1	1	1	1
TOTAL	2	2	2	2	2	2	2

#### SECTION V. COMMUNICATIONS FUNCTIONAL AREA

#### F-12. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The component of the TRADOC Hybrid PDSS System described in this section is designed to provide a capability to adequately fulfill all Combat Developer (CD) PDSS responsibilities for battlefield automated systems (BAS) in the Communications Functional Area through 1987.
- b. Organizations Involved. The US Army Signal Center (USASC) is the principal TRADOC organization involved with this component of the Hybrid System. Principal elements of USASC involved with PDSS at the USASC are identified in Figure F-5. Within this structure, the focal point for handling all CD PDSS responsibilities and functional requirements would be the new division level element identified within the Directorate of Combat Developments, the Combat Development Support Element (CDSE).
- c. <u>CDSE Structure</u>. The structure of the USASC CDSE, which is the central element in the Communications Functional Area component of the TRADOC Hybrid PDSS system is shown to the branch level in Figure F-6. As indicated, the CDSE organization consists of:
  - A Chief of the CDSE
  - A CDSM for ground and satellite communication systems
  - A CDSM for position location, navigation, and control systems
  - A System Requirements and Analysis Branch
  - An Interoperability Branch
  - A Testing and Training Requirements Branch.

F-13. RESPONSIBILITIES AND RELATIONSHIPS. The CDSE depicted in Figure F-6 has overall responsibility for CD PDSS functions associated with all BAS for which the US Army Signal Center is proponent. These BAS include two Category I systems and eight Category 2 systems as shown in Figure F-7. In addition, USASC becomes proponent for the AN/MSC-67 Communications Center (COMFAC), a Category 2 BAS, upon its deployment. (The US Army Intelligence Center and School is proponent for COMFAC during its development.) Outlined below are responsibilities related to PDSS for BAS within the communications functional area. The following discussion begins with addressal of the US Army Signal Center, as a whole, and its principal elements. Then, the CDSE and its Fort Gordon elements, designed to fulfill specific PDSS functions, are addressed. TSMs and other elements are then addressed. The CDSE PDSS Liaison Office, to be located at Fort Monmouth, is addressed last. The functions of each CDSE element are also shown in Figure F-8.




Figure F-5. Principal elements involved with the Hybrid PDSS System--Communications Functional Area




Figure F-6. CDSE Structure, Hybrid PDSS System--Communications Functional Area

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USASC	PLRSPOSITION LOCATION REPORTING SYSTEM (FULL SCALE DEVELOPMENT)
USASC	JTIDSJOINT TACTICAL INFOR- MATION DISTRIBUTION SYSTEM (FULL SCALE DEVELOPMENT)
USASC	PLRS/JTIDS HYBRID (VALIDATION)
USASC	DLDEDDIVISION LEVEL DATA ENTRY DEVICE (CONCEPTUAL)
USASC	AN/TTC-39AUTOMATIC_TELE- PHONE CENTRAL OFFICE (FULL SCALE PRODUCTION)
USASC	AN/TYC-39AUTOMATIC MESSAGE SWITCHING CENTER (FULL SCALE PRODUCTION)
USASC	AN/UGC-74A(V)MODULAR RECORD TRAFFIC TERMINAL (MRTT) (FULL SCALE PRODUCTION)
USASC	AN/TSQ-111(V)COMMUNICATION: NODAL CONTROL ELEMENT (CNCE) (FULL SCALE DEVELOPMENT)
USASC	AN/TTC-38AUTOMATIC TELE-' PHONE CENTRAL OFFICE (FULLY OPERATIONAL)
USASC	AN/MSM-105TEST AND AUTO- MATIC REPAIR FACILITY (LOW RATE INITIAL PRODUCTION)

Figure F-7. Systems requiring PDSS--Communications Functional Area.

					٦	٦						Ī		T	Τ	Τ	Γ	Γ		
				П	П	٦			П						T	T		Γ		
				П	П	1						-			T	T				
TESTING AND TRAINING RE-	Z	7	Z	7	Z	4	7	×	1	Z	Z	Z	Z	<b>Z</b> :	7	42	Z	Z	z	z
INTEROPERABILITY BRANCH	7	2	Z	2	4	4	7	×	-	-	Z	7				42	-			
SYSTEM REDUTREMENTS AND ANALYSIS BRANCH	×	5	Z	z	4	4	Z	×	П	Z	×	×	Z	z	4 :	٩×	Z	Z	×	z
CDSM, POSITION LOCATION, NAVIGATION, & CONTROL SYS	Z	7	_	_	×	×	7	×	_			Z	×		١,	₫×	_		_	×
CDSM GROUND COMMUNI-	Z	2	Z	×	×	¥	4	×	×	×	_	Z	×	x :	١,	٩×		_	×	×
CHIEF, <u>CDSE</u>	×	t			7	4	×	×	×	×	Z	×	×	× ;	+-	Ζ	├		-	z
C-E 80ARD <sup>-</sup>	×	×	<del>                                     </del>		Н	4	7	×	×	×		Z		-+	+-	Z	<del></del>	-		Z
MSD-DCD, USASC	×	١.	×	Z	4	4	×	×	z	z	×	×	_	× :	4,	ξ,	-	-	-	
TSM ATACS	×	×	×	×	4	7	· z	×	×	z	Z	1	Z	4	4,	↟ҳ	1	-	×	×
WE UN DAT MET	×	×	×	×	7	4	Z	×	×	Z	7	Z	7	_	47	4>	1		×	—-
ZOMT M2T	×	×	×	×	4	4	Z	×	×	Z	Z	Z	Z	<b>z</b>	4,	٩×	Z	_		×
. 32M\200A M2T	×	×	×	×	4	4	4	×	×	z	Z	Z	2	<b>z</b> :	4,	٩×	Z	×	×	×
FUNCTION 15 REQUIRED.	-	-		-	7	~		·-	F	-	~	~	-	٠, ١	4.5	· ~	~	2	. ~	~
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP.	2. PROVIDE REPRESENTATION ON THE CRUG.	3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	I. PROVIDE REPRESENTATION ON EACH BAS CCB.	2. PROVIDE REPRESENTATION ON EACH BAS SSCB.		<ol> <li>PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB ESTABLISHED UNDER THE CCS<sup>2</sup> CONCEPT.</li> </ol>	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES).	PLAN AND PROGRAM FOR RESOURCES,	1. ACQUIRE AND MANAGE RESOURCES.	PROBLEM IS FUNCTION WITH MO, DETERMINE IF SOURCE OF	PROBLEM,	1. COORDINATE WITH HO II; NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.	. COORDINATE WITH MO ON PROVIDING SOLUTION TO THE FIELD.  ** ESTABLISH, IN COORDINATION WITH MO. PRIORITY OF CHANGE AND TIME FRAME FOR CHANGE TO BE REFERED.	BECEIVE REQUIREMENT FROM HAFE	EXAMINE BASIS FOR REQUIREMENT.	I. COGROINATE WITH MO RECARDING ACTION TO SATISFY VALIDATED REQUIREMENTS.	1. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.	. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
TRADOC RESPONSIBILITY	I. PARTICIPATE WITH MD IN		TAINING POSS PLANS FOR EACH BAS.	2. PARTICIPATE WITH MO IN	CONFIGURATION MAN	HENT.		. MAKAGE CO POSS EFFORT.			. PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM	REPORTS.			2. AMLYZE USER-STATED	REQUIREMENTS.			3. AMALYZE FUNCTIONAL IMPACT OF CONCEPTUAL	CHANGES ON STREAM.
JASK AREA	=		<sup>1</sup>	<u>دي</u>	_	_	 [N]	H339YM	<del>,</del> ,	٠,	<del></del> -				1~	_		<u></u>	VKYT X	-7
	<u> </u>				_				_	•									,	

Figure F-8. Assignment of functions, Hybrid System--Communica-tions Functional Area (continued on next page)

1.   1.   1.   1.   1.   1.   1.   1.		П	T	П	7	1		T				Т			П	_	_	П		П		1	1
THE CHICLE STANDS THE THE STANDS		Н	╁	Н	-{	+	$\vdash$	+	$\vdash$		$\vdash$	+	+		Н	$\dashv$	_	Н	Н	Н	_	<del> </del>	ı
THE CHICLE STATES THE PROPERTY OF THE PROPERTY		$\sqcup$	+	Н	4	- -		+				+	╀	<u> </u>	arphi	-	<u> </u>	╀	Н	Н	_		1
THE CHICLE STANDS THE THE STANDS		Ц	1.	Ц				1				4	L		Ц			L	Ц	Ц		<u> </u>	1
THANCE RESPONSIBILITY  1. DEFINITION OF PARTICIPANT PRINCIPAN PRIN	FILL BALL BALL BALLES BENEVING RE-	4	4>	14	×	×Ζ		<b>Z</b> Z	1 7	Z	Ľ×			<b>&gt;</b>	×	×	_ 2	12	7	4		Z	1
THANCE RESPONSIBILITY  1. DEFINITION OF PARTICIPANT PRINCIPAN PRIN	INTEROPERABILITY BRANCH	X	42	17	4	Z×	7	X	• 7	Z	7	4	47	2	4	Z	7	42	Z	4	7	· Z	
1. DEFICION CHARGE REQUIREMENT 1900 AND THE TOTAL STATES AND THE TOTAL S	ANALYSIS BRANCH	X	Χ'n	4×	×	ΖZ	×	4>	<b>₹</b> Z	×	Z	4	42	7	4	Z	>	17	Z	4	×	Z	
THURSON RESPONSEELLING  1. DERTITY OF MALLYTE FÜRÜCTIONUL.  2. DERTITY OF MALLYTE FÜRÜCTIONUL.  3. DERTITY OF MALLYTE FÜRÜCTIONUL.  4. DERTITY OF MALLYTE FÜRÜCTIONUL.  5. DERTITY OF MALLYTE FÜRÜCTIONUL.  5. DERTITY OF MALLYTE FÜRÜCTIONUL.  5. DERTITY OF MALLYTE FÜRÜTIONUL.  5. DERTITY OF MALLYTE F	WATERTION & CONTROL SY	X	র্ম্য	ℴ	×	ХK			Z	Z	Z	7			7		1	Ζ×	×	X	>	Z	
TAMONG RESPONSIBILITY    AMANATE FRIETTIONAL   TOWNITTY OF EACH TOWNITTY   TOWNITTY OF EACH TOWNITTY   TOWNITTY OF EACH TOWNITTY   TOWNITTY OF EACH TOWNITTY	2MIT2Y2 WOITAN	k	X,	M	¥	+-		_	<del>-</del>		_	1	÷				-		×	ᄫ	>	·z	1
TANDOC RESPONSIBILITY  1. IDENTIFY PREMATIONAL  1. IDENTIFY OPERATIONAL  1. IDENTIFY OPERATIONAL  1. IDENTIFY OPERATIONAL  1. IDENTIFY SERVING REGULARERY  1.		<del>├</del> ─┤		1	귤		<del></del>	-	<del></del>				+		$\vdash$	_		_	-	-			
TAMOC RESPONSIBILITY  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY STREET IMPACT.  2. IDENTIFY STREET IMPACT.  3. IDENTIFY TRAINEL HEACT.  4. IDENTIFY TO STREET IMPACT.  5. IDENTIFY TO STREET IMPACT.  6. IDENTIFY TO STREET IMPACT.  7. IDENTIFY TO S		Н		-			+		<del> </del>			-	+					-	-	-		·	
TAMOC RESPONSIBILITY  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY STREET IMPACT.  2. IDENTIFY STREET IMPACT.  3. IDENTIFY TRAINEL HEACT.  4. IDENTIFY TO STREET IMPACT.  5. IDENTIFY TO STREET IMPACT.  6. IDENTIFY TO STREET IMPACT.  7. IDENTIFY TO S		╁┤	4	₩	-1	+-				-	_		_	├				_	-	-	_		
TAMOC RESPONSIBILITY  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY STREET IMPACT.  2. IDENTIFY STREET IMPACT.  3. IDENTIFY TRAINEL HEACT.  4. IDENTIFY TO STREET IMPACT.  5. IDENTIFY TO STREET IMPACT.  6. IDENTIFY TO STREET IMPACT.  7. IDENTIFY TO S	NSD-DCD, USASC	X	<u>*</u>	14	Y	-1-		-				4	_				_	-	-	⊢			
TAMOC RESPONSIBILITY  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY DEBATIONAL IMPACT.  1. IDENTIFY STREET IMPACT.  2. IDENTIFY STREET IMPACT.  3. IDENTIFY TRAINEL HEACT.  4. IDENTIFY TO STREET IMPACT.  5. IDENTIFY TO STREET IMPACT.  6. IDENTIFY TO STREET IMPACT.  7. IDENTIFY TO S	SDATA MET	1	47	13	4	7 Z	4	4			_				4	_			Z	4		<u>z</u>	
1. GEVELOP FUNCTIONAL  1. IDENTIFY OPERATIONAL HPACT  1. OEVELOP FUNCTIONAL  2. DATA  3. DATA  4. COORDINATE TO FUNCTIONAL  2. DATA  4. COORDINATE TO FUNCTIONAL  2. DATA  3. DATA  4. COORDINATE TO FUNCTIONAL  4. COORDINATE TO FUNCTIONAL  5. DATA  6. DATA	WZ UA DAT MZT	7	4 7	44	4	Z Z	Z	7 7	7	Z	Z	4	42	7	4	4	7	<b>4</b> 2	Z	4	7	Z	
TAMOC RESPONSIBILITY  1. GEVELOP FUNCTIONAL  1. DENTITY TOPERATIONAL HPACT  1. DENTITY TOPERATIONAL HPACT  1. DENTITY TOPERATIONAL HPACT  2. DENTITY TOPERATIONAL HPACT  3. DENTITY TOPERATIONAL HPACT  4. DENTITY TOPERATIONAL HPACT  5. DENTITY TOPERATIONAL HPACT  7. DENTITY TOPERATIONAL HEADON HAVE TOPERATIONAL HPACT  7. DENTITY TOPERATIONAL HEADON HAVE TOPERATIONAL HPACT  7. DENTITY TOPERATIONAL HEADON HAVE TOPERATIONAL HEADON HAVE TOPERATIONAL HORSENAM HORE AND HAVE TOPERATIONAL HEADON HAVE TOPERATIONAL HITTERFACE HEADON HAVE TOPERATIONAL HEADON HAVE TOPERATIONAL HEADON HAVE TOPERATIONAL HEADON HAVE TOPERATIONAL HITTERFACE HAVE TOPERATIONAL HAVE TOPERATIONAL HAVE HAVE HAVE HAVE TOPERATIONAL HAVE HAVE HAVE HAVE HAVE HAVE HAVE HAVE	SOMT M2T	2	7 7	17	Z	ZZ	7	z	Z	2	Z	4	2	2	4	7	7	4 Z	Z	4	7	7	
TAMOC RESPONSIBILITY]  1. GEVELOP FUNCTIONAL  1. IDENTIFY OPERATIONAL—IPPACT  1. IDENTIFY OPERATIONAL—IPPACT  1. IDENTIFY TAILAINE INFORMET ASPECTS.  2. IDENTIFY TAILAINE INFORMET ASPECTS.  2. IDENTIFY THAINE INFORMET ASPECTS.  2. SPECIFY MY THEOPERABILITY INPACT.  2. SPECIFY MY THEOPERABILITY INPACT.  2. SPECIFY MY THEOPERABILITY INPACT.  3. IDENTIFY THAINE INFORMET ASPECTS.  4. CORRULATION WITH MO IN ESTABLISHING CHANGE  5. SPECIFY MY THEOPERABILITY CHANGE REQUIREMENT.  7. SPECIFY MY THEOPERABILITY CHANGE REQUIREMENT.  8. MANATAIN COMMUNENT SYSTEM WITH MO DAIN IN CORRULATE.  9. SPECIFY MY THEOPERABILITY CHANGE REQUIREMENT.  10. COMMUNENT SYSTEM WITH MO IN ESTABLISHING CHANGE.  11. ONE COMMUNENT SYSTEM CHANGE OF TEXTING MCCESSAMY FOR TEXTING THE ASPECTATION.  12. PARTICIPATE AS APPRO-  13. PARTICIPATE AS THE CORDITION OF SYSTEM PROGRAM.  14. CORRULATE AS THE CORDITION OF SYSTEM PROGRAM.  15. PARTICIPATE AS SYSTEM CHANGE OF DEPARTORS.  16. ENTERING OF THE ASPECTS OF SYSTEM PROGRAM.  17. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  18. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  19. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  10. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  10. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  11. AND AND AS SYSTEM CHANGE OF SYSTEM PROGRAM.  12. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  13. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  14. AND AND AS SYSTEM CHANGE OF SYSTEM PROGRAM.  15. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  16. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  17. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  18. PARTICIPATE AS SYSTEM CHANGE OF SYSTEM PROGRAM.  19. PARTICIPATE AS SYSTEM PROGRAM.  10. PARTICIPATE AS SYSTEM PROGRAM.  10. PARTICIPATE AS SYSTEM PROGRAM.  10. PARTICIPATE AS SYSTEM PROGRAM.  11. AND ASSOCIATION OF SYSTEM PROGRAM.  12. PARTICIPATE AS SYSTEM PROGRAM.  13. PARTICIPATE AS SYSTEM PROGRAM	32M\200A M2T	7	7	1	Z	ΖZ	<del> </del>	+-	+			1	2 2	Z	1	-	7	d z	Z	7	2	z	
TANDOC RESPONSIBILITY  4. AUALYZE FUNCTIONAL  5. IDENTIFY DPERATIONAL IMPACT.  5. IDENTIFY DPERATIONAL IMPACT.  5. IDENTIFY TRAINING IMPACT.  6. IDENTIFY TRAINING IMPACT.  7. IDENTIFY TRAINING IMPACT.  8. IDENTIFY TRAINING IMPACT.  1. DEFINE REQUIREMENT IN APPROPRIATE  REQUIREMENT'S OCCURRENT'S INCLUSION IN INFORMATE REQUIREMENT.  1. DEFINE REQUIREMENT IN APPROPRIATE  2. SPECIETY ANY INTEROPERABILITY CHANGE REQUIREMENT.  2. SPECIETY ANY INTEROPERABILITY CHANGE REQUIREMENT.  3. DEFINE REQUIREMENT SOCIEMAL INTO WISHING CHANGE  4. CORROLATE SYSTEM AND IN ESTABLISHING CHANGE  5. ANITAMINAL WITH AND INFORMATION WITH AND OBRING DEVELOPMENT  6. CORROLATE TO PERCENTE TO DEFINE SOCIETY AND APPROPRIATE  7. CORROLATE TO PERCENTE TO THE TELED.  8. ANITAMINAL TO SECRETARY TO THE STEEM TO SECRATIONAL  19. PRINTER  10. CORROLATE TO PERCENTE TO SECRETARY OF THE TIELD.  10. PRINTER  11. OR CONDUCT SYSTEM  12. DEVELOPMENT TO SECRETARY TO THE TIELD.  13. PARTICIPATE NA TO SOCIETY TO SECRETARY TO THE TIELD.  14. PRINTER  15. PARTICIPATE NA TO SOCIETY TO SECRETARY TO THE TIELD.  15. PARTICIPATE NA TO SOCIETY TO SECRETARY TO THE TIELD.  16. PRINTER  17. PRINTER  18. FRECHIOUSE BY STIER TO THE TIELD.  19. FRECHIOUSE WAS TO STIER SOCIETY TO THE TIELD.  10. FIELD USERS.  10. PRINTE WAS TO SOCIETY TO THE WITH WOOD THE SOCIEDLE WAS THE READENCE TO THE TIELD.  10. FIELD USERS.  10. PRINTER TO THE WITH WOOD TO THE STIER SOCIETY TO THE TIELD.  10. PRINTER TO THE WITH WOOD TO THE STIER SOCIETY TO THE TIELD.  10. PRINTER TO THE WITH WOOD THE SCHOLE WAS TRANSE TO THE TIELD.  10. PRINTER TO THE WITH WOOD THE SCHOLE WAS TRANSE TO THE TIELD.  11. PARTICIPATE WITH WOOD THE SCHOLE WAS THE TIELD.  12. PRINTER TO THE WITH WOOD THE SCHOLE WAS THE TIELD.  13. PRINTER TO THE WITH WITH WOOD THE SCHOLE WAS THE TIELD.  14. PRINTER TO THE WITH WOOD THE SCHOLE WAS THE TO THE TIELD.  15. PRINTER TO THE WITH WITH WOOD THE SCHOLE WAS THE TIELD.  16. PRINTER TO THE WITH WAS THE TIELD.  17. PRINTER TO THE WITH WAS THE TIELD.  18. PRINTER TO THE WITH WAS THE TIELD	FUNCTION 15 REQUIRED.	1~	2		7	_	-	1	1	2	_	-	t	_	⊢⊦			+	<u> </u>		1,-3	<del></del>	
TAADOC RESPONSIBILITY]  4. AUALYZE FÜÜCTIONAL  1. DEVELOP FUNCTIONAL  1. DEVELOP FUNCTIONAL  1. MAINTOR, PÄÄITCIPATE  1. II. OR COMUNCT SYSTEM  1. II. OR COMUNCT SYSTEM  1. II. OR COMUNCT SYSTEM  1. WAINTAIN INTERFÄCE  1. WAINTAINTAIN INTERFÄCE  1. WAINTAIN INTERFÄCE  1. WAINTAINTAIN INTERFÄCE  1. WAINTAINTAIN INTERFÄCE  1. WAINTAINTAIN INTERFÄCE  1. WAINTAINTAIN INTERFÄCE  1. WAINTAINTAINTAINTAINTAINTAINTAINTAINTAINT	LIFE CYCLE STAGE WHEN	H	+	Н	4	+	$\vdash$	╁	+-		-	+	╁	-	H		<u> </u>	十	$\vdash$	Н	<u>.</u>	┝ᆣ	1
TANDOC RESPONSIBILITY]  4. AMALYZE FÜRCTIÖNAL  1. DEVELOP FUNCTIÖNÄL  1. DEVELOP FUNCTIÖNÄL  1. MANTOR, PAĞITCIPATE  PRIATE.  1. MANTOR, GUIDANCE  10 FIELD USERS.	FUNCTIONS	IDENTIFY OPERATIONAL IMPACT.	IDENTIFY USER-RESOURCE REQUIREMENT	IDENTIFY	. IDENTIFY	10ENTIFY		1	1.	. –	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR SECH ISSUE/REVISION OF SOFTWARE PROGRAM.	12. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA DASTITIBLE IN ACCION HE HOSELT CLENBRING	MONITOR DEVELOPMENT TEST (DT)	PARTICIPATE AS TASKED BY HQDA IN	1			١.	11. MAINTAIN COMMUNICATIONS WITH USERS.	נו	<ol> <li>DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/.</li> <li>TACTICAL ASPECTS OF SYSTEM EMPLOYMENT.</li> </ol>	4. COORDINATE WITH NO ON THE SCHEDULE AND METHODOLOGO FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAG TO THE FIELD.	
		ANALYZE FÜRÏCTIONA	IMPACT OF PROPOSE CYCTEM CHANGES				1				HONITOR, PARTICIP	TESTING AS APPRO-	raint.								FUNCTIONAL GUIDANCE.		
	TASK AREA		1301	IID	(0)	)) .,	NOI	ָכעו	11100	H .					,9	NI L	231	••	Γ	_	TRO	ISTA .e	

Figure F-8. (continued)

	$\Gamma_{-}$	$\prod$		T	Τ	П		T	T	T						Γ-	7		,
	Π	П		T	T	П		$\top$	┰	7				H		$\vdash$	-1		1 1
	Π	П		T	T	П		丁	$\top$	7		_		П	_		7	<del></del>	1 1
DUIRE MENTS ERANCH	)	$\sqrt{\lambda}$	X ·	4 >	√×	×	X	42	$\top$	7	7	Z	Z	z	Z	-	뉟	7	<del>,</del>
MTEROPERABILITY BRANCH	7	17		2 3	+	ы	7	XX	+	Z	7	├—	_		Z	<del>  -</del>	-	<u> </u>	4 i
TSTEH REQUIREMENTS AND WALTSIS BRANCH	. 7		_	z -	٠.	Н	뉙	ZZ	+	귤		۳	_	_	×	├──	<del>기</del>		- 1
DSM, GROUNT COMMUNITATION, A CONTROL SYS	7	-	_	4 2	٠.	↦	X	拉	+	4	7	┡—		Н	×	<del></del>	X	<u>`</u>	- 1
ALION SYSTEMS	7		<u></u>	4 2	ㅗ	H	┰	ZZ	+	7		<b>!</b>			×		X	<u></u>	4 1
CHIEF, CDSE	7			4 2		7	4	42	+	X		<b>-</b>		-	Z	_			
Q9A08 3-3	7	4		2	Z	7	×	ZZ	+	7	Z	Z	Z		_		Z		
HSD-DCD* NEVZC	Z	14	4 :	<b>z</b> 2	_	z	4	4z	$\dagger$	Z	Z	_	ĺ		Z	-	뒨	×	- ₹
ZDATA FIRT	. 2	4	4	4 2	12	4	4	××	$\top$	Z	Ż	×		-	Z	——	X		-4
TSM TAC AU SW	Z	7	z :	2 Z	1	4	4	××	1	7	Z	×	2	-	Z		×	.z	
20MT M2T	· z	4	4 :	Z	7	4	4	××		Z	z	×	Z		Z	├	×	Z	-{ }
32M\200A H2T	Z	4	<b>z</b>	2 2	4	z	4	××	†	Z	z	×	Z	Н	Z	<del> </del>	x	<u>~</u> z	1
EUNCTION IS REQUIRED.	~	~	~ ~	~	~	٧,	٦,	- -	$\top$	7	<u></u>	-			~	-	-	<u>-</u> -	i ig
		П			П	T	1	$\top$	T	1				П	<u> </u>	_	†	<u></u>	1 5
FUNCT I ON S	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS:	3. OEVELOP TRAINING DEVICE REQUIREMENTS.			5. DEVELUP TRAINING SUPPORT SOFTWARE AEQUIREMENTS.	8. PARTICIPATE IN FIGURE TO THE TAIN AND NET		2. SPECIFY IN REQUIREMENTS DOCUMENT.	1. COORDINATE WITH MD IN PLANNING FOR REQUIRED	POSS SUPPORT: TO BAS IN THE CONTINGENCY FORCE.		1. SPECIFY POSS' RESPONSE REQUIREMENTS.	2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOUS SENARIOS		4. DEVELOP PROCEDURAL WORK-AROUNDS WHEN SITUATION DOES HOT PERMIT SOFTWARE CHANGES.	15. THROUGH FRONT-END ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTMARE TO ALLOW FIELD USER RESPONSE TO	CHITCH CONTINUENCIES.	F PERÍODIC REEVALUATIONS OF BAS TO DETERMI JED TACTICAL SUITABILITY AS CHANGES OCCUR . GOCTRINE. AND OPERATIONAL REQUIREMENTS	ER FOSS PLAINING.  ARE FREEZE POINT (SOFTWARE X = Element is responsible and capable ON ESTABLISHED)  N = Element is not responsible HMG.
1 <b>–</b> 1	2. DEVELOP AND MAHAGE: TRAINING PROGRAM RE-: ONINGS NA CASTES	CHANGE (EXCEPT FOR					1. JOINT AND INTER-	NATIONAL INTEROPER-	2. SUPPORT TO CONTINGENCY	בראוש ושוני		3. SUPPORT TO CRISIS,	WAKTINE OPERATIONS.				1	TACTICAL SUITABILITY  OF BAS.	• 1 = AIYTINE AFTER POSS 2 = AFTER SOFTAME FRE CONFIGURATION ESTA 3 = AFTER FIELDING.
TASK AREA		TA	044D 030	NILHO EFD	(C)	. 4	[			_				_		Я	3H (	10 '9	

Figure F-8. (concluded)

- a. <u>US Army Signal Center and Fort Gordon</u>. Included in the responsibilities of USASC & FG are the following:
  - Develops and validates, through coordination with the user, communications-electronics requirements for communications doctrine, equipment and materiel
  - Acts as the US Army Communications-Electronics User Representative in supporting force development objectives and activities by participating with the US Army Combat Development Community, on studies, analyses, field experiments, tests, and life cycle management and evaluation
  - Participates in the development and conduct of operational test and evaluations for communications-electronics doctrine, communications systems, equipment and material
  - Evaluates the life-cycle assessment of all proponent material and training systems to insure that optimum training, doctrinal and organizational concepts are being used.
- b. <u>Commanding General</u>, <u>USASC & FG</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Signal Center, Fort Gordon
  - Serves as the the Commandant for the USASC training activities.
- c. Concepts and Studies Division (C & S), Directorate of Combat Developments, USASC. Among this organizational element's many functions, those which may impact upon PDSS are as follows:
  - Provides input to general functional systems requirements and detailed systems requirements for automated communications control systems
  - Assists in determining requirements and preparing proposals for force development testing and experimentation and reviewing results
  - Prepares, coordinates, and reviews international standardization agreements within assigned area of proponency
  - Develops maintenance concepts and reviews the maintenance test package
  - Maintains cognizance of computer simulation models used by communication system analyses in CE system design, engineering, and evaluation.

- d. <u>Materiel Systems Development Division, Directorate of Combat Developments, USASC.</u> This organization's PDSS responsibilities include:
  - Serves as the USASC Life Cycle Manager (Combat Developer) for all proponent developmental systems and is the principal USASC point of contact for those systems.
  - Maintains an up-to-date status and continuous evaluation of proponent systems and related conceptual, operational, organizational, training, testing and funding actions throughout the development cycle
  - Acts as the USASC action agency for all life cycle development events which are not the functional responsibility of other USASC activities
  - Prepares and keeps current the USASC historical files for each proponent system during its development.
- e. Chief, CDSE. The Chief, CDSE plans, directs, and supervises the operation of the CDSE in accomplishing all CD responsibilities for PDSS to BAS in the Communications Functional Area. He establishes priorities and plans, programs, and allocates resources to address requirements. He serves as the primary point of contact on PDSS matters with other elements of USAICS and TRADOC, and with the Materiel/System Developers of communications BAS. He interacts with other USASC elements who have responsibilities associated with these BAS to include the five TSMs identified in Figure F-5, above, the Communications-Electronic Board, and the Directorate of Training Developments.
- f. CDSM, Ground and Satellite Communication Systems. This CDSM serves as the CD manager for all PDSS activities associated with ground and satellite communication systems. Included in this group are one category 1 system (AN/MSM-105(V)) and three Category 2 systems (AN/TTC-39, AN/TYC-39, AN/UGC-74). The CDSM, Ground and Satellite Communication Systems is the system/software Combat Developer and the principal User's representative for these systems. As such, he is responsible for planning, programming, and coordinating those PDSS functions to be performed by the CDSF in support of his systems. Specific functions with which he is involved in either a management, coordination, or performance role are listed in Figure F-8.
- g. CDSM, Position Location, Navigation, and Control Systems. This CDSM serves as the CD manager for all PDSS activities associated with position location, navigation, and control systems. Included in these three groups are one Category 1 system (PLRS/JTIDS Hybrid) and four category 2 systems (PLRS, JTIDS, DLDED, AN/TSQ-111(V)). The PDSS responsibilities and functions of this CDSM are the same as those described previously for the CDSM, Ground and Satellite Communication Systems except for variations imposed by differences in system types and quantities. Specific functions of this CDSM are shown in Figure F-8.

- h. System Requirements and Analysis Branch. This branch of the CDSE is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the two CDSMs, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by this branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer assisted, or fully automated. Specific functions included in the responsibilities of the System Requirements and Analysis Branch are shown in Figure F-8.
- i. <u>Interoperability Branch</u>. This branch of the CDSE is responsible for all PDSS actions which deal with the interoperability of communication systems with each other and with other BAS. This branch analyzes the impact of functional changes on the interoperability of each system. It identifies interoperability change requirements which result from either changes to a communication system or to a BAS with which the communication system must interoperate. Functions of this branch are shown in Figure F-8.
- j. Testing and Training Requirements Branch. As suggested by its title, responsibilities of this branch fall generally into two functional areas. With respect to testing, the branch is responsible for supporting the CDSMs in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to communication systems. Accomplishment of these responsibilities involves working closely with the MD, the TRITAC Office, the US Army Communications-Electronics Board, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements. Functions of this branch are shown in Figure F-8.
- k. <u>Tactical Data Systems Office</u>, <u>Directorate of Training Developments</u>, <u>USASC</u>. This office is responsible for the development of training materials which deal with tactical data systems.
- 1. Officers Department, Directorate of Training, USASC. The PDSS related activities of this department are concerned primarily with the training of officers in the use of automatic data processing equipment (ADPE).
- m. US Army Communications-Electronics Board. The Communications-Electronics (C-E) Board at Fort Gordon is one of eight US Army test boards and as such is assigned the following missions under TRADOC Regulation 10-41:
  - Plan, conduct, and report on operational and other user tests
  - Participate in other testing as directed
  - Provide advice and guidance on test matters to combat, training, and materiel developers, other services and private industry

- Conduct other tests and selected specific evaluations as directed by CG TRADOC.
- n. TRADOC System Manager (TSM) for Army Data Distribution System and Mobile Subscriber Equipment (ADDS/MSE). The mission, authority, and responsibilities of the TSM-ADDS/MSE are spelled out in the TRADOC System Manager Charter, Army Data Distribution System and Mobile Subscriber Equipment (ADDS/MSE), dated 16 November 1979. By this charter, his mission is to conduct total system management for ADDS and MSE within TRADOC. In terms of PDSS, this TSM will be responsible for identifying and/or communicating doctrinal changes which necessitate enhancements in the system or which may represent a new requirement thereby requiring major software, firmware, or hardware changes.
- o. TRADOC System Manager (TSM) for Army Tactical Communication Systems (ATACS). The mission, authority, and responsibilities of the TSM-ATACS are spelled out in a TSM Charter dated June 1978. By this charter, his mission is to conduct total system management for Army Tactical Communication Systems within TRADOC. For these systems, TSM-ATACS is ensuring that User requirements are being satisfied in terms of 0&O concepts, hardware, software, training, fielding, and ILS support.
- p. TRADOC System Manager (TSM) for Tactical Automatic Switches (TAC AU SW). The TSM-TAC AU SW, operating under a TSM Charter, is conducting total system management within TRADOC for Tactical Automatic Switches. He is providing User representation for the AN/TTC-39, the AN/TYC-39, and the AN/TSQ-111(V).
- q. TRADOC System Manager (TSM) for Tactical Satellite Communications (TACSATCOM). The TSM-TACSATCOM, operating under a TSM Charter dated 10 September 1978, is conducing total system management within TRADOC for Tactical Satellite Communications. All of the systems for which he currently is providing User representation are Category 3.
- r. TRADOC System Manager (TSM) for Test Measurement Diagnostic Systems (TMDS). The TSM-TMDS was recently designated and does not yet have a formal charter from TRADOC although a draft charter has been approved. TSM-TMDS will conduct total system management within TRADOC for Test Measurement Diagnostic Systems.
- s. TRADOC System Manager (TSM) for Position/Navigation (TSM-POS/NAV). The TSM-POS/NAV is located at Fort Leavenworth. This TSM is responsible for conducting total system management within TRADOC for the NAVSTAR Global Positioning System (GPS), the Position Location Reporting System (PLRS), the Integrated Inertial Navigation System (IINS), the Lightweight Doppler Navigation System (LDNS), the Self-Contained Vehicle Land Navigation System (VLNS), and the Position and Azimuth Gyro, Lightweight (SIAGL). The functions of the TSM are stated in CAC & Fort Leavenworth Reg. 10-1, dated 1 August 1980.
- t. <u>CD PDSS LNO</u>. This office, which will be located at Fort Monmouth, will be responsible for interfacing directly with the CORADCOM PDSS Center at Monmouth which is tasked to provide PDSS for all BAS for which USASC is proponent except the DLDED which will be supported by the Computer Systems Command

(CSC) at its Fort Belvoir PDSS Facility. The liaison office will coordinate PDSS requirements and interact with the MD as appropriate in all phases of the PDSS effort.

F-14. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resources needed to establish the Hybrid System CD PDSS component supporting categories 1 and 2 systems in the Communications Functional Area are shown below.

### a. Personnel.

Required	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Military Civilian TOTAL	16 11 27	16 11 27	18 12 30	20 13 33	22 14 36	22 14 36	22 14 36
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	Ó	Ō	Ö	Ö
TOTAL	0	0	0	0	0 ,	0	Ö
Additional	Needed						
Military	16	16	18	20	22	22	22
Civilian	11	11	12	13	14	14	14
TOTAL	27	27	30	33	36	36	36

A breakout of these personnel by CDSE element is shown below:

ELEMENT	MANAGE TECHN MIL	VICAL	ADMI	NISTRATIVE/ CHNICIAN CIV	TOTAL
Chief, CDSE CDSM, Ground and Satellite Communication	3	1	0	1	5
Systems CDSM, Position Location, Navigation, and	5	2	0	1	8
Control Systems	5	2	0	1	8
System Requirements and Analysis Branch	4	2	0	0	6
Interoperability Branch	3	2	0	0	5
Testing and Training Requirements Branch TOTALS	<u>2</u> 22	<u>2</u> 11	$\frac{0}{0}$	0 3	$\frac{4}{36}$

b. <u>Funds</u>. An estimate of funds required for the CDSE civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an estimated average cost of \$31.6K per technical manyear (including 10 percent loading), and \$16.0K per administrative manyear.

					REQUIRED		
Civilian	FY 81	FÝ 82	FY 83	FY 84	FY 85	FY 86	FY 87
Personnel	300.8	300.8	332.4	364.0	395.6	395.6	395.6

## SECTION VI. FIRE SUPPORT BFA

### F-15. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The Fire Support BFA is the major contributor of fire support to maneuver forces. Included in this BFA are systems which support missile artillery, artillery fire control, and target acquisition.
- b. TRADOC Centers and Schools Involved. The focal point for providing PDSS to the BAS within the Fire Support BFA is the US Army Field Artillery Center and Fort Sill (USAFACFS).
- c. <u>Organizational Structure of the System</u>. That portion of the Hybrid PDSS System which supports the Fire Support BFA is shown in Figure F-9. It consists of:
  - A CDSF and two CDSMs, one for artillery fire control systems and one for target acquisition systems and missile artillery systems, subordinate to USAFAS at Fort Sill
  - One or more Combat Developer Forward Support Teams (CDFST) to facilitate combat developer interaction with the User in the field wherever TACFIRE is deployed.

Each of these system elements is discussed further in the paragraphs which follow.

### F-16. RESPONSIBILITIES AND RELATIONSHIPS.

- a.  $\underline{BAS}$  to be Supported. The primary  $\underline{BAS}$  to be supported by the CDSF at Fort Sill are those listed in Figure F-10.
- b. Responsibilities and Functions to be Performed. Figure F-9 (presented earlier) gave an overview of the Hybrid PDSS System for the Fire Support BFA. Figure F-11 (presented here) gives a more detailed view of those organizational elements which are at Fort Sill. In the paragraphs which follow, the PDSS responsibilities and functions of each organizational element shown in those figures are described in detail.
- (1) <u>Fort Sill</u>. Included in the responsibilities of Fort Sill are the following:
  - Provide personnel, equipment, and facilities in support of test and evaluation of military equipment systems and components conducted by US Government agencies
  - Command and exercise staff supervision and provide assistance to Field Artillery School in the areas of troop support, forecasts of personnel and equipment requirements for future instructional and developmental uses, and coordinating the integration of the school support mission with all other units/activities




Figure F-9. Overview of the Hybrid PDSS System--Fire Support BFA

FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAFAS	AN/GSG-10(UTACTICAL FIRE DIRECTION SYSTEM (TACFIRE) (PARTIALLY FIELDED)
USAFAS	AN/GYK-29BATTERY COMPUTER SYSTEM (BCS) (DTII)
USAFAS	PERSHING IITACTICAL MISSILE SYSTEM (DT/OTI)

Figure F-10. Category 1 and 2 systems requiring PDSS - Fire Support BFA




Figure F-11. PDSS organizational structure, USAFACFS

- Command and exercise staff supervision and provide assistance to the Field Artillery Board in the areas of troop support for ongoing developmental tests, and coordination of future requirements for personnel and equipment.
- (2) <u>Commanding General, USAFACFS</u>. The Commanding General has the following responsibilities:
  - Commands all elements of the US Army Field Artillery Center, Fort Sill
  - Serves as the Commandant of the US Army Field Artillery School.
- (3) <u>US Army Field Artillery School (USAFAS)</u>. The PDSS related responsibilities of USAFAS include:
  - Participate in the review of doctrine, organization, and equipment for which training responsibility has been assigned, including the development of training plans to support new items of materiel, new organizations, or new tactical and technical concepts
  - Review and evaluate new or revised doctrine, tactics, and techniques prepared by other Army agencies or other services, as appropriate
  - Serve as the User proponent throughout the life cycle of Field Artillery system materiel. Serve as spokesman for the Field Artillery in qualitative interpretations and definitions in support of the materiel development community
  - Serve through the Commandant as the principal Field Artillery advisor to the Commander, TRADOC.
- (4) <u>Combat Developments Directorate (CD), USAFAS</u>. The PDSS activities of the Combat Developments Directorate, USAFAS include:
  - Evaluate the effects of new or revised doctrine, tactics, and techniques upon existing or developmental BAS
  - Serve as the user proponent for Field Artillery BAS.
- (5) Chief, CDSF, Fort Sill/TRADOC System Manager, Field Artillery Tactical Data Systems (FATDS). The person holding this position will serve two distinct roles and report to two different bosses. As the chief of the CDSF at Fort Sill, he plans, directs, and supervises the operation of the CDSF in accomplishing its PDSS responsibilities for BAS in the Fire Support BFA. In conjunction with the CDSM, Artillery Fire Control and the CDSM, Target Acquisition and Missile Artillery, he establishes priorities and allocates CDSF resources to address requirements for support of systems in each area. He serves as the primary point of interface with the Chief, TACFIRE/FATDS Software Support Group, and with the President, US Army Field Artillery Board. Specific functions of the Chief, CDSF are shown in Figure F-12.

		╫╫	
ZOTA F MET : : II GNIHZRAY MET	<del>╶╎┞</del> ╶┼┼┼┼┼	77 77 XZ 7X	Z Z
30143 431	<del></del>	44 2 4	7 7
HOTTICAL SIMULATION HOMARS		<b>44 44</b>	ZZ
COM2R BRANCH	22 224 2 22 2 2 2 4 4	77 77	·z×
ZYSTEN REQUIREMENTS AND AMALYSIS BRANCH		<u> </u>	XZ
CONTROL TARGET ACQUISITION	<del>▃▝▋▃</del> ▗▃▙▞▄▙▍┈╅┈┉╁╅╶╂╌╌┼┈╂┉╅┸┈┼	<u> </u>	XX
CHIE:, CDSS, FORT SILL COSM, ARTILLERY FIRE CONTROL	╌╀╀╼╃╃╂╀╼╊╼╼╁╂╀═╁═╁═╁═╁	<u> </u>	zz
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED. CHIE:, CDSS, FORT SILL	<del>┈┡╄┈┼┢</del> ╅ <del>╏</del>	~~ ~~	~ ~
FUNCTIONS	المناه ال	1. RECEIVE REQUIREMENT FROM USER. 2. ELÄMINE BASIS FOR REQUIREMENT. 3. COGROINGE MITH OR REGROUNG ACTION TO SATISFY A. LIATED ALERA OF PLANNED DISPOSITION OF REQUIREMENT.	I, TOERTIFF AND DEVELOF POTENTIAL CONCEPTUAL CHANGES, AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.  2. DETERMINE AND EXAMINE THPACT ON SYSTEM INTEROPER-ABILITY BASELINE.
TRADOC RESPONSTBILLTY		2. ANALYZE ÚSER-STATED. REQUINEMENTS <sub>A</sub>	3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CIMNGES ON SYSTEMS!
TASK AREA	TI, MANAGENENT,		S. ANALYS

Figure F-12. Assignment of functions, Hybrid System--Fire Support BFA (continued on next page)

	П	T		$\prod$	L			T					T					Τ			_		]
	П	T	П	П	Γ		П	T				П	T		Γ		Π	Γ	Γ	П			1
		Ť	П	П	T		П	1				П	7		T			T	Γ	П			1
<u> </u>	11	t	H	H	T	$\vdash$	H	1		-	_	H	1	1	†	<u>├</u>	1-	t		Н	-		1
<del></del>	++	╁	Н	Н	╁	┢	Н	+		-	-	Н	+	╁╌	╁	<del> -</del>	┢╌	t	┝	Н			1
	╁┼	+	Н	╁	╁╴	├	H	╁	-		-	$\vdash$	+	╁╌	╁	$\vdash$	<del> </del>	╁	$\vdash$	Н			1
II BAIHZBIA HZI	╁	4 7		<del> </del>	-   Z	7	닠	7	7	Z	Z		7	7	17	7	1 7	1	Z	7	Z	Z	1
<b></b>	1-	<b>計</b>	11	-	┰	1	Н	-+	7	_		Z V	_	<del>-</del>	+-	<del>  -</del>	1	+	<del>  -</del>	1	X		7
- SQTA3 M21	1-1	-	٩×	1	1×	×	14	7	X		<u> </u>	Н	+	╁	╁	<del></del>	}	╁	-	₽₽			_,
SARACH GBATA 2U	+-7	<b>4 7</b>	╀	⊢⊹	Z	Z	1 .	7	1			X	Ϋ́		+	<del> </del>	<del> </del>	┰		13	1	. 7	-1
I WOLLYDOWIS TRUTHOW	1 XI.		17	Н	Z	Z	-	4	1		×	Ž	Y.		Z	┾~		4 Z	<u> </u>	4	1	Z	
NATEROPERAGILITY AND	X	×17	17	7	4×	Z	M	4			Z	4	42	+	4 z			7	Z	Н	I	,	
TOTAL BRANCH	X	<u>*</u>	<u>1</u> 2	X	4 Z	×	<del>-</del> - +	4		_	<del></del>	7	42	1 2				42	Z	4	<u>×</u>	Z	
MOLTITION TARGET ACQUISITION	ĮΧ,	₫×	14	Ϋ́	∮×	Z	Z	4		-	Z	才	42			1	Z	×	×	M	×	Z	
CDSM, ARTILLERY FIRE (	x	٩×	$1\times$	×,	√×	Z	Z	4	z	7	Z	4	42	2	Z	_ z	2	×	×	×	×	2	
CHIEF, CCSS, FORT SILL	z:	ďΖ	Z	Z	z	Z	4	¥	×	×	×	기	4>	1 2	×	×	1	z	Z	4	Z	×	
FUNCTION 15 REQUIRED.	17	1	~	~~	~	.~	~	7	?	7	.2.	~	7	~	2	~	~	-	-	-		J.	
<b>.</b> Р <b>U</b> MCT 1 <b>0</b>	1. IDENTIFY OPERATIONAL IMPACT.	13. IDENTIFY TRAINING IMPACT.	) )	5. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS.	,	1. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS OGCUMENT.		45 PROVIDE REQUIREMENT TO MO.		5. MAINTAIN COORDINATION WITH MO DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIRENENTS AS REQUIRED.		12. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA.	4 MONITOR DEVELOPMENT TEST (DT)					9. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	IL MAINTAIN COMMUNICATIONS MITH USERS.	2 FUNCTION AS USEN SURROGATE.	TACTICAL ASPECTS OF SYSTEM EMPLOYMENT.	4. COGNOTINATE WITH MO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF \$YSTEM SOFTWARE CHANGE PACKAGE TO THE FIELD.	
TAADOC RESPONSIBILITY)	4. AIMLYZE FUNCTIONAL	SYSTEM CHANGES.				). DEYELOP FUNCTIONAL, CHANGE REQUIREMENT.	•				1. MONITON, PARTICIPATE IN, OR CONDUCT SYSTEM	TESTING AS APPRO-	PRIAIE.						1. MAINTAIN INTERFACE	WITH AND PROVIDE	TO FIELD USERS,		
TASK AREK'	· ·		_	(CO		NOI.		_	_			_				TIN		_		_	104		1

Figure F-12. (continued)

-   <sub>2</sub>	TRADOC RESPONSIBILITY:  DEYELOP AND MANAGE!  TRAINING PROGRAM RE-  QUIREO BY SYSTEM		LIFE CYCLE STACE WHEN THURCTION 12 SEQUIRED= CONTINUENT FIRE CONTINUENT FIRE CONTINUENT FIRE CONTINUENT FIRE CONTINUENT FIRE TARGET ACQUISITION	T Z SYSTEM REQUIREMENTS AND LONG BRANCH Z LONG BRANCH Z Z LONG BRANCH Z	X I ASERBE	.   SQTA3 HZT ××	II ONIHSUBA WS1 ZZ			
CHANGE HED EQUING (NE (NE )). JOINT	CHANGE (EXCEPT FOR HEN EQUIPMENT TRAINS.) ING (MET)), JOINT AND INTER-	3. GEVELOP TRAINING PLAN FOR NEFTING REQUIREMENTS. 4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING 5. DEVELOP TRAINING SCHARAIOS FOR INSTITUTION AND FIELD USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 7. VALEDAP TRAINING SUPPORT SOFTWARE REQUIREMENTS. 8. PARTICIPATE IN FIELD USER TRAINING AND NET. 1. IDENTIFY REQUIREMENTS.	1 × 144×1 1 × 144×2	7 Z ZZZZ×	<del>┞╶┢╸╶┋</del> ╊╼╌╌╊╴ <del>┞╸</del> ┞╼╄╌╅	× × × 22××	Z Z ZZZZ ×			
ABIL ITY  2. SUPPORT  PLAINING.	NAT (DNAL INTERPERA- ABILITY REQUIREMENTS. SUPPORT TO CONTINGENCY PLAINING.	2. SPECIFY IN REQUIREMENTS DOCUMENT.  1. COGROINATE WITH HO IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.  2. PROVIDE FOR "FACTICAL TALLORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	Z Z Z	×	Z	× × 1	×		111	
S. SUPPORT MARTINE	WATINE OPERATIONS.	1. SPECIFY POSS RESPONSE REQUIREMENTS.  2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIME ALTERNATIVES FOR PROVIDING THE MOST STEAM OF THE MOST WAS SECRETARY OF THE MOST WAS SECURATED TO SECONDINATE WITH THE MOST AROUNDS WHEN SITUATION DOES NOT PRANT SOFTWARE CHANGES.  5. THROUP PROCEDURAL MORK-AROUNDS WHEN SITUATION TO SECOND FRONT FROM TAKLYSIS, DESIGN FLEXIBILITY STHROUP FRONT FROM TAKLYSIS, DESIGN FLEXIBILITY ANTICIPATED CONTINGENCIES.	× 2Z × × z Z Z z z z z z z z z z z z z z z	7 77 7 X	<u> </u>	x zx z z	2 42 2 ×	1-11-1		
ASSESS TACTICA OF BAS 2 - A 2 - A 2 - A 2 - A	A. ASSESS CONTINUED TACTICAL SUITABILITY OF BASS 1 - ASSESS 2 - AFTER SOFTWARE FRE CONFIGURATION ESTA	SS CONTINUED 1, CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE 1CAL SUITABILITY 1 CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	×	×	Z	X	Z			$\dashv$

Figure F-12. (concluded)

As the TSM-FATDS, his mission, authority, and responsibilities are spelled out in the TRADOC System Manager Charter, Field Artillery Tactical Data Systems (FATDS), dated 1 November 79. By this charter, his mission is to "conduct total system management within TRADOC for FATDS to include TACFIRE, Battery Computer System (BCS), Digital Message Device (DMD), and other follow-on system enhancements." One of the responsibilities of the TSM-FATDS which is delineated in that charter is "Managing the TRADOC aspects of post-deployment software support (PDSS) for FATDS and other Field Artillery systems requiring software support." Included in these PDSS duties is coordination with other organizations to ensure that plans for training, personnel, logistics, testing, and new doctrine/tactics are timely and fully integrated into the materiel development program. Specific functions of the TSM-FATDS are shown in Figure F-12.

- (6) CDSM, Artillery Fire Control (AFC). This CDSM serves as the CD manager for all PDSS activities associated with artillery fire control systems. Included in this group are one category 1 system (TACFIRE/FATDS) and one category 2 system (BCS). The CDSM, AFC is the system/software combat developer and the principal user's representative for these systems. As such, he is responsible for planning, programming, and coordinating those PDSS functions to be performed by the CDSF in support of his systems. Specific functions with which he is involved in either a management, coordination, or performance role are listed in Figure F-12.
- (7) CDSM, Target Acquisition and Missile Artillery. This CDSM serves as the CD manager for all PDSS activities associated with target acquisition systems and missle artillery systems. Included in this group is one category 2 system (Pershing II). The PDSS responsibilities and functions of this CDSM are the same as those described previously for the CDSM, Artillery Fire Control except for variations imposed by differences in system types and quantities. Specific functions of this CDSM are shown in Figure F-12.
- (8) <u>System Requirements and Analysis Branch</u>. This branch of the CDSF is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the two CDSMs, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by this branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated. Specific functions included in the responsibilities of the System Requirements and Analysis Branch are shown in Figure F-12.

- (COMSR) Branch. The responsibilities of this branch focus on two major subject areas. The first area is interoperability. In this area, the branch analyzes the impact of functional changes on the interoperability of the system. It identifies interoperability change requirements which result from either changes to a fire support BAS or changes to another system with which the fire support BAS must interoperate. The second area of responsibility for this branch concerns communications support requirements (COMSR). In this area, the branch establishes and maintains requirements for communications between target acquisition systems and fire control systems and with external systems. It also analyzes the impact of adding new target acquisition or fire control systems to its communications network.
- (10) <u>Tactical Simulation Branch</u>. This branch of the CDSF has responsibility for preparing and conducting all simulations needed by the CD during front-end requirements analysis. Preparation of the simulations may include the design and development of experimental software to test basic concepts, the collection of data, the building of automated data bases, and the generation of scenarios to drive the simulations. Since much of this work requires computer support, this branch has either direct or remote access to computer resources.
- (11) <u>US Army Field Artillery Board (USAFABD)</u>. The PDSS related responsibilities of USAFABD are as follows:
  - Plan, conduct, and report on Operational Test I, Operational Test II, Operational Test III, and any other user type tests of field artillery material
  - Participate in Development Test I, Development Test II, (engineering phase), and Development Test III as directed
  - Provide advice and guidance on test and evaluation matters to materiel developers, materiel producers, other services, and private industry
  - Conduct other tests and evaluations as directed by Commander, TRADOC.

On 10 August 1977, the USAFABD was designated by HQ TRADOC (via TRADOC Msg, ATCD-TM, 101918Z Aug 77, subject: TACFIRE Tape Validation) as the responsible agency for user validation of TACFIRE system master tapes developed by the DARCOM TACFIRE Software Support Center, Fort Sill (TSSG). In accordance with this tasking, the Software Validation Branch, Test and Technical Support Division, USAFABD, has been performing acceptance testing of new TACFIRE software releases. Depending on requirements, this testing has been or can be OT, DT, or command post exercise oriented. In addition to its testing responsibilities, this organization is also a member of the local Software Configuration Control Board.

- (MLRS) Fire Direction System (FDS). The TSM-MLRS monitors overall management of the MLRS-FDS during production and deployment phases. He acts as User representative in the writing of the Computer Resources Management Plan (CRMP) for MLRS-FDS. He insures User participation in all ECP's. In addition, the TSM-MLRS participates as a principal member on the TACFIRE/MLRS Executive Committee dealing with all aspects of TACFIRE-FDS interoperability.
- (13) TRADOC System Manager, Pershing II Tactical Missile System (PII). The TSM-PII conducts total system management within TRADOC for the Pershing II. Due to the life cycle status of the PII, he currently has no PDSS activities.
- (14) <u>Combat Developer Forward Support Team (CDFST) TACFIRE</u>. The CDFST, TACFIRE is subordinate to the CDSF at Fort Sill and has the responsibility for maintaining liaison with and providing PDSS guidance to Users of TACFIRE. The number of such teams at any given time will depend upon the number and geographic dispersion of TACFIRE Users.
- F-17. ESTIMATE OF RESOURCE REQUIREMENTS. Estimates of the resources required to establish the Hybrid PDSS System in support of the Fire Support BFA are presented below.

## a. CDSF, Fort Sill.

(1) <u>Personnel</u>. The personnel estimates presented here are based primarily on support of categories 1 and 2 Fire Support BAS. The "authorized" spaces shown reflect an assumption that the personnel currently authorized for the Tactical Data Systems Division, Combat Developments Directorate, USAFAS would be assigned to the CDSF, Fort Sill.

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	14	16	16	18	18	18	18
Civilian	11	12	12	13	13	13	13
TOTAL	25	28	28	31	31	31	31
Authorized							
Military	21	21	21	21	21	21	21
Civilian	4	4	4	4	4	4	4
TOTAL	25	25	25	25	25	25	25
Additional 1	Needed						
Military	-7	<del>-</del> 5	<b>-</b> 5	-3	<b>-</b> 3	-3	-3
Civilian	7	8	8	9	9	9	9
TOTAL	0	3	3	6	6	6	6

A breakout of the personnel requirements by organizational element for FY 87 is shown below.

ELEMENT	MANAG AN TECHN MIL		F	RICAL AND VICIANS CIV	TOTAL
Chief, CDSF	0	0	0	0	0*
CDSM, Artillery Fire Control	6	3	0	1	10
CDSM, Target Acquisition & Missile Artillery	3	1	0	7	5
Systems Requirements and Analysis Branch	4	2	0		6
Interoperability and COMSR Branch	3	2	0		5
Tactical Simulation Branch	1	2	1	1	5
TOTALS	17	10	1	3	31

- \* Assumes utilization of staff currently assigned to TSM, FATDS office.
- (2) <u>Major Items of Equipment</u>. This CDSF requires either direct or remote access to computer resources in order to perform its functions. In addition, computer access is also required to provide linkage with other CDSFs which support control systems in the CCS<sup>2</sup> concept. Specific items of equipment required to provide this access must be determined through further study.
- (3) <u>Facilities</u>. Physical facility requirements include office space for assigned personnel and floor space for a computer and/or remote computer terminals. It would be desirable to collocate this CDSF with the CORADCOM-managed PDSS Center at Fort Sill. If collocation is not feasible, other suitable space should be selected for the CDSF which will facilitate close interaction with the PDSS Center.
- (4) <u>Funds</u>. An estimate of funds required for the CDSF civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars. It is based on an estimated average cost of \$31.6K per technical man year and \$16.0K per administrative man year.

			FUNDS	REQUIRED	(THOUSAN	DS)	
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Civilian							
Personnel	300.8	332.4	332.4	364.0	364.0	364.0	364.0

Funds needed for equipment and facilities are dependent upon development of specific requirements and plans addressing these areas.

# b. US Army Field Artillery Board (USAFABD).

(1) <u>Personnel</u>. In order to fulfill its PDSS responsibilities in testing TACFIRE update master tapes, the USAFABD will require the following additional personnel:

PERSONNEL	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required							
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	5	5	5	5	5	5	5
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Additional Needed							
Military	3	3	3	3	3	3	3
Civilian	2	2	2	2	2	2	2
TOTAL	5	5	5	5	5	5	5

(2) <u>Major Items of Equipment and Facilities</u>. There is a need for an Instrumented Test Facility for use jointly by USAFABD and the TACFIRE Software Support Group (TSSG). This facility needs to be funded jointly by TRADOC and CORADCOM and could be provided as an expanded capability of the present TSSG (CORADCOM) machine room to reduce expenditures.

(3)  $\underline{\text{Funds}}$ . An estimate of funds required for the USAFABD personnel identified above is as follows:

	FUNDS REQUIRED (THOUSANDS)							
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87	
Civilian Personnel	63.2	63.2	63.2	63.2	63.2	63.2	63.2	


### SECTION VII. AIR DEFENSE BFA

### F-18. SYSTEM DESCRIPTION.

- a. <u>System Purpose and Scope</u>. The Hybrid PDSS System described in this section is intended to be capable of adequately fulfilling all CD PDSS responsibilities and functions, looking forward into at least the late 1980's, for the entire Air Defense BFA. This Hybrid PDSS System has been structured without reference to resource constraints. This system is based on comparison of the Baseline and the Theoretical PDSS Systems. The Hybrid System reflects features of those two systems. Some new features and differences are also included. During structuring of the Hybrid System some consideration was given to ways in which resource requirements might be reduced. This system is basically a TRADOC system, although it must interact with, and is heavily dependent on, many non-TRADOC elements.
- Principal System Features. This Hybrid System for providing PDSS in the Air Defense BFA is centered on what would be a new element, the Combat Developer Support Facility (CDSF), within the existing Directorate of Combat Development (DCD), of the US Army Air Defense School (USAADS), at Fort Bliss, Texas. Based on the existing Combat Systems Software Division (CSSD), the CDSF, as the term is used broadly in this Hybrid System, encompasses both the concept of an organizational element with overall responsibility for PDSS and the concept of a physical facility in which equipment and personnel resources can be assembled as necessary to address software issues of USAADS. This CDSF is based on the CDSF model in the PDSS Concept Plan for BAS, of May 1980, and serves as the CD facility which is to be the focal point for interaction with MD PDSS Centers such as that maintained at Fort Bliss by MICOM. This CDSF, under the management of the Directorate of Combat Developments, is the center for performance of CD software functions, which differ significantly from MD functions. In this Hybrid System, the CDSF operates in close coordination, with other CDSFs. It is closely linked by special communications with the CCS<sup>2</sup> activities at Fort Leavenworth which control and coordinate developments in all Control and Subordinate Systems, one of which is the Air Defense Control System, within the overall Force Level Control System. The CDSF in this Hybrid System for providing PDSS in the Air Defense BFA includes elements whose principal mission is to serve the requirements definition. planning, and support needs of the existing Directorate of Training Developments at USAADS, in certain areas. Foremost in these areas are software-containing training simulators and devices in the Air Defense BFA. Other TRADOC elements, both at Fort Bliss and at other installations, are active parts of this Hybrid System. Outside of TRADOC, there are elements of DARCOM, the Users of Air Defense systems, the Army Research Institute, and various contractors which are involved in the Hybrid System, either actively or as interface points. For example, a key element is the Raytheon Patriot Software Support Organization at Bedford, Mass., which constitutes the MD PDSS Center for the Patriot Air Defense missile system. Accordingly, the CDSF at Fort Bliss, in this Hybrid System, maintains a liaison element at this Raytheon center to facilitate interchange of information, and coordination and execution of necessary PDSS functions. The CDSF and this liaison element are linked with special communications capabilities. In the Hybrid System, liaison with the MD PDSS Center at MICOM is accomplished by normal travel and communications which may be needed to supplement the assistance provided by liaison offices maintained by CACDA at such locations. Placement at Fort Bliss of a liaison


team for DIVAD Gun from the MD PDSS Center at ARRADCOM, Picatinny Arsenal is suggested in this Hybrid System. Other elements of the CDSF have specific responsibilities for maintaining liaison with and providing guidance and support to Users. These elements, called Combat Developer PDSS Forward Support Teams (CDFSTs), provide liaison and/or forward support, particularly under crisis/wartime conditions, to User organizations such as the 32d AADCOM. These CDFSTs also possess special communications capabilities linking them directly with the CDSF at Fort Bliss, and other key elements, as necessary.

- Principal Elements Involved. Principal elements involved in the Hybrid PDSS System for the Air Defense BFA are identified in Figure F-13. This figure also indicates some of the principal interfaces involved, thus providing a type of system overview. Structure within the CDSF is addressed below. Other DARCOM elements are also involved, but are not shown here in Figure F-13. Army combat modeling/simulation capabilities at three separate locations, being developed under the Army Models Improvement Program (AMIP) are included in this figure. These are the battalion-level capability at TRADOC Systems Analysis Agency (TRASANA), White Sands, the corps/division level capability at the Combined Arms Studies and Analysis Activity (CASAA), Fort Leavenworth, and the theater-level capability at the US Army Concepts Analysis Agency, Bethesda. Also shown are the CACDA Scenarios and Wargames Directorate, and the TRADOC general purpose computer center at Fort Leavenworth. All of these modeling/simulation/gaming and computer elements are shown here because they are resources that could contribute to the overall PDSS mission. Use of these and possibly other analysis resources will be coordinated through a BAS PDSS Analysis Resources Coordination Branch established at CACDA in the Hybrid System. Similarly, use of test and evaluation resources will be coordinated through a BAS PDSS Test & Evaluation Resources Coordination Branch at CACDA. Although not indicated in the figure, such resources may include the Tactical Interorerability Support Element (TISE) and TCATA at Fort Hood, ARMTE, OTEA, CDEC, NTC (Fort Irwin), and field units. It must be understood, however, that most of the analysis of ADA systems software, as needed in performance of PDSS functions, requires high-resolution, high-fidelity system simulations and simulators of a type which do not (and would not be expected to) exist at locations other than USAADS and the Army Materiel Systems Analysis Agency (AMSAA), Aberdeen, MD. Also, it should be stressed that test beds and field tests have serious limitations or disadvantages, in many cases, for ADA system testing relevant to software issues. Such limitations and disadvantages include high costs of moving and using field units and creating usefully realistic threat environments, inabilities to capture essential test data and freely reproduce or vary experiments, and timeliness of results. Such means cannot be justified for many software test questions. As a result, USAADS must depend, in large measure, upon simulations and simulators for software testing analyses.
- d. CDSF Structure. The structure of the CDSF which is central to this Hybrid PDSS System is outlined down to the branch level in Figure F-14. This CDSF is seen as a mission-oriented organizational entity subordinate to the Director of Combat Developments, within the US Army Air Defense School. Although this CDSF is seen as a separate organizational entity within the



5

Figure F-13. Principal elements, Hybrid PDSS System for Air Defense BFA



- \* CD PDSS LNO LOCATED AT RAYTHEON-BEDFORD PDSS CENTER
- \*\* CDFSTs LOCATED AT MAJOR USER UNITS AS NEEDED

Figure F-14. CDSF structure, Hybrid PDSS System for Air Defense BFA

Directorate of Combat Developments (DCD), the subordinate portions of the CDSF, which reports through the Chief, Air Defense CDSF, or his deputy, must operate in close coordination with other elements of DCD. The basic structure of the CDSF involves six divisions, based primarily on functional lines. These divisions are:

- CDSF Management
- Facility & Systems Support
- Concepts and Analysis
- Air Defense C<sup>2</sup> Systems
- Air Defense Weapons Systems
- Field Support.

Within these six divisions, structure is again based primarily on functional lines, except in the Air Defense  ${\tt C}^2$  and Weapons Systems Division, where the branch level breakdown is according to principal system, and where the CDSMs for these principal systems serve as branch managers. The content of branches and the responsibilities of the elements within the CDSF are discussed in paragraph F-19, below.

e. Operating Concept. The operating concept for this Hybrid system involves CD performance of CD functions, but in conjunction with MD performance of MD functions. In fact, the basic mission of this Hybrid System cannot be achieved without a high degree of cooperation among CD, MD, and User elements at many levels, in what is essentially a common process. The nature of this process demands not only coordinated actions, including joint forums, actions, and decisionmaking, but also, to the maximum extent possible, collocated facilities and joint use of facilities and equipment. Items of equipment located in the MD-owned facility may be a vital resource for performance of CD functions, as may be MD use of equipment in a CD-owned facility. In many instances the problem is a common one requiring joint participation/ observation and analysis. In many other aspects the MD and CD functions require separate, different types of equipment and analytical tools. Containing the analytical tools, devices, documentation, and technical support personnel necessary to support all USAADS functions related to BAS PDSS, the CDSF is seen as an analytical support facility. In contrast, MD PDSS Centers, such as the MICOM facility at Fort Bliss, are seen as production operations centers which focus on the technical and mechanical details of producing, documenting, and verifying against specifications (at the computer program code level) BAS software products, which are only a part of the total ADA system. The CDSF, however, set in the framework of the total ADA system, focuses on user needs and requirements, system architectures, and ADA system functional requirements, in terms of both how these can be met by and how they can guide development of emerging ADA systems. In its evaluations, the CDSF examines software products only down to the level of the algorithms which the computer code implements.

### F-19. RESPONSIBILITIES AND RELATIONSHIPS.

- a. <u>CDSF</u>. The overall mission of the Air Defense CDSF is to ensure that all CD PDSS responsibilities and functions are adequately fulfilled for the entire Air Defense BFA. The responsibilities and functions of the elements of this CDSF are outlined below.
- (1) Chief, Air Defense CDSF. The Chief, Air Defense CSDF, reports to the Director, Combat Developments, US Army Air Defense School. The Chief is responsible for carrying out the overall mission of the CDSF, through the resources at his disposal and through fostering a climate of cooperation with the many external elements with which the CDSF must interface. The Chief is also responsible for the resources at his disposal, which include the personnel, equipment, and facilities involved in the six divisions of the CDSF.
- (2) <u>Deputy Chief</u>, <u>Air Defense CDSF</u>. The Deputy Chief, Air Defense CDSF carries the responsibilities delegated to him by the Chief, and is to act for the Chief in his absence or as required.
- (3) <u>CDSF Management Division</u>. The CDSF Management Division provides staff support for the Chief and Deputy Chief and is responsible for a group of functions pertaining largely to management, management policies, and management support of the CDSF. These functions are performed within four branches: Plans and Resources, CDSF Training, Documentation & Standards, and Configuration Management.
- (a) <u>Plans and Resources Branch</u>. The Plans and Resources Branch is the focal point for the determination of CDSF workload requirements, and the preparation and maintenance of plans and policies for acquisition, separation, and effective use of all resources within the CDSF. This function is performed in coordination with superior elements as well as the elements within the CDSF.
- (b) CDSF Training Branch. The CDSF Training Branch participates in determining CDSF personnel requirements, in planning for personnel acquisition and separation, and is responsible for ensuring that all appropriate educational and training avenues are effectively used in achieving and maintaining necessary skills among CDSF personnel. A section within this branch is responsible for serving as a focal point and assisting in analysis and development of man-machine interface technology involved in the BAS under purview of the CDSF.
- (c) <u>Documentation & Standards Branch</u>. The Documentation & Standards Branch maintains the official, central, up-to-date documentation on all software of all systems under the purview of the CDSF, in appropriate form by appropriate means. Also maintained by this branch will be all appropriate official correspondence and standards and regulations pertaining to the systems under CDSF purview. This branch will also maintain a library of other documentation and related materials commonly used within the facility, and

will provide an appropriate storage and reproduction capability for all items. The efforts of this branch are not intended to duplicate, unless necessary, the efforts of other elements. For instance, if the MD PDSS Center maintains locally an appropriate, accessible repository of software documentation, there should be no need to duplicate that in the CDSF.

- (d) <u>Configuration Management Branch</u>. The Configuration Management Branch is responsible for ensuring that basic configuration management policies are understood and adhered to throughout the CDSF, and assists in the development of detailed procedures for configuration management of individual BAS under purview of the CDSF. The documentation maintained by the Documentation and Standards Branch is a requisite of this branch.
- (4) <u>Facility and Systems Support Division</u>. The Facility and Systems Support Division is responsible for a group of common benefit functions involving the physical plant, equipment, and related technology and expertise, as well as serving as a common focal point for system test activities.
- (a) <u>Communications Branch</u>. The Communications Branch is responsible for all aspects of acquisition and maintenance of appropriate communications capabilities needed to provide the rapid (and, as needed, secure and reliable) interchange of digital, audio, visual, and graphics data or information among the CDSF, its remote elements, and other key interfacing elements. Among required capabilities may be television conferencing, and high bit rate audio or digital interchanges.
- (b) <u>Facility Support Branch</u>. The Facility Support Branch is responsible for obtaining or providing, for the physical facility and the equipment therein, any support or expertise needed, and not otherwise provided, to permit the efficient conduct of the CDSF mission. This branch will participate in the preparation and maintenance of resource plans for the CDSF.
- (c) Computer Support Branch. The Computer Support Branch is responsible for the planning for and acquisition, maintenance and disposal of all computer resources local to the CDSF plus the arrangement or coordination of all external computer resources utilized by the CDSF. Such resources include computers, peripheral equipment, tapes or other storage devices, terminals and related equipment, key aspects of the physical facility housing such equipment, models, simulations, and support software for CDSF research and analysis activities, plus personnel needed for operation and maintenance of equipment, models/simulations, and other related software, and non-BAS software documentation. This branch will include a Model Development and Maintenance Section, which will assist in the writing and modification/maintenance of needed models/simulations, and a Support Software Branch, which will provide expertise, software utilities, and other items of software which may be needed to support the work of the CDSF.

- (d) System Test Support Branch. The System Test Support Branch provides a common focal point for coordination of necessary CDSF participation in testing of BAS within the purview of the CDSF. This branch maintains schedules and records of all significant testing performed or to be performed on these BAS at all locations, and provides a nucleus of skilled personnel for CDSF participation in planning, observation, and analysis of system tests. This branch also provides advice and assists in tests that may be conducted with CDSF resources. The work of this branch will be facilitated by the efforts of the BAS PDSS Test & Evaluation Resources Coordination Branch established at CACDA under this Hybrid System.
- (5) Concepts and Analysis Division. The Concepts and Analysis Division provides, under the control of the CDSF but also available as appropriate to support other DCD needs, a broad capability for the intensive, sophisticated, computer-supported, and system-technically-oriented research and analysis necessary to effective fulfillment of the CDSF mission. It is intended that this division possess the expertise, tools, and equipment or access to equipment, necessary to fulfill a variety of key analysis functions inherent to PDSS of complex BAS. This division contains the following seven branches:
  - Technology, Threats, & Scenarios
  - Doctrine and Concepts
  - Modeling and Simulation
  - System/Training Simulators
  - Requirements Analysis
  - Software Analysis
  - Interoperability Analysis.

This division will maintain close contact and freely exchange information with the BAS PDSS Analysis Resources Coordination Branch established at CACDA under this Hybrid System. In this way, it is intented that effective coordination and cooperation in the planning and execution of PDSS analysis efforts will result in fuller use of resources at various locations, lesser permanent requirement for resources at the Air Defense CDSF, a broader scope of analyses, and at least the quality and responsiveness of analytical effort that would be possible under the Theoretical System. From time to time, as appropriate, the resources of this division may be called upon, and special teams may be formed, to participate in analysis efforts at or pertaining to other centers.

- (a) Technology, Threats, & Scenarios Branch. The Technology, Threats, & Scenarios Branch is responsible for acquiring, maintaining, and analyzing current information in the areas of technology and threat that could impact on BAS in the Air Defense BFA, to facilitate timely anticipation of impacts on these BAS and their doctrine, software or software requirements. This branch also contains a section equipped to contribute, as needed, to the preparation of detailed scenarios (in narrative and in computer-input-ready form) for various analysis and training purposes.
- (b) <u>Doctrine and Concepts Branch</u>. The Doctrine and Concepts Branch provides a local center of expertise and information on both general Army doctrinal concepts and organization and also the detailed air defense tactical doctrine pertaining to employment and operations of the relevant air defense systems in an integrated air defense environment, such as in NATO. This branch is responsible for coordinating with other centers of doctrinal/conceptual information and developments in the Army and other Services, to ensure that both established and advanced concepts can readily interplay in the analyses focused in other branches of this division.
- (c) Modeling and Simulation Branch. The Modeling and Simulation Branch provides a center of expertise in the development and exercise of computerized models and simulations and also the analysis of model or simulation results to contribute to the analysis interests of the CDSMs and the other analysis branches in this division. Skills required in this branch will include operations research/systems analysis, computer programming, understanding of the scientific and engineering principles and characteristics of air defense C<sup>2</sup> and weapons systems, and also an understanding of air defense system doctrine and tactics. A section in this branch will be devoted to anticipating analysis requirements and recommending analysis approaches and techniques to the CDSMs and others.
- (d) System/Training Simulators Branch. The System/Training Simulators Branch is responsible for the conception, development and research or analytical use of system simulators and necessary driver equipment. When designed or used for training purposes, such simulators may be called training simulators or training devices. The distrinction between models or simulations on the one hand and simulators on the other hand is that the former are representations of the real system, at a level of abstraction appropriate to the particular analytical objectives; simulators, however, will duplicate as closely as possible either all or selected features of the real BAS. System prototypes may be used for this purpose in some cases. Research/analytical use of simulators permits experiencing, in advance, the types of capabilities and problems which can be encountered when the real system is employed in the field. Such use of simulators is an essential in performance of the CDSF mission. A section in this branch will be a focal point for identifying the requirements for training simulators and their use, as an adjunct to the Directorate of Training Developments.

- (e) Requirements Analysis Branch. The Requirements Analysis Branch is responsible for performing or effecting that analysis necessary to identify the requirements for software in BAS and related simulators, and including support software, as may be appropriate. Such software requirements analysis will pertain to the earliest stages of PDSS planning for a BAS, as well as the later stages, including all significant changes proposed. This branch will also assist in and be the focal point for reduction of identified software requirements to documented forms which can serve effectively to transmit requirements to the MD and others for coordination and implementation. Training software requirements associated with BAS are included in the responsibilities of this branch.
- (f) <u>Software Analysis Branch</u>. The Software Analysis Branch is responsible for performing or effecting necessary detailed examination and analysis of software in or pertaining to BAS and simulators under the purview of the CDSF. Such detailed examination and analysis of software will have the objective of insuring that the software in question performs correctly the intended tactical functions. This branch will make use of models, simulations, simulators, and manual analysis to achieve this objective. This branch will have the capability to perform such analyses as deemed necessary by the CDSMs, and will be responsible to recommend areas for such analysis to the CDSMs and others. This branch will not supplant or duplicate the "verification and validation" work properly performed by the MD, but will obtain and take full advantage of such work, as necessary. This branch will prepare appropriate records of the software analyses performed.
- (g) <u>Interoperability Analysis Branch</u>. The Interoperability Analysis Branch is responsible for performing or effecting the necessary detailed examination and analysis of interoperability capabilities and limitations of BAS under the purview of the CDSF. This branch will maintain a detailed and up-to-date awareness of the interoperability requirements and characteristics of all BAS with which the CDSF BAS may interface or impact upon. Within this framework, this branch has the principal objective of insuring that potential interface problems are anticipated as early as possible in the BAS development life cycle, that, as BAS design and development proceeds, these interfaces are properly accomodated, and that, at later stages, BAS code properly performs the necessary interface functions and that changes in any of the interoperating systems are continuously monitored and evaluated for impact.
- (6) Air Defense  $C^2$  Systems Division. The Air Defense  $C^2$  Systems Division is the focal point for CDSF activities pertaining to the air defense  $C^2$  systems functional area. Within this division are CDSMs for AN/TSQ-73 (Missile Minder), SHORAD  $C^2$ , and Air Defense Electronic Warfare System (ADEWS), as well as a branch responsible for other/new air defense systems. The overall responsibilities of CDSMs have been defined in general in Chapter 3 of this report. In this CDSF, each CDSM is a focal point for all CDSF activities pertaining to his particular BAS, and is also the interface point for all external and internal communication regarding that BAS. The CDSM maintains a limited staff who are specialized in their knowledge of that particular BAS. Members

of his staff individually are further responsible for key functional areas, including software requirements, configuration control, software analysis, interoperability analysis, testing, training requirements, and field support, for that BAS. The CDSM and his staff call upon the resources of other CDSF divisions to assist in performing necessary analysis and field support functions, and to advise or assist in participation in system testing. The New Systems Branch within this division performs analogously for other or new systems as a group until such stage is reached where assignment of a dedicated CDSM is appropriate. The CDSMs will maintain contact and exchange necessary information with the BAS PDSS Analysis Resources Coordination Branch and the BAS PDSS Test & Evaluation Resources Coordination Branch at CACDA. Through these branches, additional temporary resources, for local projects, may be arranged as appropriate and as avalaible from other locations.

- (7) Air Defense Weapons Systems Division. The Air Defense Weapons Systems Division is the focal point for CDSF activities pertaining to the air defense weapons system functional area. Within this division are CDSMs for Patriot, DIVAD Gun, I-Hawk, and Roland, with also a branch covering MANPAD and other AD weapons systems. The responsibilities of these CDSMs and the additional branch are analogous to those discussed in the preceding paragraph.
- (8) Field Support Division. The Field Support Division is responsible for providing resources, and management and coordination of those resources, for field support and other remote elements, as required to support effectively the overall CDSF mission. The four branches within this division Remote Elements Management, Crisis/Wartime Support, CD PDSS LNO Support, and CDFST Support. Resource elements provided by this division will be considered organic to this division, while operational control will normally reside with the CDSM for which the element is functioning at the particular Some elements or personnel may acquire specialized knowledge of particular BAS and it may be desirable to preserve that specialization in the interest of efficient interaction with certain users or other elements. Need, travel, and other factors, however, may motivate for diversification of personnel or elements over several BAS. The Remote Elements Management Branch will coordinate with CDSMs and others, and weigh such factors, as appropriate, in the interest of best fulfilling the overall CDSF mission. The Crisis/Wartime Support Branch is responsible for developing, coordinating, and maintaining plans for support under crisis or wartime conditions. The CD PDSS LNO Branch provides essential travel, logistical, and other necessary support, maintains contact with the counterpart facility and serves as coordination point in such matters for CD PDSS LNOs that may be needed. A CD PDSS LNO is known to be needed at the Raytheon PDSS Center (Patriot Software Support Organization), at Bedford, Mass. CACDA liaison offices at the MD PDSS Centers at Picatinny and Redstone Arsenals, supplemented by normal travel and communications from the Air Defense CDSF, may fulfill needs at those locations. The CDFST Support Branch provides, as appropriate, necessary travel, logistical, and other support, and maintains contact, as appropriate, with served facilities where CDFSTs are required on permanent, semi-permanent, temporary, periodic, or ad hoc visits basis. CD PDSS LNOs

and CDFSTs maintain appropriate communication channels (through support by the Communications Branch) with the CDSM, or the CDSM staff, for the particular BAS being addressed. CDSM staff members and others, such as MD representatives, may accompany CDFSTs routinely on visits to Users.

- Other Elements. The responsibilities of the USAADS Directorate of Combat Developments and the Directorate of Training Developments remain, in this Hybrid System, essentially the same as in the Baseline System. At Fort Leavenworth, responsibilities of CACDA are consistent with those enunciated in Section IV, involving the Force Level Control System and the JINTACCS Office, and the two BAS PDSS coordination branches, one for analysis resources and one for test and evaluation resources. Through the first of these branches, a variety of analytical resources may be available for assistance, such as in the Combined Arms Studies and Analysis Activity (CASAA) at Fort Leavenworth, CACDA's Scenarios & Wargames Directorate, TRADOC Systems Analysis Activity (TRASANA) at White Sands Missile Range, Concepts Analysis Agency (CAA) of DCSOPS, DARCOM's Battlefield Systems Integration Directorate (BSI), at Alexandria, and Army Materiel Systems Analysis Agency, (AMSAA), at Aberdeen. The types of test and evaluation resources that may be available through the second branch have been indicated in paragraph F-18c, above. Since theater-through-battalion level models do not possess high enough resolution and fidelity to address the types of analysis issues involved in most ADA software investigations, those models themselves have extremely limited applicability to USAADS PDSS. Exceptions might occur in weighing some effectiveness considerations in a combined arms context, or in very specialized side-analyses. Some of the personnel resources, however, at these other analytical facilities do possess skills applicable to USAADS PDSS problems. The resolution level of the types of models developed and maintained at AMSAA is more in tune with USAADS needs, but few, if any, AMSAA models are directly applicable, although personnel expertise there remains a potential resource. The limitations of various testing resources, for USAADS software issues, were discussed in paragraph F-18c, above. Those limitations apply here also. It is recommended that, for effective pursuit of DIVAD Gun PDSS, the ARRADCOM PDSS Center at Picatinny Arsenal, Dover, Delaware, establish a Software Support Office at Fort Bliss. Such an office could provide technical expertise and contractor backup to the CDSF, and receive appropriate guidance in return, more effectively than the same functions could be performed by travel from the CDSF to Picatinny.
- F-20. SYSTEM CAPABILITIES. The Hybrid PDSS System is designed to be capable of adequately fulfilling all CD PDSS responsibilities into at least the late 1980's for the entire Air Defense BFA. Accordingly, Figure F-15, which lists the 64 TRADOC principal PDSS functions, is used here only to show, by "X" entries, which elements in the Hybrid System are responsible for fulfilling these functions. Since the format of such a matrix could not legibly accommodate all of the CDSF and other elements involved, only the major divisions within the CDSF are identified in column headings. The Directorate of Training Developments is also identified because it carries a key responsibility.

		-+++				
		┼┼┼╌┤				
	╼╂╂╼┨	╂╂┹╂		<del></del>	╌╂╌╂╌╂	
		<del>         </del>	<del></del>			
	_{{}^{+}}_{{}^{-}}	<del>-       -  </del>				
DEVELORATE OF TRAINING DEVELOPMENTS		111-1	×			
					X X	
FIELD SPT DIV, COST, 1000 CO PDSS LNO-BEDFORD, 1005, DCD				🛪 🗚	×	
F1ELD 5PT D1V, CDSF,			44			
AD WPMS SYST DIV. COST.	<u> </u>	444	44	<u> </u>	<del></del>	××
000  COST MCT 10N 15 REGUITED  COST MCT DIV, COST,  COST, DCD  CONCEPTS & ANALYSIS DIV,  COST, DCD  CONCEPTS & ANALYSIS DIV,  COST, DCD  COST,	<u> 44 ×</u>	<u> </u>	××	<u> </u>	<u> </u>	××
CONCEPTS & ANALYSES DIV.			<u> </u>			××
PCD. A SYST SPT DIV.			<del></del>		++-+	
LITE CYCLE STAGE "HEN FUNCTION 15 REQUIRED" COSF MGT DIV, COST,	~ ~ ~	-22 -	X_X	2 2 50 2	~~ ~~	~ ~
LIFE CYCLE STAGE .HEN		┝╂╂╟╾╁		<del></del>		
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRMG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS FSCB. 4. PROVIDE REPRESENTATION ON ANY EXECUTIVE LEVEL CCB. ESTABLISHED UNDER THE CCS CONCEPT.	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, DATA BASES).  2. PLAN AND PROGRAM FOR RESOURCES.  3. ACQUIRE AND MANAGE RESOURCES.	1. IN CONJUNCTION WITH MD, DETERNINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.  2. COGGOLNATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PAROLLEM.  3. COGROUNATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.  4. COGROUNATE WITH MD ON ACTION ON TROUBLE REPORTS.  5. ESTABLISH, IN COGROUNATION WITH MD, PRIORITY OF CHANGE SETS THE FIELD.  6. ESTABLISH, IN COGROUNATION WITH MD, PRIORITY OF CHANGE AND THIME FREED.	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. COGNINATE WITH MO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS. 4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS. Z. DETERNINE AND EXAMINE IMPACT ON SYSTEM, INTEROPERABILITY BASELINE.
TRACOC RESPONSIBILITY	PARTICIPATE WITH NO IN DEVELOPING AND MAIN-TAINING POSS PLANS FOR EACH BAS.	PARTICIPATE WITH HO IN CONFIGURATION HAVINGE-MENT.	. MAMGE CD PDSS EFFORT.	PERFORM AWALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	. ANALYZE USER-STATED REQUIREMENTS.	3. ANALYZE FUNCTIONAL INPACT OF CONCEPTUAL CHANGES ON SYSTEMS.
TASK AREA	<del></del>	[ <u>~]</u>	I. MANAGEN	ļ <i>=</i>	l∾i SI	S. ANALYS
7347 4341				L		

Figure F-15. Assignment of functions, Hybrid System--Air Defense BFA (continued on next page)

DIRECTORATE OF TRAINING DEVELOPMENTS				
CDF51, CD5F, DCD				
FIELD SPT DIV, CDSF, DCD CD PDSS LNG-BEDFGRD, CDSF, DCS	<del>                                     </del>		<del></del>	
CONCEPTS & ANALYSIS DIV.  COSF. DCD  COSF. DCD  COSF. DCD  COSF. DCD  COSF. DCD  COSF. DCD	XXXXXX	<del>                                     </del>	<del>├──<del></del>╁┡╂┞──<del>┠</del>┞</del>	<del>                                     </del>
CONCEPTS & ANALYSIS DIV.		××	××	X
DCD FACIL: & SYST SPT DIV.			**   * * * * *	
LIFE CYCLE STAGE WHEN CDSF MGT DIV, CDS. DCD	م المحاصات المحاص	~~~ ~~	2020 22 2 25	E E E
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY TRAINING IMPACT. 4. IDENTIFY TRAINING IMPACT. 5. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 6. IDENTIFY IMPACT ON ALL PERSONNEL ASPECTS. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE 2. SPECIFY ANY INTERDERABILITY CHANGE REQUIREMENT. 13. PROVIDE REQUIREMENT TO MO. 4. COGNOINATE WITH MO IN ESTABLISHING CHANGE PRIGRITES AND GAJECTIVE IOC GATE. 5. MAINTAIN COGNOINATION WITH MO DURING DEVELOPMENT 5. OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM. 2. DGYLOLD SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 3. PARTICIPATE IN DESIGN OF THE CONDITIONS. 4. MONITOR DEVELOPMENT FEST (DT). 5. PARTICIPATE AS TAKED BY HODA IN OPERATIONAL FESTING (DT) CONDUCTED BY OFFA. 15. PARTICIPATE AS TAKED BY HODA IN OPERATIONAL FESTING (DT) CONDUCT OFFER SYSTEM OT. 16. PLAN AND CONDUCT OHER SYSTEM OT. 17. PLAN AND CONDUCT OHER SYSTEM OT. 16. FLAN AND CONDUCT OHER SYSTEM OT. 16. FERCITURE SETING. 16. FERCITURE SYSTEM OT. 16. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	1. MAINTAIN COMMUNICATIONS WITH USERS. 2. FUNCTION AS USER SURROGATE. 3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ TACTICAL ASPECTS OF SYSTEM EMPLOYMENT. 4. COORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIFTO
TRADOC RESPONSIBILITYS	4 ANALYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1. MONITOR, PARTICIPATE IN, OR CONDUCT SYSTEM TESTING AS APPRO- PRIATE.	1. MAINTAIN INTERFACE VITH AND PROVIDE: FUNCTIONAL GUIDANCE TO FIELD USERS.
A3RA A2AT	CONTINUED)	3. SYSTEM MODIFICATION	LEZLING, 4° SAZIEW	S. FIELD SUPPORT.

Figure F-15. (continued)

FUNCTIONS   CD57, DCC CDF37, CD57, DCD DIRECTORATE OF TRV: WING DEVELOPMENTS			×	×	
FUNCTIONS   COST, DCD  AD UPUS 5YSTEMS DIV,  COST, DCD	4× × ×	× ×× × ×	×		
1. DETERMINE TRAINING/RETRAINING DEVE 2. DETERMINE TRAINING/RETRAINING DEVE 3. DEVELOP TRAINING PLANT FOR HEETTING 4. DEVELOP TRAINING PLANT FOR HEETTING 5. DEVELOP TRAINING PLANT FOR HEETTING 5. DEVELOP TRAINING SUPPORT TO THE 7. VALEDATE/VERTEY TRAINING MATERIALS 1. DERTICIPALE IN FIELD USER TRAINING 1. DERTICIPALE IN FIELD USER TRAINING 2. SPECIFY THE FOLLO USER TRAINING 1. DERTICIPALE IN FIELD USER TRAINING 2. SPECIFY THE FOUNTE FOR TRAINING TON 2. SPECIFY THE FOUNTE FOR TRAINING TO PROVIDE FOR "TACTICAL TALIONING" 2. SPECIFY THE FOUNTE FOR "TACTICAL TALIONING" 2. SPECIFY THE FOUNTE FOR "TACTICAL TALIONING" 2. EXAMINE ATTENING THE POSS UNDER VARIETING 2. SECHMOLOS. 3. COMMINGE TO CONTINGENCY MISSION 4. DEVELOP PROCEDURAL WORK-ARGUNIOS WE DOVE THE SOFTWARE CHANGES. 3. COMMINGES TO CONTINGENCIES. 4. THROUGH FROM TAKEN THE CHANGES. 5. THROUGH FROM TAKEN THE CHANGES. 5. THROUGH FROM TAKEN THE SOFTWARE CHANGES. 5. THROUGH FROM TAKEN THE SOFTWARE CHANGES. 5. THROUGH FROM TAKEN THE SOFTWARE CHANGES. 6. DEVELOP PROCEDURAL MONG-TISE. 6. DEVELOP THE SOFTWARE CHANGES. 6. THROUGH FERDED TO THE SOFTWARE AND OFER ALLUMTIONS OF CONTINUED TACTICAL SUITABLITY AS TREEZE POINT (SOFTWARE FERTER POINT (SOFTWARE).	LITE CYCLE STAGE E-EN FUNCTION 15 REQUISEDS COSF MET DIV, COSF, FACIL. & SYST SPT SIV, FACIL. & SYST SPT SIV,	222 6 222	3 3		-
MADOC RESPONSIBILITY  EVELOP AND WANAGE  RAHING PROGAM RE- HUNGED BY SYSTEM HAG (MET).  MATIONAL INTEROPER- MATIONAL INTEROPER- MATIONAL INTEROPER- MATIONAL INTEROPER- MATIONAL INTEROPER- MATIONAL INTEROPER- MATIONAL TO CONTINUED  MATINE OPERATIONS.  ANTINE OPERATIONS.	FUNCTIONS	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS: 2. DETERMINE TRAINING DEVICE REGUIREMENTS: 3. DEVELOP TRAINING DEVICE REGUIREMENTS: 4. DEVELOP TRAINING PLAN FOR MEETING REQUIREMENTS: 4. DEVELOP AND DISTRIBUIE UPDATED OR NEW TRAINING S. DEVELOP AND FILED USE: 5. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FILED USE: 6. DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS: 7. VALLORIE VARRIET PARAINING AND NET. 8. PARTICIPATE IN FIRED USER TRAINING AND NET.	1 1 1 1	SPECIFY POSS RESPONSE REQUIREMENTS.  EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOUS SCENATIOS. COMMINATE WITH THE MD IN PLANNING PUSS SUPPORT DEVELOP PROCEDURAL WORK-AROUNDS WHEN SITUATION DOES NOT PERMIT SOFTWARE CHANGES. THROUGH FROM -EAR MARLYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE ANTICIPATED CONTINGENCIES.	IC REEVALUATIONS OF ICAL SUITABILITY AS NE. AND OPERATIONAL
- 10 H	TRADOC RESPONSIBILITY	DEVELOP AND WANA TRAINING PROGRAM QUIRED BY SYSTEM CLAMBE (EXERT IN NEW EQUIPMENT TRAINING (NET)).	JOINT AND INTER- NATIONAL INTERP ABILITY REQUIREM SUPPORT TO CONTIL PLAINTING.	WARTIME OPERATION	ASSESS TACTIC OF BASE 2 - 1 -

Figure F-15. (concluded)

## F-21. SYSTEM RESOURCE REQUIREMENTS.

- Personnel. Personnel needed to staff the Air Defense CDSF for the Hybrid PDSS System have been estimated by the study team. These estimated personnel requirements are based on a consideration of the responsibilities and functions of each of the elements within the CDSF, through branch and section level, and include all field support and other remote personnel of the CDSF. The estimates were made without reference to any resource constraints. The estimates were, however, subjected to review-for-reasonableness and some adjustments in initial figures were made. The estimates are based on fulfilling the identified functions and responsibilities delineated above. The estimates are total requirements without consideration of the issue of in-house and contractual components. The resulting requirements figures are shown by fiscal year in the top portion of Figure F-16. These requirements are seen to grow from a total of 114 in 1981 to a total of 190 in 1987. The authorized numbers in the middle of that figure assume that the existing Combat Systems Software Division of DCD is incorporated in the CDSF. A breakout of these personnel requirements estimates, for the FY 1986/87 time frame is shown, by CDSF division, in Figure F-17.
- b. <u>Civilian Personnel Costs</u>. The costs of the civilian personnel portion of the estimated personnel requirements are further estimated, in constant FY 81 K dollars, based on an assumed cost of \$31.6K per technical/managerial and \$16.0K per clerical/technician man-year, including 10% overhead loading, as shown below:

CIVILIAN	FY 81	FY 82	CONSTA FY 84	ANT FY 81 FY 84	\$000 <u>FY 85</u>	FY 86	FY 87
PERSONNEL COSTS	1156.4	1267.2	1421.7	2065.5	2441.0	2521.5	2628.8

	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED MILITARY CIVILIAN TOTAL	70 44 114	75 48 123	80 53 133	86 77 163	90 91 181	91 94 185	92 98 190
AUTHORIZED* MILITARY CIVILIAN TOTAL	12 2 14						
ADDITIONAL NEEDED MILITARY CILIVIAN TOTAL	58 42 100	63 46 109	68 51 119	74 75 149	78 89 167	79 92 171	80 96 176

Figure F-16. Personnel required, Hybrid PDSS System, ADA BFA

	MANAG AN TECHN	D	CLERI AND TECHN		TOTAL	
	MIL	CIV	MIL	CIV		
OFFICE OF THE CHIEF	2	0	1	1	4	
CDFS MANAGEMENT DIVISION	9	14	4	7	34	
FACILITY AND SYSTEMS SUPPORT DIVISION	7	11	7	7	32	
CONCEPTS AND ANALYSIS DIVISION	17	23	2	8	50	
AIR DEFENSE C <sup>2</sup> SYSTEMS DIVISION	10	6	1	1	18	
AIR DEFENSE WEAPONS SYSTEMS DIVISION	10	7	1	1	19	
FIELD SUPPORT DIVISION	14	_7	_7	_5	<u>33</u>	
TOTALS	69	68	23	30	190	

Figure F-17. CDSF 1987 personnel requirements breakdown Hybrid PDSS System, Air Defense BFA

#### SECTION VIII. INTELLIGENCE AND ELECTRONIC WARFARE BFA

# F-22. SYSTEM DESCRIPTION.

- a. <u>Functional Areas/BFA Supported</u>. The Intelligence and Electronic Warfare BFA is supported by the component of the TRADOC Hybrid PDSS System discussed in this section.
- b. TRADOC Centers and Schools Involved. The US Army Intelligence Center and School is the primary TRADOC organization involved directly with this component of the Hybrid System. However, close coordination is required with the Force Level Control and Maneuver BFA component of the Hybrid System, discussed in Section IV, to ensure appropriate interface and interaction under the CCS<sup>2</sup> concept.
- c. <u>Organizational Structure of the System</u>. An overview of that portion of the Hybrid System designed for supporting the Intelligence and Electronic Warfare BFA is shown in Figure F-18. This component consists of:
  - A CDSF at USAICS
  - A CDSM for ASAS who also serves as Chief of the CDSF
  - A CDSM for other BAS in this BFA.
- F-23. RESPONSIBILITIES AND RELATIONSHIPS. USAICS is proponent for the Intelligence and EW BFA and for most of the BAS in this BFA that are addressed in this study. These BAS include the ASAS and seven Category 2 systems shown in Figure F-19, and 10 Category 3 systems which are identified in Appendix C. The Intelligence and EW BFA component of the TRADOC Hybrid PDSS System illustrated in Figure F-18, has been designed to provide USAICS a capability to accomplish CD PDSS actions associated with these BAS. Figure F-20 shows the organization of this Hybrid System component in greater detail and illustrates its relationship to other elements of USAICS and TRADOC. As shown, the CDSF represents a division level element of the Directorate of Combat Developments. It is organized functionally rather than by system, although some system orientation will be necessary among individual members of the CDSF to provide specific system expertise as required. The size and structure of the CDSF is based on the assumptions that:
  - Primary responsibility for CD actions associated with the development of Intelligence and EW BFA BAS, prior to their deployment will remain with the Materiel Division, Directorate of Combat Developments.
     PDSS for these systems is the responsibility of the CDSF
  - ERADCOM-managed PDSS Centers will be established at Fort Huachuca and Fort Monmouth as provided in the PDSS Concept Plan for BAS




Figure F-18. Overview of the Hybrid PDSS
System-Intelligence and EW BFA

	INTELLIGENCE/EW BFA
FUNCTIONAL PROPONENT	BATTLEFIELD AUTOMATED SYSTEM (BAS)
USAICS	ASASALL SOURCE ANALYSIS SYSTEM (CONCEPTUAL PHASE)
USAICS	AN/MSC-67COMMUNICATIONS CENTER (COMFAC) * (VALIDATION PHASE)
USAICS	AN/TSQ-114TRAILBLAZER (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALQ-151QUICKFIX (INITIAL PRODUCTION)
USAICS	AN/TSQ-105GUARDRAIL V (PRODUCTION AND DEPLOYMENT)
USAICS	AN/ALG-133QUICKLOOK II (PRODUCTION AND DEPLOYMENT)
USAICS	SOTASSTAND-OFF TARGET ACQUISITION SYSTEM (FULL-SCALE DEVELOPMENT)
USAICS	TCAC(D)TECHNICAL CONTROL AND ANALYSIS CENTER (DIVISION) **
	O BECOME PROPONENT IME SYSTEM IS FIELDED
	EVELOPED UNDER IAW AR 105-37

Figure F-19. Intelligence and Electronic Warfare Category 1 and 2 BAS




Figure F-20. Organization structure, CDSF, Fort Huachuca

- The Simulation Systems Management Office of the Computer Systems Management Office will acquire a capability to provide automated support to simulations and analyses conducted by the CDSF to examine functional problems associated with deployed BAS and the effects of potential or proposed system changes
- The Directorate of Training Developments will have the capability to handle, in coordination with the CDSF, training development requirements resulting from CD PDSS actions involving intelligence and EW BAS
- The US Army Intelligence and Security Board will have the capability to support the CDSF in addressing testing requirements resulting from PDSS actions involving intelligence and EW BAS.

Responsibilities and functions to be performed by each element of the CDSF are discussed below.

- a. <u>Chief, CDSF and CDSM, ASAS</u>. One person holds both of these positions. As Chief, CDSF, he plans, directs, and supervises the operation of the CDSF in accomplishing all CD responsibilities for PDSS to BAS in the Intelligence and Electronic Warfare BFA. He establishes priorities and plans, programs, and allocates resources to address requirements. He serves as the primary point of contact on PDSS matters with other elements of USAICS and TRADOC, and with the ERADCOM-managed PDSS Centers at both Fort Huachuca and Fort Monmouth. He interacts with other USAICS elements who support the CDSF in various areas. These include:
  - The Directorate of Training Developments on training requirements resulting from PDSS
  - The US Army Intelligence and Security Board on system testing required as a result of PDSS actions
  - The Simulation Systems Management Office of the Computer Systems Management Office in arranging automated support to simulations and the various analyses conducted by the CDSF
  - The TSMs for ASAS, corps systems, division systems, and SOTAS on matters within the scope of their respective charters.

He interfaces with the CD PDSS LNO at Fort Monmouth (furnished by the CDSF, Fort Leavenworth) on matters involving PDSS for intelligence and EW systems that are supported by the ERADCOM-managed PDSS Center at Fort Monmouth. In his role as CDSM, ASAS, he serves as the CD for software associated with this system. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role. He is the principal field user's representative and the primary point of contact with the MD on PDSS matters affecting this system. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure F-21.

TASK AREA			1. HANAGER	·	SI	Z. ANALYS
TAAOOC RESPONSIBILITY	1. PARTICIPATE WITH MD IN DEVELOPING AND MAIN- TAINING PDSS PLANS FOR EACH BAS.	2. PARTICIPATE WITH MO IN CONFIGURATION MANAGE- HENT.	3. MANAGE CO POSS EFFORT. 1.	I, PERFORM ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. AMALYZE USER-STATED REQUIREMENTS.	3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS.
FUNCTIONS	1. PARTICIPATE IN DEVELOPMENT OF THE CRMP. 2. PROVIDE REPRESENTATION ON THE CRUG. 3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH DAS.	1. PROVIDE REPRESENTATION ON EACH BAS CCB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS FSCB. 4. PROVIDE REPRESENTATION ON ARM EACH BAS FSCB. 4. ENDON IDE REPRESENTATION ON ANY EXECUTIVE, LEYEL CCB. ESTABLISHED UNDER THE CCS <sup>2</sup> CONCEPT.	1. DETERMINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, OATA BASES, PLAN AND PROGRAM FOR RESOURCES, 3, ACQUIRE AND MANAGE RESOURCES,	1. IN CONJUNCTION WITH MO, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.  2. COGNOLINIE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM.  3. COGNOTIATE WITH MO IN MOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.  4. COGNOTIATE WITH MO ON PROVIDING SOULTON TO THE FIELD.  5. STABLESH IN GORDONATION WITH MO, PRIORITY OF CHANGE AND THE FRANKE FOR CHANGE TO BE EFFECTED.	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. COGNOINATE WITH MO RECAROING ACTION TO SATISFY 4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	I. IDENTIFY AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS. Z. DETERMINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
LIFE CYCLE STAGE WHEN FUNCTION 15 REQUIRED* CDSR AND CDSM CHIEF, CDSF AND CDSM	×× ×	×ZZ × '-~~ -	×××	X X X X X	×× ××	× ×
ASAS CDSM, SPECIFIED INTEL	×× ×	×	X X	x x x x x	<del> </del>	× ×
OYA . ZTHUR RUSTZYZ ANALYSIS BRAICH	22 z	<b>444 2</b>	×zz	* * * * *	XX XX	
CHIEF, COST AND COSM CHIEF, COST AND COSM ASSA, SPECIFIED INTEL GOST, SPECIFIED INTEL GOST SPECIFIED INTEL STATEM ROPITS TRESTING & TRAINING TRESTING & TRAINING TEAMS, INTERPRETEUTY, & TOWNEY IS ON TOWNEY OF THE TOWNEY OR TRAINING DEVELOPMENTS TOWNEY OF THE TOWNEY OF	*	7 7 7 Z	××× _	2 4 22 2		
CONFIG. CONTROL 8R. DINELIDIKALE OF	Z Z Z	777 Z	Z Z Z ×××	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
COMPUTER SYSTEMS MANAGEMENT OFFICE	z z z	7 7 7 Z	**	Z Z ZZ Z		
COMPUTER SYSTEMS COMPUTER SYSTEMS PANAGEMENT OFFICE AND SECURITY BOARD TSMS (CORPS, DIVISION, TSMS (AND ASAS)		× 44 × 4		· य य यय य य य यत य		Z Z
(2A2A GWA ,2ATQ2		177 7			72 7 7	
		111 1				
l		<u> </u>				

Figure F-21. Assignment of functions, Hybrid System--Intelligence and EW BFA (continued on next page)

į i

		<u>   </u>		
			<del></del>	++
AND SECURITY ROAM, TEMS (CORPS, DIVISION, TOTAS, AND ASAS)	××××××	××× ×	XXXX XX X XX	XX X ×
ARMY INTELLIGENCE		ZZZ Z Z	<u> </u>	ZZZZ
COMPUTER SYSTEMS  JOINTON THE MANAGEMENT OFFICE	***	Z Z Z Z Z	고고각자 각기 각 고기	22 2 z
DIRECTORATE OF TRAINING DEVELOPMENTS COMPUTER SYSTEMS COMPUTER SYSTEMS FAMAL TRIELLIGING: ABMY TRIELLIGING: AMMY TRIELLIGING: AMMY SECURITY ROBERS	1_44×4444	기 기 기 기 기 기	ययाय यय य यय	ZZ Z Z Z
HONCTION IS REGULATED TO COMPILE, COST AND IDSM .  ACASA ACASA SECTING A TRAINING ANDALYSIS BRANCH .  TESTING & TRAINING ANDALYSIS BRANCH .  TESTING & TRAINING ANDALYSIS BRANCH .  TESTING & TRAINING ANDALSIS BRANCH .  TESTING A TRAINING ANDALS BRANCH .  TESTING A TRAINING ANDALS BRANCH .  TOWN TO COMPILE, CONTROL BRANCH .  TOWN TO COMPILE, CONTROL BRANCH .  TOWN TO COMPILE, COST AND TOWN TO COMPILE.  TOWN TO COMPILE, COST AND TOWN TO COMPILE.  TOWN TO COMPILE, COST AND TOWN TO COMPILE.  TOWN T	×zzzzz×	Z × Z Z Z	ZZZZ ZZ Z ZZ	2 4 2 Z
REQUIREMENTS BR.	ZZXZXZZ	ZZZZZ	**** ** * * * * * * * * * * * * * * * *	2 2 2 2
ANALYSIS BRANCH .	XXXXXX	×ZZ Z Z	ZZXZ ZZ Z XZ	XX X Z
A EW SYSTEMS	XXXXXX	××× × ×	×××× ×× ××	× × ×
SAZA	XXXXXX	××× × ×	×××× ×× ××	×× ×
LIFE CYCLE STAGE "HEN FUNCTION IS REOU'RED"	~~~~~~	~~~ ~	2222 22 2 25	
FUNCTJONS	1. IOCHTIFY OPERATIONAL IMPACT. 2. IOCHTIFY USER-RESOURCE REGUIREMENT IMPACT. 3. IOCHTIFY TRAINING IMPACT. 4. IOCHTIFY LOGISTICAL IMPACT. 5. IOCHTIFY HOACT IN ALL PERSONNEL ASPECTS. 6. IOCHTIFY HOMAN FACTORS IMPACT. 7. IOCHTIFY SYSTEM INTEROPERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE REQUIREMENTS DOCUMENT. 2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT. 17. PROVIDE REQUIREMENT TO MD. 4. COGNOTIATE WITH MO IN ESTABLISHING CHANGE PAIDMINISTS AND OBJECTIVE LOC. DATE. 5. MAINTAIN COGNOTIMATION WITH MO DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1, COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM. 2, DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA. 3, DARTICIPATE IN DESTRIN OF THRENT SCENARIOS. 4, MONITOR DEVELOPMENT TEST (DT). 5, PARTICIPATE AS TASKED BY HODA IN OPERATIONAL. 16, PLAN AND CONDUCTED BY OIGA. 6, PLAN AND CONDUCT OTHER SYSTEM OT. 7, PLAN AND CONDUCT OR HONITOR USER ACCEPTANCE. 1ESTING. 8, EVALUATE OPERATIONAL SUITABILITY AND 8, EVALUATE SETECTIVENESS. 19, PROVIDE APPROVAL FOR SOFTHAME RELEASE TO THE FIELD.	1. HAINTAIN COMMUNICATIONS WITH USERS. 1.2. FUNCTION AS USER SUBGOCATE. 13. GEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ 1. GEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ 4. COORDINATE WITH NO ON THE SCHEDULE AND HETHODOLOGY 1. FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE 1. TO THE FIFTI
TAAGGC RESPONSIBILITY!	4. AUALYZE FUNCTIONAL IMPACT OF PROPOSED SYSTEM CHANGES.	1. DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1, MONITOR, PARTICIPATE 111, OR CONDUCT SYSTEM TESTING AS APPRO- PRIATE,	1, MAINTAIN INTEP ULTH AND PRO IL FUNCTIONAL ( JAMEE TO FIELO USERSJ
TASK AREA	S. ANELYSIS (CONTINUED).	3. SYSTEM HODIFICATION	1E211HC, 4° 2121FW	S. FIELD SUPPORT.

Figure F-21. (continued)

	<u> </u>	H	Н		_	L	L	L	L						I	$\Box$			
<del></del>	<b> </b>	Ц	Н		<b> </b>	L	L	Ļ							1	_			1
	<u> </u>	Ц	Ц		<u> </u>	Ц	L	L	L	<u> </u>					1			]	. [
		Ц	Ц				L	L	L	_									
		Ц						١.							1				
15M5 (CORPS, DIVISION, 501A5, AND ASAS)	×	×	X	Z	×	×	×	Z	×	×	Z	Z	×	×	ৰ	Z	×	. z	:
AND SECURITY BOARD	Z	Z	-	Z	Z	Z	Z	_			Z	Z	Z	Z	7	Z	7		
MANACEMENT OFFICE	z	-	-+	Z	×	Н	z	←	┡~	<u>!</u>	Z	z	Z		7	 	×		
TREINING DEVELOPMENTS	×		Н	×	×	-	Ę	×	<u> </u>	L	7	Z	Z	× 7			1	×	1
CONFIG. CONTROL BE.	<del>-</del>		гт		Z	Н	z	╌	-	×		· ~	<u> </u>		_				}.
REQUIREMENTS BR. PLANS, INTEROPERASILITY, &	2		М	Z		Z	Ĺ	1	├~	ļ	×	*	Z		Z	×	Z	Z	}
TESTING & TRAINING	×		$\vdash$	<u>×</u>	×	×	×	Ľ	Z	├	Z	Z	Z	Z		Z	Z	Z	
SYSTEM ROMIS. AND	Z	4	7	Z	<u>×</u>	×	Z	Z	×	×	2	Z	×	×	Z	×	×	×	
CDSM, SPECIFIED INTEL	×	Ľ	×	_×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	
CHIEF, COSF AND CESH SAZA	×	×	X	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	e e
LIFE CYCLE STAGE WHEN CHIEF, COST AND CESH AND SECURITY BOARD SYSTEM ROMIS, AND TRAINING DEVELORM TRAINING TRAI	~	2	7	3	~	~	-	-	E	-	2	~	-	-	H		-	3	đ
FUNCTIONS	)	DETERMINE TRAINING DEVICE REQUIREMENTS.	OCVELUP TRAINING PLAN FOR MELTING REQUIREMENTS.	4. DEVELUP AND DISINIBULE OPDATED ON NEW TRAINING LITERATURE AND MATERIALS.	5. OEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE.	6, DEVELOP TRAINING SUPPORT SOFTWARE REQUIREMENTS.		B. PARTICIPATE IN FIELD USER TRAINING AND HET.	LOENTIFY REQUIREMENTS.	2. SPECIFY IN REQUIREMENTS DOCUMENT.	1. COGROTINATE WITH HO IN PLANNING FOR REQUÍRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.	2. PROVIOE FOR "TACTICAL TAILORING" OF FIELDED SOFIWARE TO CONTINGENCY MISSION.	SPETTEY PASS RESPONSE REQUIREMENTS.	2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE POSS UNDER VARIOUS SCEMANIOS.	I, COORDINATE WITH THE MI IN PLANNING POSS SUPPORT,	DEVELOP PROCEDURAL WORK-AROUNDS WIEN SITUATION DOES NOT PERMIT SOFTWARE CHANGES.	, THROUGH FRONT-END ANALYSIS, DESIGN FLEXIBILITY INTO THE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONDUCT PERIDDIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABLITY AS CHANGES OCCUR IN TIME AT. DOCTRINE. AND OPERATIONAL REQUIREMENTS.	LNINING E POINT (SOFTHARE X = Element is responsible N = Element is not responsible 15HED)
TRADOC RESPONSIBILITY	2. DEVELOP AND MANAGE TRAINING PROGRAM RE-	QUIRED BY SYSTEM	CHANGE (EXCEPT FOR	ING (NET)).					1. JOINT AND INTER-	HATIONAL INTEROPER- ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLANNING.		1 CHEBOORT TO COLCISA					4. ASSESS CONTINUED TACTICAL SUITABILITY: OF BAS	• 1 • AINTINE AFTER POSS PLAINING 2 • AFTER SOFTWARE FREEZE POINT (SOFTWARE CONFIGURATION ESTABLISHED) 3 • AFTER FIELDING
TASK AREA			LYO	14n (03)	ל נואו רם א	31	1	٠ς									8	F. 01HE	

Figure F-21. (concluded)

- b. CDSM, Specified Intel/EW Systems. This CDSM has responsibility for all Intelligence and EW BFA BAS addressed in this study except the ASAS. He is responsible for managing and coordinating or performing all software-related actions within the CD PDSS role for these BAS. This includes planning and coordinating the activity of the CDSF in supporting these systems. He is the primary point of contact with the MD on PDSS matters involving any of these systems. He interfaces with the CD PDSS LNO at Fort Monmouth (furnished by the CDSF, Fort Leavenworth) on matters involving PDSS for intelligence and EW systems that are supported by the ERADCOM managed PDSS Center at Fort Monmouth. Specific functions with which he is involved in either a management, coordination, or performance role are shown in Figure F-21.
- c. Branch level CDSF elements. As mentioned above, this CDSF is organized functionally with three branches. All CD PDSS functions to be performed by the CDSF for all BAS in the Intelligence and Electronic Warfare BFA are allocated among these branches in a logical manner as discussed below. The names used in this report to identify the branches have been selected to be descriptive of responsibilities of each branch. These responsibilities are discussed below. Specific functions are shown in Figure F-21.
- (1) Plans, Interoperability, and Configuration Control Branch. This branch supports the Chief, CDSF in all actions related to planning, administering, and managing the CDSF operation. It supports both CDSM in all actions associated with planning PDSS support for BAS in their respective areas during both pre- and post-deployment phases of the system life cycle. The actions include planning for support, in coordination with the responsible MD, during contingencies and crisis/wartime. The branch is also responsible for CD PDSS actions associated with system interoperability and configuration management to include participation with the cognizant TSM and/or CDSM in providing representation on appropriate configuration/control boards. The branch coordinates with the CDSM in authorizing release of system change packages to the field.
- (2) <u>System Requirements and Analysis Branch</u>. This branch is responsible for all actions involving identification, analysis, and development of system functional change requirements and, in coordination with the CDSM, stating these requirements to the MD. The source of these requirements may be any system User or cognizant CD organization. They may result from any of the stimulators of change discussed in Chapter 3. Analyses conducted by the branch in examining matters such as system problems, proposed system changes, and the impact of conceptual changes in tactics or doctrine on systems may be manual, computer-assisted, or fully automated. The branch is responsible, in coordination with the appropriate CDSM, for interfacing with system Users to assist in identifying, isolating, and initiating action to correct User-reported system problems. The branch is responsible for assisting in developing functional work-around procedures, if necessary, pending problem resolution.
- (3) Testing and Training Requirements Branch. As suggested by its title, responsibilities of this branch fall generally into two functional areas-testing and training. With respect to testing, the branch is responsible for supporting the CDSM in planning, coordinating, and monitoring or conducting, all assigned CD actions associated with testing changes to BAS. Accomplishment of these responsibilities involves working closely with the MD, OTEA, the US Army

Intelligence and Security Board, TCATA, and/or other designated test activities, as appropriate. The branch is also responsible for determining the training impact of system changes and coordinating with the appropriate training developments organization(s) to initiate all actions necessary to satisfy training requirements.

F-24. ESTIMATE OF RESOURCE REQUIREMENTS. Time phased estimates of resources needed to establish the Hybrid System component supporting the Intelligence and Electronic Warfare BFA are shown below.

## a. Personnel.

Deguined	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required Military Civilian TOTAL	6 3 9	7 5 12	8 7 15	9 9 18	9 10 19	9 10 19	9 10 19
Authorized							
Military	0	0	0	0	0	0	0
Civilian	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0
Additional No	eeded						
Military	6	7	8	9	9	9	9
Civilian	3	5	7	9	10	10	10
TOTAL	9	12	15	18	19	19	19

A breakout of these personnel by CDSF element is shown below:

		PE	<u>rsonne</u>	<del>-</del>	
ELEMENT	TECH	VICAL	ADMIN	VISTRATIVE	TOTAL
	MIL	CIV	MIL	CIV	
Office of the Chief, CDSF, and CDSM, ASAS	<u> </u>	0	0	1	2
CDSM, specified INTEL/EW systems	1	0	0	. 0	1
System Requirements and Analysis Branch	3	3	0	1	7
Testing and Training Requirements Branch	2	2	0	0	4
Plans, Interoperability, and Configuration					
Control Branch	_2	2	0	_1_	_5
TOTAL	9	7	0	3	19

b. Major Items of Equipment. This CDSF requires interactive access to the computer (to be acquired) at the Computer Systems Management Office to conduct simulations and support tests and other analyses conducted by elements of the CDSF. Computer access is also required to provide linkage with the CDSF, Fort Leavenworth and other CDSFs which support one or more control systems in the CCS concept. Specific equipment required to provide this access and the capability required must be determined through further study.

- c. <u>Facilities</u>. Physical facility requirements include office space for assigned personnel, a computer terminal area, and a simulation/test/ analysis area that would accommodate 6 to 8 personnel working simultaneously. It would be desirable to collocate this CDSF with the ERADCOM-managed PDSS Center at Fort Huachuca. If collocation is not feasible, other suitable space should be selected for the CDSF that will facilitate interaction with the PDSS Center as well as other elements of USAICS.
- d. <u>Funds</u>. An estimate of funds required for the CDSF civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars.

				FUNDS RE	QUIRED (\$	000)	
	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Civilian							
Personne1	79.2	142.4	205.6	253.2	269.2	269.2	269.2

Funds needed for equipment and physical facilities are dependent upon development of specific requirements and plans addressing these areas. SECTION IX. COMBAT SERVICE SUPPORT BFA--US ARMY LOGISTICS CENTER

### F-25. SYSTEM DESCRIPTION.

A TOTAL COMMENT OF THE PARTY OF

- a. <u>Functional Areas/BFA Supported</u>. The component of the TRADOC Hybrid PDSS System described in this section is designed to provide an improved PDSS capability for that part of the Combat Service Support BFA for which the US Army Logistics Center (LOGCEN) is responsible.
- b. TRADOC Centers and Schools Involved. The LOGCEN and the US Army Ordnance Center and School, over which the LOGCEN exercises an integrating center role, are directly involved with this component of the Hybrid PDSS System. In addition, close coordination is required between this Hybrid System component and those components of the system supporting the Combined Arms Center and the Soldier Support Center described in Sections IV and X, respectively. This coordination is required for a number of reasons but in particular to ensure appropriate interface and interaction among these organizations in managing and intefacing the CSS control system under the CCS Concept. No requirement exists for a PDSS capability, at other centers and schools (Missile and Munitions, Transportation, and Quartermaster) associated with the LOGCEN in the CCS BFA at this time.
- c. Organizational Structure of the System. An overview of that portion of the Hybrid System addressed in this section is shown in Figure F-22. As shown, this component consists of:
  - A CD PDSS Staff Element at the LOGCEN
  - A CDSM for each logistics system addressed in this study
  - An Action Officer augmentation to existing divisions of the Management Information Systems Directorate for handing PDSS functions.

This system and each of its elements is discussed in further detail in the paragraphs that follow.

F-26. RESPONSIBILITIES AND RELATIONSHIPS.

#### a. LOGCEN.

(1) <u>System Responsibilities</u>. The LOGCEN is the TRADOC proponent for all logistics systems addressed in this study. These systems are shown in Figure F-23. Included among these systems is the CSS Control System for which the LOGCCI has been tasked to take the lead\_role in developing the requirements functional design, under the CCS Concept. (The Soldier Support Center and Academy of Health Sciences have been tasked to develop their respective inputs to this CCS Control System design effort.) The LOGCEN's responsibilities for these systems include actions associated with all aspects of the Combat Developer's role in all phases of the system life cycle including PDSS. While the LOGCEN has been involved for many years in performing CD PDSS functions for logistics systems already deployed, the




Figure F-22. Overview of the Hybrid PDSS System-CSS BFA--logistics area

<u> </u>	BATTLEFIELD
FUNCTIONAL PROPONENT	AUTOMATED SYSTEM (BAS)
'LOGCEN/ DCSLOG	DSU/GSU->DIRECT SUPPORT UNIT GENERAL SUPPORT UNIT (OPERATION)
USAŠC	DLDED (DEFINITION/DESIGN)
LOGCEN/ DCSLOG	SAMSSTANDARD ARMY MAIN- TENANCE SYSTEM (CONCEPT DEVELOPMENT)
LOGCEN/ DCSLOG	DLOGSDIVISION LOGISTICS SYSTEM (MAINTENANCE)
LOGCEN/ DCSLOG	MRMMAINTENANCE REPORTING AND MANAGEMENT (OPERATIO:)
LOGCEN/ DCSLOG	SAAS-3STANDARD ARMY AMMUNITION SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	SAILSABX STANDARD ARMY INTERMEDIATE LEVEL SUPPLY (OPERATION)
LOGCEN/ DCSLOG	DS4DIRECT SUPPORT STANDARD SUPPLY SYSTEM (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	PHOENIX (OPERATION)
LOGCEN	CSS CONTROL SYSTEM FOR CCS2 (CONCEPT DEVELOPMENT
LOGCEN/ OCSLOG	DASPSDA STANDARD PORT SYSTEM (OPERATION)
LOGCEN/ DCSLOG	DASPS-EDA STANDARD PORT SYSTEM ENHANCED (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	TOPSTRANSPORTATION OPERATIONAL PERSONNEL PROPERTY STANDARD SYSTEM (SYSTEM DEVELOPMENT)
DCSLOG LOGCEN/	DAYMSDA MOVEMENT MANAGEMENT SYSTEM SUBSYSTEM 1: CMM CARGO MOVEMENT MODULE (SYSTEM DEVELOPMENT/ MAINTENANCE) SUBSYSTEM 2: MPM MOVEMENT PLANNING MODULE (SYSTEM DEVELOPMENT)
LOGCEN/ DCSLOG	DAS-3DECENTRALIZED AUTOMATED SERVICE SUPPORT SYSTEM (DEPLOYMENT)

Figure F-23. Logistics systems

projected deployment of new systems and the further extension of some currently fielded systems requires that the current PDSS capability be improved. The Hybrid PDSS System illustrated in Figure F-22, has been designed to provide the needed enhancement in the LOGCEN's current PDSS capability.

- (2) Hybrid System design and responsibilities of organizational elements. An objective in designing this proposed enhancement to the PDSS capability at the LOGCEN was that it should require minimum change to the existing organizational structure and to the long-standing and effective operating procedures currently followed at the LOGCEN. The Hybrid System shown in Figure F-22 resulted from this design effort. The elements of this Hybrid System and their relationship to the existing organizational structure are shown in more detail in Figure F-24. This structure and the responsibilities and functions of each element are discussed in the following paragraphs.
- (a) <u>CD PDSS Staff Element</u>. This staff element represents the focal point for coordination of all PDSS requirements and activities at the LOGCEN. It is organized as an element of the Management Support Office in the Management Information Systems Directorate. The head of this staff element would serve as the primary point of contact in coordinating PDSS maters with other elements of the LOGCEN, other organizations of TRADOC, and with the CSC-managed PDSS Center at Fort Lee. He coordinates PDSS requirements and actions among the operating elements of the Management Information Systems Directorate (MISD) and the Concepts and Doctrine Directorate. He supports these organizations administratively in accomplishing PDSS actions on systems for which they are responsible. Specific functions of this staff element are shown in Figure F-25.
- (b) <u>CDSM for each logistics system</u>. At present, selected staff officers within the Field Systems and Supply Systems Divisions are designated as Project Officers for automated logistics systems. In keeping with the objective, stated above, of minimizing changes to current organization and operating procedures, this Hybrid System provides for designating these same project officers the CDSM for the system(s) for which they are currently responsible. In this role, these officers serve as the CD for PDSS associated with their respective system(s). They are responsible for managing and performing or coordinating the performance of all software-related actions within the CD PDSS role. Each CDSM is the principal field User's representative and the primary point of contact with the MD on PDSS matters affecting his system. Specific functions for which each CDSM is responsible in either a management, coordination, or performance role are shown in Figure F-25.
- (c) PDSS Action Officer augmentation to the Field Systems and Supply Systems Divisions. This Hybrid System provides that CD PDSS actions will continue to be accomplished by system personnel in each of these MISD divisions, as they are at the present time. They would be accomplished




Figure F-24. Elements of the Hybrid PDSS System-+LOGCEN

				.		
· ·				111		
	<del> - </del>			<del>-                                    </del>		
	<del>-    </del>					
				<del></del>		<del>                                     </del>
					<del>                                     </del>	<u> </u>
LIONS DIA CED DIK				<del></del>		
MIS DIRECTORATE AUTOMATION & COMMUTCA- TIONS DIV. CAD DIR.	ZZ X	<del>-   -   -   -  </del>	<del></del>	Z Z Z Z Z		<del>!</del>
FIELD SYSTEMS DIVISION, MIS DIRECTORATE SUPPLY SYSTEMS DIVISION,	ZZ ×	XXX Z	×××	x x x x x	<del>                                     </del>	××
FIETE SYSTEMS DIVISION.	22 ×	XXX Z	×××	<u> </u>	<del></del>	
PDSS STAFF ELEMENT	ZZ ×	z z z ×	×××	z z ×× z	XZ XX	ZZ
LIFE CYCLE STAGE WHEN			- - -	~ ~ ~ ~ ~	~~	~ ~
FUNCTIONS	I PARTICIPATE IN DEVELOPMENT OF THE CRAP.  2. PROVIDE REPRESENTATION ON THE CRAG.  3. PARTICIPATE IN DESIGNATION OF POSS CENTER FOR EACH  BAS.	1. PROVIDE REPRESENTATION ON EACH BAS CEB. 2. PROVIDE REPRESENTATION ON EACH BAS SSCB. 3. PROVIDE REPRESENTATION ON EACH BAS SSCB. 4. PROVIDE REPRESENTATION ON EACH BAS ESCB. 5. PROVIDE REPRESENTATION ON EACH BAS ESCB. 5. TABLES ONDER THE CCS. CONCEPT.	1. DETERNINE REQUIREMENTS (PERSONNEL, EQUIPMENT, FACILITIES, SIMULATION MODELS AND DEVICES, AND A MARGE AND SPROGRAM FOR RESOURCES, A RESURE AND MARGE RESOURCES, A REQUIRE AND MARGE RESOURCES.	1. IN CONJUNCTION WITH MO, DETERMINE IF SOURCE OF PROBLEM IS SUICTIONAL OR TECHNICAL  2. COORDINATE WITH MO ON ACTION REQUIRED TO ADDRESS THE PROBLEM IS OF THE USER OF THE US	1. RECEIVE REQUIREMENT FROM USER. 2. ESAMINE UASIS FOR REQUIREMENT. 3. CORROINATE WITH MO RECARDING ACTION TO SATISFY YALIDATED REQUIREMENT. 4. INFORM USER OF PLANKE DISPOSITION OF REQUIREMENT.	1. IOEMITY AND DEVELOP POTENTIAL CONCEPTUAL CLANGES AND EXAMINE THEIR IMPACT ON AFFECTED SYSTEMS.  Z. OFTEMINE THO EXAMINE IMPACT ON SYSTEM INTEROPERABLLITY DASELINE.
TRADOC RESPONSIBILITY	1. PARTICIPATE WITH MO IN DEVELOPING AND MAIN- TAINING POSS PLANS FOR EACH BAS.	PARTICIPATE WITH MO IN CONFIGURATION MANAGE- MENT.	. MANAGE CD POSS EFFORT.	. PERFORI ANALYSIS OF BAS SOFTWARE PROBLEM REPORTS.	2. AIALYZE USER-STATED REQUIREMENTS.	3. ANALYZE FUNCTIONAL IMPACT OF CONCEPTUAL CHANGES ON SYSTEMS.
TASK AREA		<u> </u>	1. KAILAGENE	=		S. ANALYS
TASK ADEA	L		AND A VENE		31	27 ITHE 6

Figure F-25. Assignment of functions, Hybrid System--CSS BFA, Logistics Center (continued on next page)

HIS DIRECTORATE AUTOMATION & COMMUNICA- AUTOMATION & COMMUNICA- AUTOMATION & COMMUNICA- AUTOMATION ACTOMATICA- AUTOMATION ACTOMATICA- AUTOMATION AUTOMATION AUTOMATION AUTOMATION AUTOMATION AUTOMATION AUTOMATION AUTOMATION	z z z z z z z z z x × × × ×	Z Z Z Z Z ×××	Z Z Z Z Z Z Z Z Z Z X X X X X X X X X X	2 Z Z Z X X
LIFE CYCLE STAGE WHEN FUNCTION 15 REOUIRED POSS STAFF ELEMENT ' FIELD SYSTEMS DIVISION, MIS DIRECTORATE	X X X X X X X X X Z Z Z Z Z Z Z Z Z X	××× × × z z z z × ~ ~ ~ ~ ~	XXXX X X X X X Z Z Z Z Z Z Z Z X X X X	x x x
FUNCTIONS	1. IDENTIFY OPERATIONAL IMPACT. 2. IDENTIFY USER-RESOURCE REQUIREMENT IMPACT. 3. IDENTIFY RAINING IMPACT. 4. IDENTIFY IMPACT. 5. IDENTIFY IMPACT. 6. IDENTIFY IMPACT. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	OF THE REQUIREMENT OF COLUMENT OF THE REQUIREMENT.  2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT.  3. PROVIDE REQUIREMENT TO MO.  4. COROLINATE HIS MO. IN ESTABLISHING CHANGE  5. MAINATHES AND OBJECTIVE JOE DATE.  5. MAINTAIN COORDINATION WITH MO DURING DEVELOPMENT  OF CHANGE TO CLANIFY REQUIREMENTS AS REQUIRED.	1. COGRDINATE T:PE/DEGREE OF TESTING NECESSARY FOR EACH 1259/ER REYISTON OF SOFTWARE ROGGAM. 2. DEVELOP SYSTEM CAMBE TEST COMBITIONS AND CRITERIA. 3. DARTICIPATE TH LESTEN OF THREAT SCENARIOS. 4. WALLOR OF VELOPHENT TEST TOTAL. 5. PARTICIPATE AS TAKED BY MODA IN OPERATIONAL LESTING. OIL COMBOUTED BY DITA. 6. PLAN AND COMBOUT DIMER SYSTEM OI. 7. PLAN AND COMBOUT OF MONITOR USER ACCEPTANCE TESTING. 9. FOR AND COMBOUT OF MONITOR USER ACCEPTANCE TESTING. 9. EFECTIVE OPERATIONAL SUITABILITY AND COMBOUT OF SOFTWARE RELEASE TO THE FIELD.	1), MAINTAIN COMMUNICATIONS WITH USERS, 2, EUNCTION AS USER SUBROGATE. 3, DEVELOD AND PROVIDE GLORACE ON DOCTRIAL/ I ACTICAL ASPECTS OF SYSTEM ENLOYMENT. 4, COORDINATE WITH NO ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE 10 THE FIELD.
TRADOC RESPONSIBILITY:		I, DEVELOP FUNCTIONAL CHANGE REQUIREMENT.	1. MONITON, PARTICIPATE 1111, OR COIDUCT SYSTEM 1ESTING AS APRO- PRIATE.	I, MAINTAIN INTERFACE UITH AND PROVIDE FUNCTIONAL GUIDANCE TO FIELD USERSJ
A38A A2AT		3. SYSTEM MODIFICATION	4. SYSIEM. TESTING	S. FIELD SUPPORT.

Figure F~25. (continued)

TIDMS DIV, CED DIP,	7 7		Z Z 1		7	77.7		Z	Z	Z	7	Z			
SUPPLY SYSTEMS DIVISION, -	×		×××	+-+	_	ZZ	×	×	×	×		×	×	3	7 )
FIELD SYSTEMS DIVISION.	× >	++-	× ××	44	_	ZZ	×	×	×	×	×	×	×	>	1 1
FUNCTION 15 REQUIPED*	Z 2	17	K Z Z	Z	×	Z Z	×	×	×	×	×	z	z	>	
LITE CYCLE STAGE WHEN	1 ~ ~		2 2	1	դ-	1	-		-	_	4	-		3	a g
FUNCTIONS	1. DETERMINE TRAINING/RETAINING DEVELOPMENT REQUIREMENTS. 2. DETERMINE TRAINING DEVICE REQUIREMENTS.	3. DEVELOP TRAINING PLAN FOR HEFTING REQUIREHENTS.  4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING.	5. DEVELOR TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE. 6. DEVELOP TRAINING SUPPORT SOFTWARE REGULAREMENTS.	2. VALIDATE/VERIET TRAINING MATERIALS.	1. IDENTIFY BEOLIBEMENTS	2. SPECIFY IN REQUIREMENTS DOCUMENT.		2. PROVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION.	1. SPECIFY POSS RESPONSE REQUIREMENTS.	2. EXAMINE ALTERNATIVES FOR PROVIDING THE MOST TIMELY AND EFFECTIVE PDSS UNDER VARIOUS SCENARIOS.	1. COORDINATE WITH THE MU IN PLANKING POSS SUPPORT, 4. DEVELOP PROCEDURAL WORK-AROUNDS MIEM SITUATION		3. IMMODINE SOFTWARE TO ALLOW FIELD USER RESPONSE TO ANTICIPATED CONTINGENCIES.	1. CONDUCT PERIODIC REEVALUATIONS OF BAS TO DETERMINE CONTINUED TACTICAL SUITABILITY AS CHANGES OCCUR IN THREAT. DACTRINE AND OPPRATIONAL REDUIDSHENTS	R POSS PLANNING  REFREEE POINT (SOFTWARE X = Element is responsible and capable in ESTABLISHED)  N = Element is not responsible in the capable in the capabl
<b>–</b> 1	2. DEVELOP AND MANAGE TRAINING PROGRAM RE- QUIRED BY SYSTEM	CHANGE (EXCEPT FOR NEW EQUIPMENT TRAIN- ING (NETX)			1. JOINT AND INTER-	NATIONAL JIJTEROPER- ABILITY REQUIREMENTS.	2. SUPPORT TO CONTINGENCY PLANNING.		3. SUPPORT TO CRISIS/	WARTIME OPERATIONS.				4. ASSESS CONTINUED TACTICAL SUITABILITY: OF BAS.	FIER SOFTEN ONFIGURATION FIER FIELD
TASK AREA		£0440	CONTINU	) . ,		1	·						83	HTO .8	

Figure F-25. (concluded)

under the control and supervision of the CDSM for each system. To provide an improved capability to handle the increased PDSS requirements associated with new systems projected for fielding and systems currently fielded but being extended to additional users, this Hybrid System provides for a personnel augmentation to each operating division of MISD. It is envisioned that these personnel would be integrated into the existing branch structure of these divisions and assigned responsibility for PDSS functions. The functions to be performed are shown in Figure F-25. No requirement for a personnel augmentation to the Concepts and Doctrine Directorate for handling PDSS actions is foreseen or provided for in this Hybrid System. Except for PDSS planning during system design, it is assumed that PDSS for all systems will be the responsibility of MISD.

b. <u>US Army Ordnance Center and School</u>. The Ordnance Center is proponent for two Category 3 BAS, the Biological Detector (XM-19-XM-2) and the Chemical Agent Alarm Remote Sensing (XM-21). PDSS for these two BAS is to be provided by the ARRADCOM PDSS Center at Picatinny Arsenal. System Action Officers at the Ordnance Center will have primary responsibility for CD PDSS actions associated with these two systems. To support these Action Officers and provide direct interface with the system developer, this Hybrid PDSS System provides for a CD PDSS LNO from CACDA to be located at the ARRADCOM PDSS Center at Picatinny. This LNO will coordinate requirements of the Ordnance Center and interface with the ARRADCOM system developers on PDSS actions associated with these two systems.

F-27. RESOURCES. Time-phased estimates of resources needed to establish this Hybrid PDSS System component for support of the logistics portion of the CSS BFA are shown below.

# a. Personnel.

Dogui nod 1	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Required' Military	33	33	34	36	36	38	38
Civilian	78	78	79	83	83	85	85
TOTAL	111	111	113	119	119	123	123
Authorized							
Military	30	30	30	30	30	30	30
Civilian	72	72	72	72	72	72	72
TOTAL	102	102	102	102	102	102	102
Additional No	eeded						
Military	3	3	4	6	6	8	8
Civilian	6	6	7	11	11	13	13
TOTAL	9	9	11	17	17	21	21

Not limited to PDSS personnel; includes all personnel in MISD directly involved in systems development and life cycle management.

A breakout of these additional personnel requirements by organizational element is shown below:

ELEMENT	TECHI	NICAL	PERSON ADMINI	INEL STRATIVE	TOTAL
<del></del>	MIL	CIV	MIL	CIV	
CD PDSS STAFF ELEMENT	2	2	0	1	5
FIELD SYSTEMS DIVISION	4	6	0	0	10
SUPPLY SYSTEMS DIVISION	2	4	0	0	6
TOTAL	8	12	0	1	21

1

11

- b. <u>Facilities</u>. Physical facility requirements include office space for the five member CD PDSS Staff Element and the PDSS personnel augmentations to the Supply Systems and Field Systems Divisions.
- c. <u>Major Equipment</u>. A terminal is needed to the TRADOC Data Processing Field Office computer at Fort Leavenworth to facilitate interaction with the CACDA CDSF in designing, managing and exercising configuration control over the major command and control BAS under the CCS<sup>2</sup> Concept.
- d. <u>Funds</u>. An estimate of funds required for the additional civilian personnel requirements identified above is shown below. This estimate is in FY 81 constant dollars and is based on an average cost of \$31.6 K for technical-level personnel and \$16.0 K for administrative personnel.

			FUNDS REQ	UIRED (\$0	000)		
Civilian	FY 81	FY 82	FY 83	FY 84	FY 85	FY 86	FY 87
Civilian Personnel	189.6	189.6	221.2	332.0	332.0	395.2	395.2

A CONTRACT OF THE PARTY OF THE

SECTION X. COMBAT SERVICE SUPPORT BFA--US ARMY SOLDIER SUPPORT CENTER F-27. SYSTEM DESCRIPTION.

- a. <u>System Purpose and Scope</u>. The Hybrid PDSS System described in this section is intended to adequately fulfill all Combat Developer PDSS functions for the Soldier Support Center, into at least the late 1980's. This Hybrid PDSS System has been structured without reference to resource constraints. This system is based on comparison of the Baseline and Theoretical PDSS Systems. The basic structure of the Theoretical System was retained in this Hybrid System. During design of this Hybrid System, however, some consideration was given to ways in which resource requirements might be reduced. This system is basically a TRADOC system, although it must interact with, and is heavily dependent on, non-TRADOC elements.
- Principal System Elements and Features. This Hybrid System for providing PDSS in the Soldier Support Center portion of the Combat Service Support BFA is centered on a new element. This element, a Combat Developer Support Element (CDSE), would assume all PDSS responsibilities of the existing Management Information Systems Division within the Directorate of Combat Developments at Fort Benjamin Harrison, Indiana. The new element (CDSE) would also be subordinate to that directorate, in the US Army Institute of Personnel and Resource Management. The new element is termed a CDSE, rather than a Combat Developer Support Facility, since it is not anticipated that any Materiel Developer (MD) PDSS Center will be located at Fort Benjamin Harrison. Such a PDSS Center will instead be located at US Army Computer Systems Command facilities at Fort Belvoir, VA. Accordingly, a Combat Developer PDSS Liaison Office (CD PDSS LNO) from the CDSE at Soldier Support Center will be located at the Fort Belvoir PDSS Center of the MD, in this Hybrid System. This Liaison Office will interface and coordinate interaction with both the TACMIS Project Office (MD for DLDED, DAS3, and related systems) and the Personnel Systems Division, Personnel and Force Accounting Directorate (MD for SIDPERS, VFDMIS, etc.), of Computer Systems Command. A second Liaison Office (CD PDSS LNO) from the CDSE at Soldier Support Center will be located at the US Army Military Personnel Center (MILPERCEN) facilities in Alexandria, VA. This Liaison Office (a similar element already exists) will coordinate interaction with the Field Military Systems Branch, Field Activities Division, Personnel Management Systems Directorate, MILPERCEN. The Field Military Systems Branch is the proponent agency for SIDPERS and has responsibility for its functional design, development, implementation, and maintenance, for all changes which are anticipated not to exceed a cost of \$100K. The Hybrid PDSS System for the Soldier Support Center portion of the CSS BFA is organized to permit additional liaison offices to be established as necessary, and for growth to occur in the CDSE and its remote elements in the event that Soldier Support Center responsibilities for PDSS should increase. Such increases may occur as a result of potential charter adjustments vis-a-vis MILPERCEN, or through events which may evolve within the existing charters. Relationships between the CDSE at Soldier Support Center and the CDSM for  $_2$ Force Level and Maneuver Control at CACDA, Fort Leavenworth, and with the AC $^2$ MP Branch within the Automation and Communications Division of the Concepts and Doctrine Directorate at the Logistics Center, are seen to require special communications capabilities, but not remote liaison offices. Normal communications and travel are seen

as adequate for relationships between the CDSE and the Systems Design Branch of the Academy of Health Sciences, and other interfacing elements. A need is not seen for the CDSE to dispatch Combat Developer PDSS Forward Support Teams (CDFSTs) to User units, unless the responsibilities of Soldier Support Center are considerably broadened. Normal communications and occasional travel of selected members of the CDSE staff should suffice. The principal elements and interfaces involved in the Hybrid PDSS System are outlined in Figure F-26, which also provides a type of system overview.

c. CDSE Structure. The structure of the CDSE which is central to this Hybrid PDSS System is outlined in Figure F-27. This is a relatively simple and rudimentary structure which reflects the rather limited PDSS responsibilities currently borne by the Soldier Support Center (SSC). This structure does provide, however, a nucleus which could be expanded rapidly in response to any significant increase in SSC PDSS responsibilities. The structure consists of a Chief, Soldier Support CDSE, reporting to the Directorate of Doctrine and Combat Development. Under the Chief are three functionally-oriented branches--CDSE Management, Facility Support and Analysis, and CD PDSS LNO Support--which are primarily embryonic elements in which planning and anticipating possible future needs is a principal current function. The CDSM, Personnel Systems is also Deputy Chief of the CDSE, but is largely free of such administrative burdens and concentrates on operating what is essentally a fourth branch. Within this branch are focal points for PDSS activities relating to four BAS or BAS groups in which Soldier Support Center currently has a limited degree of responsibility. The first of these, Software Conversion, involves a degree of CD participation, from a PDSS viewpoint, in conversion of several fielded personnel software elements to operate on new hardware. The second item, CCS Subsystem, involves PDSS aspects of development of the Personnel Subsystem for the CSS Control System for the CCS' concept under the Force Level Control System, whose CDSM is at Fort Leavenworth. The third item, New Personnel System, involves PDSS aspects of a system being conceived to replace SIDPERS. The New Personnel System will interface with the Theater Army Medical Management Information System (TAMMIS), which is in the conceptual stage. The fourth and last item, Other Systems, involves monitoring and coordinating responsibilities pertaining to several BAS, including SIDPERS, SIDPERS Wartime, a related Personnel Software Package for DLDED, the Prisoners of War Information System (PWIS), VFDMIS, TAPER and TAPER Wartime, VTAADS, and OESS. Any changes to SIDPERS software which are anticipated to cost over \$100K would be a responsibility of SSC under this fourth item. The functions of the elements of this structure are discussed further in the next paragraph.

#### F-29. RESPONSIBILITIES AND RELATIONSHIPS.

a. <u>CDSE</u>. The overall mission of the Soldier Support CDSE is to insure that all CD PDSS responsibilities which are assigned to Soldier Support Center are adequately fulfilled for the personnel and administration portion of the Combat Service Support (CSS) BFA. The responsibilities and functions of the elements of this CDSE are outlined below.




Figure F-26. Principal Elements, Theoretical PDSS System for SSC





Figure F-27. CDSE structure, Hybrid PDSS System for Soldier Support Center



- (1) Chief, Soldier Support CDSE. The Chief, Soldier Support CDSE, is the principal administrator of PDSS functions at Soldier Support Center. He reports to the Director, Doctrine and Combat Developments, US Army Institute of Personnel and Resource Management. The Chief is responsible for carrying out the overall mission of the CDSE, using the resources at his disposal, and through close cooperation with the various external elements with which the CDSE interfaces.
- (2) CDSM, Personnel Systems. The CDSM, Personnel Systems is the focal point and principal interface for all substantive TRADOC PDSS actions relating to BAS for which Soldier Support Center is assigned or allocated PDSS responsibilities. Because of the currently limited nature of those responsibilities, a single CDSM is designated, and he also serves as deputy to the Chief, Soldier Support CDSE. The office of the CDSM provides a nucleus that can be expanded with additional CDSMs, if future responsibilities require expansion. The CDSM, Personnel Systems has a small staff organized in four sections on the basis of BAS or groups of BAS, as appropriate. In performing CD PDSS functions which may be required by the BAS under the monitorship or purview of the Soldier Support CDSE, the CDSM and his staff are assisted by the resources of the other CDSE branches. When necessary, those resources may be temporarily augmented by, or additional assistance may be obtained from, resources at other locations. The CDSM will maintain close contact and freely exchange information with the BAS PDSS Analysis Resources Coordination Branch and the BAS PDSS Test & Evaluation Resources Coordination Branch at CACDA, Fort Leavenworth, to facilitate appropriate mutual use of resources.
- (3) <u>CDSE Management Branch</u>. The CDSE Management Branch assists the Chief and the CDSM in planning and managing the CDSE. This branch is responsible for anticipating the workload of the CDSE, and for recommending, developing, coordinating, and maintaining appropriate plans for the necessary resources, to include training. This branch also is responsible for maintaining necessary documentation and records, recommending and developing CDSE policies, and helping to insure that CDSE operations are in concert with other PDSS operations and policies throughout TRADOC and the Army.
- (4) <u>Facility Support and Analysis Branch</u>. The Facility Support and Analysis Branch is responsible for anticipating and planning for meeting the facility, equipment, and related support needs of the CDSE, including any needs that may arise for computer support, modeling, simulation, testing or analysis of BAS software. This branch will support or effect support of any special communications capabilities needed by the CDSE. The resources of this branch may be temporarily augmented or assisted, as noted in paragraph (2), above.
- (5) <u>CD PDSS LNO Support Branch</u>. The CD PDSS LNO Support Branch is responsible for supporting and providing Combat Developer PDSS liaison teams or offices as needed to accomplish effectively the mission of the CDSE.

Combat Developer PDSS liaison offices (CD PDSS LNO) are currently seen as needed at both MILPERCEN, Alexandria, VA, and at US Army Computer Systems Command, in the vicinity of Fort Belvoir, VA.

F-30. SYSTEM CAPABILITIES. The Hybrid PDSS System for Soldier Support Center is designed to adequately fulfill all Combat Developer PDSS responsibilities that can be foreseen at this time, into at least the late 1980's. System capabilities are based on currently perceived responsibilities, whose extent is subject to potential change. Therefore, the system is designed with a capability for expansion to meet new responsibilities, should the need arise. Accordingly, Figure F-28, which lists the 64 TRADOC principal PDSS functions, is used here only to show, by "X" entries, which elements in the Hybrid System are responsible for fulfilling those functions.

# F-31. SYSTEM RESOURCE REQUIREMENTS.

- a. <u>Personnel</u>. An estimate has been made by the study team of the personnel needed to staff the Hybrid PDSS System for Soldier Support Center. This estimate is based upon the currently perceived PDSS responsibilities of the Soldier Support Center and a consideration of each of the system structural elements discussed in the preceding paragraphs. The estimated personnel requirements were derived without reference to any resource constraints. The resulting numbers are shown in Figure F-29. A breakout of the 1986/7 numbers, by CDSE element, is provided in Figure F-30. The estimates remain the same as those shown for the Theoretical System, because both structures are skeletal. The Hybrid System, however, offers greater flexibility to meet temporary needs for more resources, by sharing resources at or from other locations.
- b. <u>Civilian Personnel Costs</u>. Costs of the civilian personnel portion of the estimated personnel requirements are futher estimated, in constant FY 81 K dollars, based on an assumed cost of \$31.6K per managerial/technical man year and \$16.0K per clerical/technician man-year, including 10% overhead loading. These cost estimates are:

CIVILIAN	FY 81	<u>FY 82</u>	<u>FY 83</u>	(\$000) FY 84	FY 85	FY 86	<u>FY 87</u>
PERSONNEL COSTS	316.8	316.8	316.8	316.8	316.8	316.8	316.8

į

-NIRECTORATE OF TRAIN- (GTG) THAMAQJAYAG ANI					
LNO SUPPORT BRANCH	×× ××	×	XXXX	XX	
FACILITY SUPPORT AND ANALYSIS BRANCH		××			××
COSE MANAGEMENT BRANCH		XXX	<del></del>		
COSM, PERSONNEL SYSTEMS	XX XXXX	×     ××	<u> </u>	*	XX
LIFE CYCLE STAGE WHEN CHIEF, COSE	× ×	XX	N N N N	'nn 7'n	~ ~
FUMCT10MS	<u> </u>	- 26	1. IN CONJUNCTION WITH MD, DETERMINE IF SOURCE OF PROBLEM IS FUNCTIONAL OR TECHNICAL.  2. COORDINATE WITH MD ON ACTION REQUIRED TO ADDRESS THE PROBLEM.  3. COORDINATE WITH MD IN NOTIFYING THE USER OF RECEIPT AND PLAN OF ACTION ON TROUBLE REPORTS.  4. COORDINATE WITH MO ON PROVIDING SOUTHON TO THE FIELD.  5. ESTABLISH, IN COORDINATION WITH MD, PRIORITY OF CHANGE AND TIME FRAME FOR CHANGE TO BE EFECTED.	1. RECEIVE REQUIREMENT FROM USER. 2. EXAMINE BASIS FOR REQUIREMENT. 3. COGROINATE WITH NO REGARDING ACTION TO SATISFY VALIDATED REQUIREMENTS. 4. INFORM USER OF PLANNED DISPOSITION OF REQUIREMENT.	1. IDENTIFF AND DEVELOP POTENTIAL CONCEPTUAL CHANGES AND EXMINE THEIR IMPACT ON AFFECTED SYSTEMS. D C. DETERHINE AND EXAMINE IMPACT ON SYSTEM INTEROPER- ABILITY BASELINE.
TRADOC RESPONSTBILITY	1. PARTICIPATE WITH NO IN DEVELOPING AND WAIN- TAINING POSS PLANS FOR EACH BAS. 2. PARTICIPATE WITH NO IN COMFIGURATION MANAGE. MENT.	3. MANGE CO POSS EFFORT,	1. Per <u>tora Analysys of</u> Bas software problem Reports.a	Z. ANALYZE USER-STATED) REQUIREMENTS,	3. AMLEZE FUNCTIONAL IMPACT OF CONCEPTUAL: CMANGES ON SYSTEMS!
JASK AREA		1. HANAGENENT.		.S19	S. ANALYS

Figure F-28. Assignment of functions, Hybrid System--Soldier Support Center (continued on next page)

	1	1		Ц	$\perp$	<b> </b>	Ц	Ц				Ц	$\downarrow$	L	1	1		_			Ц		
	4	╀	Ļ	Н	1	<b> </b>	Н	L	-		<u> </u>	Ц	4	1	4	4	_	_	Ц		Ц	_	
	1	ļ	Ļ	Ц	$\downarrow$	Ŀ	Ц				<u> </u>	Ц	Ц	L	4	1			Ц	L	L		
	$\perp$	L	L	Ц	$\perp$	<u> </u>	Ц					Ц	$\downarrow$	L	1	1			Ц		Ц		
	$\sqcup$	ļ	L	Ц	$\downarrow$	_	Ц	L				Ц	1	L	1	1		<u>.                                    </u>	Ц	L	Ц		<u> </u>
·	Ц	1	L	Ц	$\perp$		Ц	L				Ц		L		1		L	Ц	L			
	Ц	L	L	Ц	$\perp$	L	Ц				L_	Ц	1	Ļ	4	1			Ц	L	Li		
·		L					ŀ				<u>_</u> .			L		1					L		
·		I	Į		ightharpoons									floor		Ţ							
	Ц	$\downarrow$	L	Ц	$\perp$	_	L	Ļ			L_	Ц	Ц	$\perp$	4	1		L_	Ц	_	Ц		
DIRECTORATE OF TRAIN- ING DEVELOPMENT (DTD)	Ц	$\downarrow$	L	Ц	1	<u> </u>	L	L			<u> </u>	Ц		$\perp$	4	1		L	Ц	L	Ц		
LNO SUPPORT BRANCH	L!	虲	1	Ц	$\perp$	_	L	X	×	X	L	Ц		1			_		L		Ц		
FACILITY SUPPORT AND PARKEN	X	1	Ł	Ц	1	4 >	٩×	Ĺ	L		×	X		L	$\downarrow$	1		_	L	L	L		
CDSE MANAGENENT BRANCH	Ц	1	L	Ц	L		L	L				Ц	Ц	L		1		L		L	Ц		
CDSM, PERSONNEL SYSTEMS	×	4	₫×	X	×	<u> </u>	╄	Ł	×	×	×	IX		1	×	1		×	X	X	X	_	
CHIEF, COSÉ	Ц	ļ	L	Ц	1	<u> </u>	Ľ	2	4		L_	Ц	Ц	$\perp$	1	1		_	×	L	L		
LIFE CYCLE STAGE WHEN FUNCTION IS REQUIRED.	7	上	<u> </u>		가	10	~	~	~	٤-	~	~	~	1	~	1	2	~		<u>.</u>		*	3
FUMCT <u>10</u> HS।	11-1-	A INFINITE TOTAL MODEL TOTAL T	TOENTIFY	TOENTIFY	6. IDENTIFY HUMAN FACTORS IMPACT. 7. IDENTIFY SYSTEM INTEROPERABILITY IMPACT.	1. DEFINE REQUIREMENT IN APPROPRIATE REGILEMENTS COCHIEFET	2. SPECIFY ANY INTEROPERABILITY CHANGE REQUIREMENT.	13. PROVIDE REDUIREMENT TO MD.	4. COORDINATE WITH MO IN ESTABLISHING CHANGE PRIGRITIES AND OBJECTIVE IQC DATE.	5. MAINTAIN COORDINATION WITH MD DURING DEVELOPMENT OF CHANGE TO CLARIFY REQUIREMENTS AS REQUIRED.	1. COORDINATE TYPE/DEGREE OF TESTING NECESSARY FOR EACH ISSUE/REVISION OF SOFTWARE PROGRAM.	2. DEVELOP SYSTEM CHANGE TEST CONDITIONS AND CRITERIA	J	15. PARTICIPATE AS TASKED BY HODA IN OPERATIONAL		6. PLAN AND COMPUCT OF MANITOR LISES AFTEDIENTS		B. EVALUATE OPERATIONAL SUITABILITY AND EFFECTIVENESS.	B. PROVIDE APPROVAL FOR SOFTWARE RELEASE TO THE FIELD.	IL MAINTAIN COMMUNICATIONS WITH USERS.	2, FUNCTION AS USER SURROGATE.	3. DEVELOP AND PROVIDE GUIDANCE ON DOCTRINAL/ I TACTICAL ASPECTS OF SYSTEM EMPLOYMENT.	4. COORDINATE WITH MD ON THE SCHEDULE AND METHODOLOGY FOR DISTRIBUTION OF SYSTEM SOFTWARE CHANGE PACKAGE TO THE FIELD 8
TAADOC RESPONSTBILLITY	4. AUALYZE FUNCTIONAL				•	1. DEVELOP FUNCTIONAL		_			1. MONITOR, PARTICIPATE 14. OR CONDUCT SYSTEM	AS APPRO-	PRIATE. d				_			I MAINTAIN INTERFACE	:	FUNCTIONAL GUIDANCE,	
TASK AREA'	(0:	12 12	ZY.	CON	<b>y</b> .;	:NO	ITA	)C	121E)	2 . E						NC)	31	SYS TES	•	L	1	1809	317 .2 qu2

Figure F-28. (continued)

LMG DEVELOPHENT (DTD)  LMG DEVELOPHENT (DTD)	1		×														
FACILITY SUPPORT AND		H			Ц	T	L				×						EC ( K
COSE NANAGEMENT BRANCH	-	4	-	-	4	<u>ا</u> ک	  ×	×	×		7		-	_		-	4 1 3
CHIEF, CDSE	<b>↓</b>	H	-		7	+		-	×		×		┞	-	<del> </del>	×	2
FUNCTION IS REQUIRED.		~~	٦,	2	~	-	F	1	3.	3.	r		-	-	-	'w	000 AT IC:
FUNCTIONS.	1. DETERMINE TRAINING/RETRAINING DEVELOPMENT REQUIREMENTS.	S. DE VELOP TRAINING DEVICE REQUIREMENTS.	4. DEVELOP AND DISTRIBUTE UPDATED OR NEW TRAINING LITERATURE AND MATERIALS.	S. DEVELOP TRAINING SCENARIOS FOR INSTITUTION AND FIELD USE.	VALIDATE/VERIFY TRAINING MATERIALS	* PANTICIPATE IN FIELD USER TRAINING AND NET.	INCULIFY REQUIREMENTS.	SPECIFY IN REQUIREMENTS DOCUMENT.	COCHDINATE WITH HO IN PLANNING FOR REQUIRED POSS SUPPORT TO BAS IN THE CONTINGENCY FORCE.	AMOVIDE FOR "TACTICAL TAILORING" OF FIELDED SOFTWARE TO CONTINGENCY MISSION."	PECIFY POSS RESPONSE REQUIREMENTS.	THE MAN WE ATTENDED FOR PROVIDING THE MOST COME AND REFECTIVE POSS UNDER VARIOUS	CAMPINATE WITH THE MD IN PLANNING POSS SUPPORT	ALCO PROCEDURAL MORK-AROUNDS WIEN SITUATION TO MADE PERMIT SOFTWARE CHANGES.	MAGNIT-END ANALYSIS, DESIGN FLEXIBILITY NE SOFTWARE TO ALLOW FIELD USER RESPONSE TO FORTINGENCIES.	THE PERIODIC REEVALUATED TACTICAL SUITAL	P - A :
THE STREET	Thiom - and	Cuenta III							PLANKING.		SUPPORT TO CAISIN	WATINE OPERATION.				ASSESS CONTINUED TACTICAL SUITABILITY OF BAS.	* 1 - ANTINE AFTER 1955 2 AFTER SOFTWARE FOR I CONFIGURATION (STAN
₹	ni .		_	NI I NC		- [	_;	ı	∼		ä					نم	' I

Figure F-28. (concluded)

	FY81	FY82	FY83	FY84	FY85	FY86	FY87
REQUIRED MILITARY CIVILIAN TOTAL	12 <u>4</u> 16	12 4 16	12. _4 _16	12 <u>4</u> 16	12 <u>4</u> 16	12 <u>4</u> 15	12 4 16
AUTHORIZED MILITARY CIVILIAN TOTAL	6 0 6	6 0 6	6 0 6	6 0 6	6 0 F	۴	
ADDITIONAL NEEDED MILITARY CIVILIAN	6			10	10	4 10	6 4 10

Figure F-29. Personnel required, Hybrid PDSS System, Soldier Support Center

	TECHN	IAL AND	TECHN	AL AND	TOTAL
. , , , , , , , , , , , , , , , , , , ,	MIL	CIV	MIL	CIV	
₩ cAM	i	1	1		3
THER SYSTEMS SECTION	1	1	] ]		2
FACILITY SUPPORT AND ANALYSIS BRANCH		1	1		2
CD PDSS LNO	2	1			3
ANALYSIS DIVISION AUGMENTATION	2				2
DIRECTORATE OF TRAINING DEV. AUG.	1				ı
TOTALS	8	4	4	0	16

Figure F-30. CDSE personnel requirements breakdown, Hybrid PDSS System, Soldier Support Center

